

DS1

Beholder Gimbal for DSLRs

ONE SHEET

Overview

The beholder DS1 3-Axis gimbal stabilizer is designed for single handed operation. The DS1 incorporates double IMU sensors and uses the most advanced technology, allowing you to capture smooth, shake-free video. Whether you are an indie film maker, event videographer or a hobbyist, you will be amazed by the professional results produced by the Beholder DS1.

The 32-bit processors enable multiple control options. You can put your camera in any position, including upside down, to create continuous shots under most circumstances. The unit also features a 5-way control joystick that allows you to pan, tilt, and do fine adjustments. The DS1 features a 3/8"-16 threaded hole on the bottom so you can attach it to monopods, allowing you to create crane and dolly type effects with ease.



DS1 | Beholder Gimbal for DSLRs | **UPC Code:** 847983015429

Special Features

- Simple to Operate
- Light Weight Durable Construction
- Supports DSLRs and Mirrorless Cameras between 1.5 to 3.7 lbs
- Equipped with 3 Axis Gyro Stabilized Brushless Motors to Balance Most Mirror-less & DSLR Cameras
- Lithium Battery Powered- Low Maintenance, Eco-Friendly
- Illuminated ON-OFF Switch/Battery Indicator

Recommended For

- Portable Cinematography
- DSLRs (*under 1.5 Lbs*)



www.facebook.com/ikanseeit



www.twitter.com/ikancorp



www.vimeo.com/ikancorp



www.youtube.com/ikancorp

ikan

www.ikancorp.com

1.713.272.8822

sales@ikancorp.com

Supports Multiple Devices

The Beholder gimbal is perfect for Canon 5D Mark III, 6D, 7D, and other DSLRs, as well as mirrorless cameras such as Sony's a7S, RX-100 & NEX Series, Panasonic GH4, Samsung NX500, and Blackmagic Pocket Cinema Camera.

Quick Release Balance Plate

Easily mount and balance your camera with the quick-release balance baseplate. Tool-less adjustments are easily made for lens changes.

Pan & Tilt Control Stick

The pan-and-tilt "joystick" puts control at your fingertips. Greater movement is at your command. Shooting angles range up to approximately 45° roll, and 90° Tilt (off center).

Multiple Modes of Operation

Choose your mode of operation based on the desired shot. Follow or Lock Mode.

All-Aluminum Construction

Durable, lightweight aluminum build.

Easily Customizable

Build a pro shooting rig for your shooting style. A convenient 3/8"-16 threaded hole allows for multiple mounting options such as on top of a monopod.

USB Power Options

The USB port on the handle can be used to charge or power your smartphone, GoPro camera, or other USB-powered devices. This is convenient if your camera has a Wi-Fi "Live" mode, and you can send the signal to your smartphone.

What's Included

- 1 x Battery Cap
- 1 x Battery Holder
- 1 x Camera Offset Bracket
- 1 x Gimbal Stabilizer
- 1 x Laser Cut Foam Soft Carry Case
- 1 x Micro USB Cable
- 1 x Quick Release Plate
- 3 x Batteries (18650)

WARNING! This product comes from the factory tuned and ready to use. It is NOT meant to be user-serviceable, accessing and changing software settings and/or tuning settings will void warranty.

Specs

Dimensions	11.8 x 6.9 x 6.3 In.
Weight (excluding camera)	2.4 Lbs
Max Payload	3.7 Lbs
Battery	3 x 3.7v Li-Ion 18650 2600 mAh
Battery Life	*3-4 Hours
Range of Motion	90°-180°
Camera/Lens Supported	Canon 5D, 6D, 7D + 16-3524-105 lens Sony A, A7R2, GH4
Yaw	355°
Pitch	355°±180°
Roll	355°-60°
Shipping Dimensions	14.8 x 7.9 x 3.9 In.
Shipping Weight	3.9 Lbs

Optional Accessories

- MA207 7" Articulating Arm
- MA211 11" Articulating Arm
- VL5e 5" HDMI Monitor w/ Sunhood & E6 Battery Plate
- iLED-MA Micro Flood Light
- iLED-MS Micro Spot On-Camera Light

