

Presto Soft Boxes for Half x 1 LED Lights



What's Included

- 1 x Soft box
- 1 x Egg crate
- 1 x Storage pouch

Getting Started

Thank you for buying the Presto Soft Box from Ikan. Please carefully read the instructions and guide before operating the products. The guide includes product usage and maintenance. When you operate the product, please make sure that you have read the instructions carefully. All the content of the manual is based on up-to-date information; technical data subject to change without notice.


Step-by-Step Guide to preparing and installing your Presto Soft Box



Step 1: Remove the Presto soft box from the carrying pouch. (Note: be careful that the box doesn't spring open when removing it from carrying pouch.)



Step 2: Gently allow the frame of the soft box to open and take shape. This allows the box to take shape and start forming the frame.



Step 3: Straighten the rods at each corner of the box. Allow the magnets to attach and form a solid rod locking the box in open position.




Step 4: Check the inside of the soft box to make sure that all of the material is fully expanded and there are no cuts or openings.



Step 5: Placing the soft box on the light and fitting it into place. The soft box will slip over the barn doors and slid around the edges of the light. The back flaps will fit around the light and the hook straps will attach to the loop patches on the side flaps.



Step 6: Once the back flaps have been set take the two long elastic straps and attach them over the two long elastic straps and attach them over the back of the light. (Note: Pushing the barn doors out from the front of the box through the diffusion will allow the box to stay on better.)



Step 7: (Optional) The included egg crate can be placed on the soft box to allow the soft light to be more controlled with less light spill.

Compatibility

The PSB5 Presto Soft Box is compatible with the following Ikan lights:

LB5	Lyra Bi-Color Half x 1 LED Panel
LBX5	Lyra Bi-Color Half x 1 LED Panel w/ DMX Control
LW5	Lyra Daylight Half x 1 LED Panel
LWX5	Lyra Daylight Half x 1 LED Panel w/ DMX Control
RB5	Rayden Bi-Color Half x 1 LED Panel
RBX5	Rayden Bi-Color Half x 1 LED Panel w/ DMX Control
RW5	Rayden Daylight Half x 1 LED Panel
RWX5	Rayden Daylight Half x 1 LED Panel w/ DMX Control
MB8	Mylo Bi-Color Half x 1 Portable LED Panel

Specifications

Shipping Weight	3 lb
Shipping Dimensions	10 x 10 x 4 in
Product Weight	1 lb
Operational Dimensions	18 x 16 x 8 in
Build Material	Canvas, Metal, Rayon

Learn More

More dynamic information at official website: www.ikancorp.com

Support

Contact email: support@ikancorp.com

CONDITIONS OF WARRANTY SERVICE

- Free service for one year from the day of purchase if the problem is caused by manufacturing errors.
- The components and maintenance service fee will be charged if the warranty period is expired.

Free Service will not be Provided in the Following Situations:(*Even if the product is still within the warranty period.)

- Damage caused by abuse or misuse, dismantling, or changes to the product not made by the company.
- Damage caused by natural disaster, abnormal voltage, and environmental factors, etc.

©2019 Ikan International. All rights reserved.

