

SPRING 2019













ABOUT US

Ikan is a company of filmmakers. Our staff is almost entirely composed of seasoned professionals whose first love is the world of film and video. As filmmakers, we understand the challenges our customers face on a daily basis. We understand the need for reliable, dependable equipment. We understand that a piece of gear going down during an important shoot can affect your reputation. We also understand that, while imagination may be limitless, budgets aren't. Whether it's an expensive Hollywood motion picture or an intimate wedding shoot, you need to maximize the value of the products you're choosing to buy. And because we understand these things, we feel it's our responsibility to continue to bring our customers the best available technology, quality, service, and long-term value across our entire product line. Whether it's our lights, gimbals, tripods, monitors, or the hundreds of other production tools we've brought to the market, all of Ikan's products are created by filmmakers to empower filmmakers.

Ikan International

11500 S. Sam Houston Pkwy West Houston, TX 77031

www.ikancorp.com

CONTACT

713.272.8822 sales@ikancorp.com

Spring Catalog 2019

Copyright © 2019 Ikan International www.ikancorp.com



TABLE OF CONTENTS





Lyra Half x 1 Bi-Color Soft Light



- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of soft panel 110 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Gold mount & V-mount battery plates included
- Equivalent to 350W incandescent soft light
- Included barn doors with intensifiers

LB5 (Half x 1 Panel)	.\$449.00
LBX5 (Half x 1 Panel with DMX)	.s449.99

Lyra Half x 1 Daylight Soft Light



- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Beam angle of soft panel 110 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Gold mount & V-mount battery plates included
- Equivalent to 350W incandescent soft light
- Included barn doors with intensifiers

LW5 (Half x 1 Panel)	0
LWX5 (Half x 1 Panel with DMX)	19

Lyra Half x 1 Bi-Color Soft Light Kits



- Kit includes:
- Lyra half x 1 light fixtures (LB5)
- Light stands
- Light bag
- Stand bags

LB5-2PT-KIT (LB5 2 Point Kit)	.\$1099.00
LB5-3PT-KIT (LB5 3 Point Kit)	.\$1499.00
LB5-5PT-KIT (LB5 5 Point Kit)	.\$2699.00

Lyra Half x 1 Daylight Soft Light Kits



- Kit includes:
- Lyra half x 1 light fixtures (LW5)
- Light stands
- Light bag
- Stand bags

35-2PT-KIT (LB5 2 Point Kit)	LW5-2PT-KIT (LW5 2 Point Kit) \$999.00
35-3PT-KIT (LB5 3 Point Kit)	LW5-3PT-KIT (LW5 3 Point Kit)\$1399.00
35-5PT-KIT (LB5 5 Point Kit)	LW5-5PT-KIT (<i>LW5 5 Point Kit</i>) \$2499.00

Lyra Bi-Color Soft Mixed Light Kits



- Kits include:
- Lyra light fixtures (LB5 & LB10)
- Light stands
- Light bag
- Stand bags

LB-3F2H (3 x LB10 & 2 x LB5)	\$3499.00
LB-2F3H (2 x LB10 & 3 x LB5)	\$3299.00
LB-2F1H (2 x LB10 & 1 x LB5)	\$2099.00
LB-1F2H (1 x LB10 & 2 x LB5)	\$1799.00

Presto Soft Box for 1 x 1 Panel



- Lightweight foldable soft box
- No speed ring required
- 1/4 stop front diffusion
- Reflective interior
- Easy mounting straps
- Egg crate included
 - Storage pouch included
 - 12" x 12" fixture opening Compatible Lyra, and
 - Rayden 1 x 1 LED lights

PSB10. \$49 99

Lyra 1 x 1 Bi-Color Soft Light



- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
 - Bi-Color adjustable from 3200K-5600K
- Beam angle of soft panel 110 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Gold mount & V-mount battery plates included Equivalent to 850W incandescent soft light
- Included barn doors with intensifiers

LB10 (1 x 1 Panel)	\$799.00
LBX10 (1 x 1 Panel with DMX)	\$799.99

Lyra 1 x 1 Daylight Soft Light



- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Beam angle of soft panel 110 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Gold mount & V-mount battery plates included
- Equivalent to 850W incandescent soft light
- Included barn doors with intensifiers

LW10 (1 x 1 Panel)
LWX10 (1 x 1 Panel with DMX)

Lyra 1 x 1 Bi-Color Soft Light Kits



- · Kit includes:
- Lyra half x 1 light fixtures (LB10)
- Light stands
- Light bag
- Stand bags

LB10-2PT-KIT (LB10 2 Point Kit)	\$1599.00
LB10-3PT-KIT (LB10 3 Point Kit)	\$2199.00
LB10-5PT-KIT (LB10 5 Point Kit)	\$3999.00

Lyra 1 x 1 Daylight Soft Light Kits



- · Kit includes:
- Lyra half x 1 light fixtures (LW10)
- Light stands
- Light bag
- Stand bags

LW10-2PT-KIT (LW10 2 Point Kit)	
LW10-3PT-KIT (LW10 3 Point Kit)	\$1999.00
LW10-5PT-KIT (LW10 5 Point Kit)	\$3699.00

Lyra Daylight Soft Mixed Light Kits



- Kits include:
- Lyra light fixtures (LW5 & LW10)
- Light stands
- Light bag Stand bags

LW-3F2H (3 x LW10 & 2 x LW5)	\$3299.00
LW-2F3H (2 x LW10 & 3 x LW5)	\$2999.00
LW-2F1H (2 x LW10 & 1 x LW5)	^{\$} 1899.00
IW-1F2H (1 x W10 & 2 x W5)	\$1699.00

Presto Soft Box for Half x 1 Panel



- Lightweight foldable soft box
- No speed ring required
- 1/4 stop front diffusion Reflective interior
- Easy mounting straps
- Egg crate included
- Storage pouch included
- 12" x 7.5" fixture opening
- Compatible Lyra, Rayden & Mylo half x 1 LED lights

PSR5 \$39.99





Lyra 1 x 4 Bi-Color Soft Light



- 95+ CRI chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Bright consistent light across all color temperatures
- Beam angle of soft panel 110 degrees
- A clean single shadow without artifacts
- DMX in & out

LBX40 (DMX).....\$1999.00

Lyra 1 x 3 Bi-Color Soft Light



- 95+ CRI chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Bright consistent light across all color temperatures
- Beam angle of soft panel 110 degreesA clean single shadow without artifacts
- DMX in & out

LBX30 (DMX)\$1599.00

Lyra 1 x 2 Bi-Color Soft Light



- 95+ CRI chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Bright consistent light across all color temperatures
- . Beam angle of soft panel 110 degrees
- · Clean single shadow without artifacts
- DMX in & out

LBX20 (DMX).....\$1299.00

Lyra RGB Digital Color Light



- Full RGB color, Saturation, and HSI control
- 97 CRI chip LEDs paired with 1/2 stop soft diffusion panel
- Variable CCT: 2800K-10,000K
- Hue Shift: +green / -magenta 0-100%
- Color correction filter gels
- 8-bit & 16-bit DMX

LCX21 (DMX).....\$2499.00

MYLO

Mylo Soft Bi-Color Field LED Light



- 95+ CRI chip LEDs
- Bi-Color adjustable 3200K-5600K
- 1/2 stop soft diffusion panel
- Beam angle of 110 degrees
- Includes two L series batteries

MSB8 (Half x 1 Panel)______\$449.99

Mylo Half x 1 Field LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50 degrees
- · Powered by two L series batteries series style batteries
- Equivalent to 750W of incandescent light

MB8 (Half x 1 Bi-Color).....

Mylo Mini Bi-Color Field LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50 degrees
- Single knob control to adjust color & brightness
- Equivalent to 300W of incandescent light

MB4-TK (Travel Kit)________\$199.99

Mylo Soft Bi-Color Field LED Light Kits



- Kit includes:
- Mylo Soft light fixtures (MSB8)
- Light stands
- Light bag
 Stand bag
- Stand bags

MSB8-2PT-KIT (N	ISB8 2 Point Kit)	.\$1099.00
MSB8-3PT-KIT (N	ISB8 3 Point Kit)	\$1399.00
MSB8-5PT-KIT (//	ISB8 5 Point Kit)	\$2499.00

Mylo Half x 1 Field LED Light Kits



- Kit includes:
- Mylo half x 1 light fixtures (MB8 or MW8)
- Light stands
- Light bag
 Stand bags
- MB8-2PT-KIT (MB8 2 Point Kit)
 \$999.99

 MB8-3PT-KIT (MB8 3 Point Kit)
 \$1299.00

 MB8-5PT-KIT (MB8 5 Point Kit)
 \$2299.00

Mylo Bi-Color LED Mixed Light Kits

...\$449.99



- Kit includes:
- Mylo light fixtures (MB8, MB4 & iLED6)
- Light standsLight bag
- Stand bags

Mylo Mini Bi-Color Field LED Light Kits



- Kit includes:
- Mylo Mini light fixtures (MB4)
- Light stands
- Light bag
- Stand bags

 MB4-2PT-KIT (MB4 2 Point Kit)
 \$599.00

 MB4-3PT-KIT (MB4 3 Point Kit)
 \$899.00

 MB4-4PT-KIT (MB4 4 Point Kit)
 \$1099.00



Rayden Half x 1 Bi-Color LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Gold mount & V-mount battery plates included
- Included barn doors with intensifiers
- Equivalent to 400W of incandescent light

RB5 (Half x 1 Panel)	^{\$} 449.00
RBX5 (Half x 1 Panel with DMX)	\$449.99

Rayden 1 x 1 Bi-Color LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Gold mount & V-mount battery plates included
- Included barn doors with intensifiers
- Equivalent to 900W of incandescent light

RB5 (Half x 1 Panel)	RB10 (1 x 1 Panel)
RBX5 (Half x 1 Panel with DMX)	RBX10 (1 x 1 Panel with DMX)

Rayden Half x 1 Daylight LED Light



- 95+ CRI LEDs
- Daylight 5600K
- Beam angle of 50 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Gold mount & V-mount battery plates included
- Included barn doors with intensifiers
- Equivalent to 400W of incandescent light

RW5 (Half x 1 Panel)	399.00
RWX5 (Half x 1 Panel with DMX)	399.99

Rayden 1 x 1 Daylight LED Light



- 95+ CRI LEDs
- Daylight 5600K
- Beam angle of 50 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Gold mount & V-mount battery plates included
- Included barn doors with intensifiers
- Equivalent to 900W of incandescent light

RW10 (1 x 1 Panel)	9.00
RWX10 (1 x 1 Panel with DMX)	9.99

Rayden Half x 1 Bi-Color LED Light Kits



- Kit includes:
- Rayden half x 1 light fixtures (RB5)
- Light stands
- Light bag
- Stand bags

RB5-2PT-KIT (RB5 2 Point Kit)	\$1099.00
RB5-3PT-KIT (RB5 3 Point Kit)	\$1499.00
RB5-5PT-KIT (RB5 5 Point Kit)	\$2699.00

Rayden 1 x 1 Bi-Color LED Light Kits



- Kit includes:
- Rayden 1 x 1 light fixtures (RB10)
- Light stands
- Light bag
- Stand bags

RB10-2PT-KIT (RB10 2 Point Kit)	\$1599.00
RB10-3PT-KIT (RB10 3 Point Kit)	\$2199.00
RB10-5PT-KIT (RB10 5 Point Kit)	\$3999.00

Rayden Daylight LED Light Kits



- Kit includes:
- Rayden half x 1 light fixtures (RW5)
- Light stands
- Light bag
- Stand bags

RW5-2PT-KIT	(RW5 2 Point Kit)	\$999.00
RW5-3PT-KIT	(RW5 3 Point Kit)	1399.00
RW5-5PT-KIT	(RW5 5 Point Kit)	2499.00

Rayden Daylight LED Light Kits



- Kit includes:
- Rayden 1 x 1 light fixtures (RW10)
- Light stands
- Light bag
- Stand bags

RW10-2PT-KIT (RW10 2 Point Kit)	\$1499.00
RW10-3PT-KIT (RW10 3 Point Kit)	\$1999.00
RW10-5PT-KIT (RW10 5 Point Kit)	\$3699.00

Rayden Bi-Color LED Mixed Light Kits



- Kit includes:
- Rayden light fixtures (RB5 & RB10)
- Light stands
- Light bag
- Stand bags

RB-3F2H (3 x RB10 & 2 x RB5)	\$3499.00
RB-2F3H (2 x RB10 & 3 x RB5)	\$3299.00
RB-2F1H (2 x RB10 & 1 x RB5)	\$2099.00
RB-1F2H (1 x RB10 & 2 x RB5)	\$1799.00

Rayden Daylight LED Mixed Light Kits



- Kit includes:
- Rayden light fixtures (RW5 & RW10)
- Light stands
- Light bag
- Stand bags

RW-3F2H (3 x RW10 & 2 x RW5)	\$3299.00
RW-2F3H (2 x RW10 & 3 x RW5)	\$2999.00
RW-2F1H (2 x RW10 & 1 x RW5)	\$1899.00
RW-1F2H (1 x RW10 & 2 x RW5)	\$1699.00

Onyx Digital Color RGBW LED 1 x 2 Soft Light





Full RGB color control

- Variable CCT: 2800K to 10.000K
- Amber and white LEDS for better daylight and tungsten color
- Saturation control
- CRI: 95 TLCI: 95
- Built in ½ stop diffusion
- Hue shift: +green / -magenta 0-100%
- Filter gels: 33 gels
- Special effects: 8 built- in modes
- Lightweight aluminum construction

0YC15 \$899.99

Onyx Half x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- Powered by two L series batteries (both required)

OYB5 (Half x 1 Bi-Color)..... ..\$399.99

Onyx 1 x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- V-mount battery plate allows for battery options

OYB10 (1 x 1 Bi-Color)..... ...\$499.99

Onyx 2 x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- 2 x V-mount battery plate allows for battery options

OYB15 (2 x 1 Bi-Color)...... \$699.00

Onyx Half x 1 LED Light Kits



- Kit includes:
- Onyx half x 1 light fixtures (OYB5)
- Light stands
- Light bag
- Stand bags

Kit)\$899.99
Kit)\$1299.00

Onyx 1 x 1 LED Light Kits



- Kit includes:
- Onyx 1 x 1 light fixtures (OYB10)
- Light stands
- Light bag
- Stand bags

OYB10-2PT-KIT	(OYB10 2 Point Kit)	\$999.00
OVR10-3PT-KIT	(OVR10 3 Point Kit)	\$1499 00

Onyx Bi-Color Aluminum On-Camera LED Light

Onyx 2 x 1 LED Light Kits



- Kit includes:
- Onyx 2 x 1 light fixtures (OYB15) Light stands
- Light bag
- Stand bags

OYB15-2PT-KIT	(OYB15 2 Point Kit)	\$1699.00
OYB15-3PT-KIT	(OYB15 3 Point Kit)	\$2499.00

Onyx Bi-Color Aluminum On-Camera LED Light



0YB120

- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- LED display
- Equivalent to 100W incandescent light

\$79.99



Durable lightweight

- aluminum frame Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- LED display
- Equivalent to 250W incandescent light

OYB240. .\$139.99

Onyx Bi-Color LED Light Kits



- Kit includes:
- 3 x Onyx OYB240 Light fixtures
- Light stands
- Light bag
- Stand bags

OYB240-2PT-KIT	(OYB240 2	Point Kit)	 \$399.9
OYR240-3PT-KIT	(OYB240.3	Point Kit)	\$499 9

STRYDER

Stryder Bi-Color Studio & Field Light with DMX



- 95+ CRI 97 TLCI
- Bi-Color 3200K-5600K light adjustable from 2700K-6400K
- 5 in. Fresnel with flood to spot
- Made of lightweight material
- Powered by Gold mount or V-mount battery
- Flicker feature allows slow to fast strobe
- Large digital readout for easy adjustments

SB200 (Bi-Color Fresnel) \$999.99

Stryder Daylight Studio & Field Light



- Versatile field light
- 4 in. Fresnel with 60 degree and 30 degree lens
- Whisper-quiet cooling system
- Easily powered by 18650 batteries
- Large digital readout for easy adjustment

SW50 (Daylight)	\$299.99
SW50-2PT-KIT (SW50 2 Point.Kit)	\$699.99
SW50-3PT-KIT (SW50 3 Point.Kit)	\$999.99



OYCIS | ONYX DIGITAL COLOR LED SOFT LIGHT

The Ikan Onyx Digital Color Light is designed for color creation. The RGBWA panel allows you to control Red, Green, Blue, LEDs independently. This allows the user to make literally millions of colors. The Amber and White LED's allow for a more accurate color temperature when reproducing daylight or tungsten lighting, while CCT Mode offers color temperature control from 2800K to 10,000K.

- Variable CCT: 2800K to 10,000K
- Full RGB color control
- Saturation control
- CRI: 95 TLCI: 95

- Built in ½ stop diffusion
- Hue shift: +green / -magenta 0-100%
- Filter gels: 33 gels
- Special effects: 8 built-in modes

\$899.99

ORYON

Oryon Small Ring Light



- 14 in. Diameter ring light
- Bi-color 3200K-5600K adjustable
- CRI 96 TLCI 97
- Phone clamp and camera mount included

RLB40______\$329.99

• 18 in. Diameter ring light

Bi-color 3200K-5600K adjustable
CRI 96 TLCI 97

15mm mounting adapter for cameras

8______\$359.99

Oryon Cosmetic Ring Light



- 18 in. Diameter ring light
- Ci-color 3200K-5600K adjustable
- CRI 96 TLCI 97
- Includes makeup mirror and phone clamp

LCB60_____\$379.99

CANVAS

Canvas Round Bendable LED Panel



- Lightweight round bendable fabric LEDs
- Bi-Color 2800K-6500K
- 95+ CRI 96 TLCI
- 120 Degree beam angle
- Watts equivalent 200W soft light
- Includes soft box and egg crate

CB6	\$399.99
CB6-2PT-KIT (CB8 2 Point Kit)	. \$999.99
CB6-3PT-KIT (CB8 3 Point Kit)	\$1499.99

Canvas Bendable LED Panel

Oryon Intermediate Ring Light



- Soft, flexible fabric with chip-style LEDs
- Bi-Color 3200K-5600K
- 96 CRI 96 TLCI
- 120 Degree beam angle
- Watts equivalent 300W soft light
- Includes soft box and egg crate

CB8	\$499.99
CB8-2PT-KIT (CB8 2 Point Kit)	\$1099.99
CB8-3PT-KIT (CB8 3 Point Kit)	\$1599.99

Canvas Digital Color Bendable LED Soft Light




- Full RGB Color Control
- White LEDs for better daylight color
- Bi-Color 2800K-10,000K
- 95 CRI 95 TLCI
- Includes 1/2 stop diffusion soft box

C12	sTBA
C12-2PT-KIT (CB8 2 Point Kit)	\$TBA
C12-3PT-KIT (CB8 3 Point Kit)	stba



	Fixture Type	ССТ	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
RB5/ RBX5	Panel	3200K- 5600K	50°	95+	14 x 8 x 3 in.	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	400 Watts	Pro Battery Gold/V-Mount
RB10/ RBX10	Panel	3200K- 5600K	50°	95+	14 x 14 x 3 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	800 Watts	Pro Battery Gold/V-Mount
RW5/ RWX5	Panel	5600K	50°	95+	14 x 8 x 3 in.	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	500 Watts	Pro Battery Gold/V-Mount
RW10/ RWX10	Panel	5600K	50°	95+	14 x 14 x 3 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	900 Watts	Pro Battery Gold/V-Mount
LB5/ LBX5	Panel	3200K- 5600K	110°	95+	14 x 8 x 3 in.	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	350 Watts	Pro Battery Gold/V-Mount
LB10/ LBX10	Panel	3200K- 5600K	110°	95+	14 x 14 x 3 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	850 Watts	Pro Battery Gold/V-Mount
LW5/ LWX5	Panel	5600K	110°	95+	14 x 8 x 3 in.	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	350 Watts	Pro Battery Gold/V-Mount
LW10/ LWX10	Panel	5600K	110°	95+	14 x 14 x 3 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	850 Watts	Pro Battery Gold/V-Mount
LBX20	Panel	3200K- 5600K	110°	95+	29 x 20 x 5 in.	18 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	1000 Watts	None
LBX30	Panel	3200K- 5600K	110°	95+	45 x 18 x 5 in.	20 lbx	Baby 5/8" Junior 1-1/8" Combo Pin	√	2000 Watts	None
LBX40	Panel	3200K- 5600K	110°	95+	49 x 20 x 5 in.	30 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	2000 Watts	None
LCX21	Panel	2800K-10,000K	120°	97	25 x 17 x 7 in.	32 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	√	1.2K Watts	Pro Battery V-Mount
MB8	Panel	3200K- 5600K	50°	95+	14 x 7 x 2 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	-	650 Watts	Pro Battery Gold/V-Mount
мв4-тк	Panel	3200K- 5600K	50°	95+	8 x 5 x 2 in.	1 lb	Shoe Mount	-	300 Watts	DV Battery L Series
MSB8	Panel	3200K- 5600K	110°	95+	19 x 13 x 3 in.	8 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	-	300 Watts	DV Battery L Series
OYB120	On-Camera	3200K- 5600K	110°	92	6 x 4 x 1 in.	0.5 lb	Shoe Mount	-	100 Watts	DV Battery L Series
OYB240	On-Camera	3200K- 5600K	110°	93	11 x 4 x 1 in.	1 lb	Shoe Mount	-	250 Watts	DV Battery L Series
OYB5	Panel	3200K- 5600K	60°	96+	15 x 11 x 2 in.	4 lbs	5/8" Baby Pin Receiver	√	500 Watts	Pro Battery V-Mount
OYB10	Panel	3200K- 5600K	60°	96+	16 x 16 x 2 in.	5 lbs	5/8" Baby Pin Receiver	√	650 Watts	Pro Battery V-Mount
0YB15	Panel	3200K- 5600K	60°	96+	22 x 16 x 2 in.	8 lbs	5/8" Baby Pin Receiver	√	800 Watts	Pro Battery V-Mount
OYC15	Panel	2800K-10,000K	120°	95	27 x 18 x 7 in.	11 lbs	5/8" Receiver	-	500 Watts	None
SB200	Fresnel	2700K- 6400K	30°-60°	96+	16 x 11 x 9 in.	11 lbs	5/8" Baby Pin Receiver	√	30°: 700 Watts 60°: 1000 Watts	Pro Battery Gold/V-Mount
SW50	Fresnel	5600K	30°-60°	96+	12 x 9 x 4 in.	4 lbs	5/8" Baby Pin Receiver	-	30°: 300 Watts 60°: 700 Watts	18650 Battery
HF40	Fresnel	2700K- 5600K	18-60°	95+	8.5 x 7.5 x 13 in.	5 lbs	5/8" Baby Pin Receiver	-	300 Watts	Pro Battery V-Mount
HF150	Fresnel	3200K- 5600K	30°-60°	95+	13 x 10 x 10.2 in.	8.5 lbs	5/8" Baby Pin Receiver	√	650 Watts	None
RLB40	Ring	3200K- 5600K	110°	95+	14 (diameter) x 2 in.	2 lbs	5/8" Receiver	-	100 Watts	DV Battery L Series
RLB48	Ring	3200K- 5600K	110°	95+	18 (diameter) x 2 in.	3 lbs	5/8" Receiver	-	100 Watts	DV Battery L Series
RLCB60	Ring	3200K- 5600K	110°	95+	18 (diameter) x 2 in.	3 lbs	5/8" Receiver	-	250 Watts	DV Battery L Series
CB6	Flexible Panel	2800K- 6500K	120°	95+	14 (diameter) x 4 in.	1 lbs	5/8" Receiver	-	200 Watts	DV Battery / Pro Batt V-Mount
CB8	Flexible Panel	3200K- 5600K	120°	96	20 x 0.5 x 10 in.	1 lbs	5/8" Receiver	-	300 Watts	DV Battery / Pro Batt V-Mount
C12	Flexible Panel	2800K-10,000K	110°	95	12.5 x 13 x 0.5 in.	2 lbs	5/8" Receiver	-	300 Watts	DV Battery
								* Tungo	ten Wattage Measi	romont



VL35 3.5" On-Camera Field 4K HDMI Monitor



- 800 x 480 LCD display
- 4K Ultra HD support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, & clip guides
- Headphone output
- HDMI input & output, composite input, 3.5mm audio output
- LP-E6 series battery mount



1920 x 1080 touchscreen

- LCD display 4K Ultra HD support via HDMI
- Pinch to zoom pixel-to-pixel function
- Histogram and audio meters
- HDMI input & output
- L series & LP-E6 series battery mount

DH5e-V2 Delta 5" On-Camera 4K HDMI Monitor w/ 3D LUTs



- 1920 x 1080 touchscreen LCD display
- USB port for loading 3D LUTs
- 4K Ultra HD support via HDMI Pinch to zoom pixel-to-pixel function
- Histogram and audio meters
- HDMI input & output
- L series battery mount

DH5e-V2	\$349.99
DH5e-V2-DK (Deluxe Kit)	\$449.99

VL35 \$249.99

DH5e \$299.99 DH5e-DK (Deluxe Kit) .. \$399.99

DH5e Delta 5" On-Camera 4K HDMI Monitor

EVF35-KIT Electronic Viewfinder for VL35 3.5" 4K HDMI Monitor



- 800 x 480 LCD display
- High quality viewfinder with adjustable diopter
- 4K Ultra HD support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, & clip guides
- Headphone output
- HDMI input & output, composite input, 3.5mm audio output
- LP-E6 series battery mount

EVF35-KIT (Includes Electronic Viewfinder & VL35)	\$349.99
EVF35 (Electronic Viewfinder Only)	\$119.99

EVF50-KIT Monitor Cage w/ Viewfinder for DH5e 5" 4K HDMI Monitor



- 1920 x 1080 touchscreen LCD display
- · High quality viewfinder with adjustable diopter
- · Form-fitted aluminum cage
- 4K Ultra HD support via HDMI
- Pinch to zoom pixel-to-pixel function
- Histogram and audio meters
- HDMI input & output
- L series battery mount

EVF50-KIT (Includes Electronic Viewfinder & DH5e)	99.99
EVF50 (Electronic Viewfinder Only)\$29	99.99

DH7-V2 Delta 7" High Bright On-Camera 4K HDMI Monitor with 3D LUTs



- 1920 x 1200 touchscreen LCD display
- 1200 nit high bright panel
- USB port for loading 3D LUTs
- 4K Ultra HD support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI input and output, 3.5mm audio output
- L series battery mount

DH7-V2\$399.0	99
DH7-V2-DK\$499.	99

D7C Delta 7" On-Camera 4K HDMI Monitor



- 1920 x 1200 touchscreen LCD display
- Dual battery support
- 4K Ultra HD support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI input and output, 3.5mm audio output
- L series battery mount

D7C	\$199.99
D7C-DK	\$279.99

S7H-V2 Saga 7" High Bright On-Camera 4K HDMI/3G-SDI Monitor



- 1920 x 1200 touchscreen LCD display
- 1200 nit high bright panel
- 4K Ultra HD support via HDMI
- Waveform, histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI/3G-SDI input and output, 3.5mm audio output
- Dual L series battery mounts

S7H-V2	\$599.99
S7H-V2-DK (Deluxe Kit)	\$649.99

S7C Saga 7" On-Camera 4K HDMI/3G-SDI Monitor



- 1920 x 1200 touchscreen LCD display
- Dual battery support
- 4K Ultra HD support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI/3G-SDI input and output, 3.5mm audio output
- L series battery mount

)	\$76	\$399.99
)	S7C-DK	\$449.99

SX7 Saga 7" Super High Bright 4K HDMI/3G-SDI Monitor with 3D-LUTs



- 1920 x 1200 touchscreen LCD display
- 2000 nit high bright panel
- USB port for loading 3D LUTs
- 4K Ultra HD support via HDMI
- Waveform, RGB parade, vectorscope, histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI/3G-SDI input and output, 3.5mm audio output
- V-mount or L series battery mount

SX7 \$999.00

VXF7 7" On-Camera 4K HDMI/3G-SDI Monitor



- 1920 x 1200 LCD display
- SDI/HDMI signal conversion
- Front and rear tally
- 4K Ultra HD Support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, clip guides, image
- HDMI,3G-SDI, component, composite input and output
- L series battery mount

VXF7	49.99
VXF7-DK\$6	99.99



AX20 Atlas 19.5" Field and Studio 4K HDMI/3G-SDI Monitor with 3D LUTs



- 1920 x 1080 LCD display
- USB port for loading 3D LUTs
- Heavy-duty aluminum construction
- 4K Ultra HD support via HDMI
- Waveform, RGB parade, vectorscope, histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI/3G-SDI input and output
- V-mount battery plate

AX20-FK Atlas 19.5" Field and Studio 4K 3G-SDI/HDMI Monitor with Hard Case



- 1920 x 1080 LCD display
- USB port for loading 3D LUTs
- Built in hard case with mount for light and speaker stand
- 4K Ultra HD support via HDMI
- Waveform, RGB parade, vectorscope, histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI/3G-SDI input and output
- V-mount battery plate

AX20 ...\$1499.00 AX20-FK (Field Kit w/ Built-in Hard Case) \$1699.00

AX17 Atlas 17" Native 4K Quad HDMI/3G-SDI Monitor



- 3840 x 2160 LCD display
- 4 x 3G-SDI input and output
- Quad split display
- 4K signal HDMI support
- Peaking, check field, center mark, safe area, under scan, ratio, horizontal and vertical flip
- HDMI input, 3G-SDI input and output
- V-Mount battery plate

AX17 .\$1699.00 D24

D24 23.8" Native 4K Studio HDMI/3G-SDI Monitor



- 3840 x 2160 LCD display
- 4 x HDMI inputs with quad split display
- On-screen three color tally
- Peaking, aspect ratio, zoom, check field, over scan & image freeze
- HDMI, DVI, VGA input, 3G-SDI input and output
- V-Mount battery plate

\$1499.00

EVF-EC Bluestar Ultrasuede Eye Cushion

EVF-EC (Eye Cushion Only) \$7.95



- Designed for use with the EVF35 & EVF50 Viewfinders
- Ultrasuede surface provides a luxurious amount of comfort
- Double thickness padding
- Eight special holes to minimize chance of light infiltration

Articulating Monitor Arm (E-Image)



- · Heavy-duty mount for monitors and other accessories
- 1/4"-20 threads on both sides
- Center wing nut features locking teeth for increased holding capacity

Articulating Arm

- Mount monitor or camera accessories
- 1/4"- 20 threaded ends
- Ball joints at each end
- Center wing nut lock Removable shoe mount

EI-A49 (5 in. Length)	\$29.95
El-A50 (7 in. Length)	\$39.95
El-A51 (9 in. Length)	\$49.95
EI-A52 (2.875 in. Length)	

MA207 (7 in. Length)..... MA211 (11 in. Length)..... \$54.95 MA211-R (11 in. Arm w/ Single Rod Mount).....

Shoe Mount with Tool-less Mounting Screw & Mounting Plate



- Wide accessory mounting surface with a padded anti-slip surface
- Tool-less mounting with rotating thumb wheel
- Accepts any accessory with a 1/4"-20 mount
- Adaptable for cold shoe mounts and both 1/4"-20 & 3/8"-16 screws
- Can support up to 4.5 lb. horizontally, over 7 lb. vertically
- Includes 3/8"-16 to 1/4"-20 step-down adapter (pre-installed)

Heavy Duty 1/4-20 Stand Mount with 5/8 in. Receiver



- Padded anti-slip surface
- Accepts any accessory with a 1/4"-20 mount
- Receives any 5/8" stand or adapter
- Can support up to 5 lbs.
- Solid metal construction

SM-202 ...\$19.95 SM-501 \$29.95

Slim HDMI Cable with 1.4 Ultra HD 4K Support



- Lengths available: 1.5ft, 3ft
- Slim & flexible for easy routing
- Designed for production use
- Short lengths for camera rigs HDMI v1.4 with backwards compatibility
- Supports 4K & Ultra HD

HDMI-AA1.4 (Standard to Standard)	\$9.95
HDMI-AC1.4 (Mini to Standard)	\$9.95
HDMI-AD1.4 (Micro to Standard)	\$9.95

Ultra Slim SDI Cable with Right Angle Connector

SDI-SLM-36 (3 ft Length)

SDI-SLM-18 (1.5 ft Length).......\$11.95



- Only 2.5mm thick
- Ultra durable & super flexible
- Short lengths for camera rigs & gimbals

\$9.95

Supports 4K & Ultra HD

Monitor Mount and Quick Release (Lanparte)



- Quick release monitor mount
- Mounts to monitor arms or directly to a 1/4-20 threaded recess
- Includes pocket key-driver for easy installation
- Mounting Range: 3/16 to 5/8" from center of mounting point to inside lip of quick release plate

MOR-03 \$35.00



Blitz 600 600ft Wireless Uncompressed Video Transmitter & Receiver Kit



- Best performance within 600 ft. range
- Up to 1308 ft. line of sight range
- Transmits uncompressed zero delay wireless video
- Supports uncompressed 10-Bit 4:2:2 video
- HDMI to SDI cross conversion
- 3G-SDI and HDMI inputs and outputs
- Supports Sony L series batteries
- Supports up to 4 receivers connected to 1 transmitter

BZ600 ...\$1699.00

Blitz 1500 Wireless Uncompressed Zero Delay Video System



- Transmits uncompressed zero delay wireless video
- Designed with Ikan's quick mount system
- 3G-SDI and HDMI inputs and outputs
- Up to 1500 ft. line of sight range
- Uncompressed 10-bit, 4:2:2 video
- HDMI to SDI cross conversion
- Frequency band range $5.1-5.9\ \mathrm{Ghz}$
- Transmission power max 21 dBm (126 mW)

BZ1500 \$2999.00

Blitz Wireless Uncompressed Video Antenna / Range Extender



- BZ2000-ANT: Increases BZ1000 maximum distance to 2,000 ft.
- BZ3000-ANT: Increases BZ1500 maximum distance to 3,000 ft.

BZ2000-ANT (Antenna Only) ..\$499.00 BZ3000-ANT (Antenna Only) ...\$499.00

Blitz 500 Wireless Uncompressed Zero Delay Video System




- Transmits uncompressed zero delay wireless video
- 3G-SDI and HDMI inputs and outputs
- Up to 1230 ft. line of sight range
- Best performance within 500 ft. range
- Uncompressed 10-bit, 4:2:2 video
- HDMI to SDI cross conversion
- Supports Sony L series batteries
- Supports up to 4 receivers connected to 1 transmitter

BZ500 \$1399.00

Blitz Lite 300 HDMI Wireless Video System



- Transmission range 300 ft.
- Dual HDMI output from the receiver
- HDMI loop out on the transmitter
- 5GHz frequency band
- Supports L series batteries



Blitz 500 Pro Wireless Uncompressed Video Kit



- Transmits uncompressed with zero delay wireless video
- Designed with Ikan's quick mount system
- 3G-SDI and HDMI inputs and outputs
- Up to 1230 ft. line of sight range Best performance within 500 ft. range
- Supports Sony L series batteries
- Includes 2 Sony L series batteries and 1 dual charger
- Supports up to 4 receivers connected to 1 transmitter

BZ500-PR0 (Blitz 500 Kit).... \$1599.00

Hard Case for Blitz 500 Pro Wireless Video System



- Replacement case for BZ500-PRO kits
- Fits up to two receivers and one transmitter
- Can also fit one DH7 or S7H-V2 monitor in addition to standard BZ500 kit

BZ500-PRO-CASE (Case Only) \$499.99 \$159.99

BZL300



TRADITIONAL TELEPROMPTERS

PT4500 Professional 15" High Bright Beam Splitter Teleprompter



- 1000 nit high bright monitor
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 17'
- Multiple camera mounting option
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software

PT4500 (HDMI, Composite, VGA)	
PT4500-SDI (SDI, HDMI, VGA)	\$1899.00

PT4700 Professional 17" High Bright Beam Splitter Teleprompter



- 1000 nit high bright monitor
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 20'
- Multiple camera mounting option
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software

[4700 (HDMI, Composite, VGA)	.00
[4700-SDI (SDI, HDMI, VGA)\$2099	.00

PT4500-TK Professional 15" High Bright Beam Splitter Teleprompter Travel Kit



- 1000 nit high bright monitor
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 17'
- Multiple camera mounting option
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software
- Travel Kit includes SKB Rolling Hard Case

PT4500-TK (HDMI, Composite, VGA)	9.00
PT4500-SDI-TK (SDI, HDMI, VGA)	9.00

PT4700-TK Professional 17" High Bright Beam Splitter Teleprompter Travel Kit



- 1000 nit high bright monitor
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 20'
- Multiple camera mounting option
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software
- Travel Kit includes SKB Rolling Hard Case

PT4700-TK (HDMI, Composite, VGA) \$2199.00 PT4700-SDI-TK (SDI, HDMI, VGA) \$2299.00

PT3500-HB 15" High Bright Rod-Based Location / Studio Teleprompter



- 1000 nit High Bright monitor
- High-quality American made 70/30 beam splitter glass
- Adjustable glass frame
- Based on 15mm rod system for ease of use
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software
- HDMI, composite and VGA

PT3500-HB (1000nit High Bright Monitor) \$1699.00

PT3700-HB 17" High Bright Rod-Based Location / Studio Teleprompter



- 1000nit high bright monitor
- High-quality American made 70/30 beam splitter glass
- Adjustable glass frame
- Based on 15mm rod system
- Lightweight & compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software
- HDMI, composite and VGA

PT3700-HB (1000nit High Bright Monitor).... \$1899 00

PT3500-HB-TK 15" High Bright Rod-Based Location / Studio Teleprompter Travel Kit



- Includes PT3500-HB and SKB Rolling Hard Case
- 1000 nit high bright monitor
- High quality American made 70/30 beam splitter glass
- Custom cut foam to protect your teleprompter
- Wide wheels with rubber tires for durability and stability
- Air and water tight design
- HDMI, composite and VGA
- Travel Kit includes SKB Rolling Hard Case

...\$1899.00 PT3500-HB-TK (1000nit High Bright Monitor) ...

PT3700-HB-TK 17" High Bright Rod-Based Location / Studio Teleprompter Travel Kit



- Includes PT3700-HB and SKB Rolling Hard Case
- 1000 nit high bright monitor
- High quality American made 70/30 beam splitter glass
- Custom cut foam to protect your teleprompter
- Wide wheels with rubber tires for durability and stability
- Air and water tight design
- HDMI, composite and VGA
- Travel Kit includes SKB Rolling Hard Case

PT3700-HB-TK (1000nit High Bright Monitor)... \$2099.00

PT3500 15" Rod-Based Location / Studio Teleprompter



PT3500 (HDMI, Composite, VGA).....

- Adjustable glass frame
- Based on 15mm rod system for ease of use
- Lightweight & compact design for easy travel
- Ships in reusable foam for easy transport
- Monitor supports image flip
- High-quality American made 70/30 teleprompter glass

Includes MAC and PC software

High-quality monitor with metal construction

PT3700 17" Rod-Based Location / Studio Teleprompter

- Adjustable glass frame
- Based on 15mm rod system
- Lightweight & compact design
- Ships in reusable foam for easy transport
- High-quality monitor with metal construction Monitor supports image flip
- High-quality American made 70/30 teleprompter glass
- Includes MAC and PC software

...\$1499.00 **PT3700** (HDMI, Composite, VGA)..... ...\$1699.00

PT3500-TK 15" Rod-Based Location / Studio Teleprompter Travel Kit



- New adjustable glass frame
- Based on 15mm rod system for ease of use
- Lightweight & compact design for easy travel
- Ships in reusable foam for easy transport
- High-quality monitor with metal construction
- Monitor supports image flip
- High-quality American made 70/30 teleprompter glass
- Includes MAC and PC software
- Travel Kit includes SKB Rolling Hard Case

PT3700-TK 17" Rod-Based Location / Studio Teleprompter Travel Kit



- Adjustable glass frame
- Based on 15mm rod system
- Lightweight & compact design
- Ships in reusable foam for easy transport
- · High-quality monitor with metal construction
- Monitor supports image flip
- High-quality American made 70/30 teleprompter glass

..\$1899.00

\$299.99

- Includes MAC and PC software
- · Travel Kit includes SKB Rolling Hard Case

PT3700-TK (HDMI, Composite, VGA)

PT1200 12" Portable Teleprompter Kit



- Includes 12 in. custom monitor
- Monitor supports image flip
- · New adjustable glass frame
- Perfect size for portability and viewability
- 15 mm rod based for versatility and ease of use
- Assembles in 60 seconds
- Ships in reusable foam for easy transport
- Includes MAC and PC software

PT1200 (HDMI, Composite, VGA) ________\$899.00

PT1200-LS 12" Portable Teleprompter for Light Stand



- Designed to be mounted on light stands
- Includes 12 in. custom monitor
- Monitor supports image flip
- New adjustable glass frame
- Perfect size for portability and view-ability
- Assembles in 60 seconds
- Includes MAC & PC software

PT1200-TK 12" Portable Teleprompter Travel Kit



- Includes SKB rolling hard case
- Includes 12 in. custom monitor
- New adjustable glass frame
- · Perfect size for portability and viewability
- 15 mm rod based for versatility and ease of use
- Assembles in 60 seconds
- Ships in reusable foam for easy transport
- Includes MAC and PC Software
- Travel Kit includes SKB Rolling Hard Case

PT-CASE SKB Rolling Case for Teleprompters



- High-quality rolling hard case
- Designed for PT3500 and 3700
- Air & water tight design
- Designed to be used with the foam included in the PT3500 or PT3700 shipping box

TABLET TELEPROMPTERS

PT-CASE

PT-ELITE-PRO Universal Large Tablet Teleprompter



- Min tablet size: 6 in. x 9 in.
- Max tablet size: 9 in. x 12 in.
- Works with apple iPad Pro & Microsoft Surface Pro
- Foldable glass frame
- Quick release baseplate
- 15mm rod based for versatility & ease of use
- American made 70/30 teleprompter glass

PT-ELITE-V2 Universal Tablet & iPad Teleprompter



- Min tablet size: 7.5 in. x 5 in.
- Max tablet size: 10.5 in. x 8 in.
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- 15mm rod based for versatility & ease of use
- Solid CNC machined aluminum construction
- American made 70/30 teleprompter glass

PT-ELITE-PRO Segments Control) S749.00 PT-ELITE-V2 Remote Control) PT-ELITE-V2 & Remote Control) PT-ELITE-V2 & Remote Control)

PT-ELITE-PRO-TK Universal Large Tablet Teleprompter Travel Kit



- Min tablet size: 6 in. x 9 in.
- Max tablet size: 9 in. x 12 in.
- Works with apple iPad Pro & Microsoft Surface Pro
- Foldable glass frame
- Quick release baseplate
- 15mm rod based for versatility & ease of use
- American made 70/30 teleprompter glass

PT-ELITE-V2-TK Universal Tablet & iPad Teleprompter Travel Kit



- Min tablet size: 7.5 in. x 5 in.
- Max tablet size: 10.5 in. x 8 in.
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- 15mm rod based for versatility & ease of use
- Solid CNC machined aluminum construction
- American made 70/30 teleprompter glass

PT-ELITE-PRO-TK (Travel Kit includes SKB Rolling Hard Case) PT-ELITE-V2-TK (Travel Kit includes SKB Rolling Hard Case) \$849.99

\$699.00

PT-ELITE-LS Tablet Teleprompter for Light Stand



- · Designed to be mounted on light stands
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- · Solid aluminum construction

PT-ELITE-LS Tablet Teleprompter for Light Stand Travel Kit



- Designed to be mounted on light stands
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- Solid aluminum construction

 PT-ELITE-LS
 \$399.99

 PT-ELITE-LS-RC (Includes PT-ELITE-LS & Remote Control)
 \$449.99

TELEPROMPTER ACCESSORIES

PROMPTER PRO 4 Teleprompting Software for PC & Mac



- Compatible with Windows XP, Vista, 7, 8, or 10
- Compatible with Mac OSX
- Full featured text editor
- Smooth quiet scrolling
- Supports international languages
- Second talent window
- One click mirrored text

ELITE-REMOTE Bluetooth iPad Teleprompter Remote



- 9 Buttons for precise and complete control of your teleprompting
- Soundless rubberized buttons
- Control your tablet from up to 20 feet away
- Laser pointer
- Bluetooth 3.0
 - 4 Speed control buttons
- 2 Cue point buttons
- Pause/Play button
- Virtual keyboard show/hide
- Mirror flip button
- · Connects seamlessly with your iPad (all versions)

PROMPTER PRO 4 \$89.95 ELITE-REMOTE \$89.95

E-IMAGE PEDESTALS

EI-7100H-KIT Air Controlled Pedestal Kit (E-Image)



- · Fluid head offers widest range, and heaviest drag in its class
- 0-8 positions of counter balance adjustment
- Center column air pump system for adjusting the operating height
- Two-section central column can be extended and folded accurately and freely according to the object height
- 100mm ball mount style head
- Durable studio-style dolly wheels with independent locks
- 60mm sliding plate, with dials, is suitable for outdoor photography and broadcasting
- Fluid head includes a bubble level

EI-7100H-KIT......\$2999.00

EI-7903-A Air-Assist Aluminum Pedestal with Easy Height Adjustment Lever Aluminum Pedestal with AT7903 Legs (E-Image)



- · New easy-adjust latch makes height adjustments simple & quick
- 7103H fluid video head supports up to 33 lbs.
- 100mm riser bowl
- Height range of 47-80 inches
- Air-assist central column dampens movement of heavy loads
- El-7005 dolly with individually locking wheels
- 0-3 Stages of tilt and pan drag
- 0-8 Stages of counterbalance settings
- Two GB3 padded, extendable pan handles included

EI-7903-A \$2999.00

EI-GH25-KIT Pedestal with AT7902 Base/Dolly & GH25 Head (E-Image)




- Payload range 24.95kg | 55lbs
- 0-7 grades of drag for tilt and pan
- Counter balance adjustment 1-15Mounting point for monitor arm
- Nounting point for monitor arm
 Bowl size: 100mm ball level feature
- Sliding base plate with safety lock and retractable registration pin
- Illuminated spirit level
- Dual sided pan/tilt arm rosette mounts (two arms included)
- Pan and tilt locks

EP880SK Pneumatic Studio Pedestal Kit with 55lbs Capacity Head (E-Image)



- GH25 fluid head supports 55 lbs camera payload
- 100mm riser bowl
- Pedestal working height range 43.5 in. to 72 in.
- Pedestal weight max 66 lbs
- Pneumatic telescoping center column
- Collapsible wheeled spreader w/ cable guards
- · Dolly spreader w/ track lock wheels
- Pan and tilt locks & heavy-duty telescoping pan/tilt arms
- Two-stage carbon fiber tripod legs

\$5499.00 **EP880SK** \$6499.00

















E-Image Tripod Kits	EG01A2	EG03A2	EG03FA3	EG03TT	EG04AS	EG05A2	EG08A2
Description	2-Stage Aluminum Tripod with Fluid Pan/ Tilt Head	2-Stage Aluminum Tripod with GH03 Head	Rising Column Tripod Kit with GA230 & GH03F	Telescoping Video Tripod Quick Kit with GH03 Head	Lightweight Tripod Kit with Ball/Flat GHO4 Head	2-Stage Aluminum Tripod with GH05 Head	Aluminum Tripod Kit with GH08 Fluid Head
Max Height	63.25 in. / 1606.55 mm	66.5 in. / 1689 mm	97.25 in. / 2470 mm	55.5 in. / 1409.7 mm	65.4 in. / 1661 mm	67 in. / 1701.8 mm	67 in. / 1701 mm
Min Height	31.5 in. / 800.1 mm	29.5 in. / 749.3 mm	37.75 in. / 958.8 mm	12.5 in. / 317.5 mm	30.75 in. / 781 mm	32.25 in. / 819.15 mm	30 in. / 762 mm
Bowl Size	65 mm	75 mm	Flat	75 mm	75 mm	75 mm	75 mm
Max Payload	11 lbs / 5 kg	11 lbs / 5 kg	11 lbs / 5 kg	13 lbs / 5.89 kg	13.2 lbs	17 lbs / 7.7 kg	22 lbs
Ground Level Spreader	No	No	No	No	No	No	No
Mid-Level Spreader	Integrated	Yes	Integrated	No	Yes	Yes	Yes
Price	\$169.00	\$249.00	\$289.99	\$269.99	259.99	\$329.00	579.99













		•				
E-Image Tripod Kits	EG06A2	EG06C2	EG10A2	EG10C2L	EG15A2	EG15C2
Description	2-Stage Aluminum Tripod with GH06 Head	2-Stage Carbon Fiber Tripod with GH06 Head	2-Stage Aluminum Tripod with GH10 Head	2-Stage Carbon Fiber Tripods with GH10L Head	2-Stage Aluminum Tripod with GH15 Head	2-Stage Carbon Fiber Tripod with GH15 Head
Max Height	72.5 in. / 1841.5 mm	73 in. / 1854.2 mm	67.75 in. / 1720.85 mm	66.75 in. / 1695.45 mm	68.5 in. / 1739.9 mm	68.5 in. / 1739.9 mm
Min Height	32.5 in. / 825.5 mm	32.5 in. / 825.5 mm	32.5 in. / 825.5 mm	31 in. / 787.4 mm	32.5 in. / 825.5 mm	32.5 in. / 825.5 mm
Bowl Size	75 mm	75 mm	75 mm	100 mm	100mm	100mm
Max Payload	13 lbs / 5.9 kg	13 lbs / 5.9 kg	22 lbs / 10 kg	22 lbs / 10 kg	33 lbs / 14.9 kg	33 lbs / 14.9 kg
Ground Level Spreader	No	No	No	Yes	Yes	Yes
Mid-Level Spreader	Yes	Yes	Yes	Yes	Yes	Yes
Price	\$549.00	\$699.00	\$999.00	\$1299.00	\$1799.00	\$1899.00

Extendable Belt-Driven Carbon Fiber Slider (E-Image)



- Includes extra outrigger legs for center support when at full length
- Latch & hook connection style eliminates give at section junctions
- Includes long and short drive belts (S3M type, 10 mm wide)

ES150	(80/150cm)	 \$599.99
ES220	(80/150/220cm)	 \$699.99

Carbon Fiber Slider (E-Image)



- Hand, motor, or crank operation (motor optional)
- Sturdy lightweight 10 layer carbon fiber Extremely smooth sealed-bearing 12
- Integrated 5/8" stand receivers

wheel guides

..\$499.99 ES120 (48 inch slider) ... **ES70** (27 inch slider) \$399.99

Heavy Duty Carbon Fiber Camera Slider



- Precise sealed ball-bearing slider system
- Lightweight carbon fiber Heavy duty 22 mm slider rods
- Easy level outrigger legs
- Slides vertical and horizontal
- Multiple threaded mounts

*199.99	SLD-31-PRO (31 inch slider)	
\$239.99	SLD-47-PRO (47 inch slider)	

Double Slider / Dual Track (E-Image)



- Camera mounting plate compatible with cameras requiring either 1/4"-20 and 3/8"-16 mounting
- Can be used on any flat surface or mounted to a tripod
- Perfect for those need maximum use with minimal size and weight

ES50 (29 inch double slider)\$2	269.99
ES35 (17 inch double slider)\$2	209.99

Motor1 & Motorized Video Slider Kit (E-Image)



- 3 Modes of operation: Time-lapse, Stop-motion, Trace-record
- Precision stepless motor
- Wireless shutter control (most popular cameras)
- Mobile app for iOS & Android
- Horizontal & Vertical Operation

MOTOR1-ES120-KIT (Includes Motor 1. & ES1.20 Slider)	\$1299.00
MOTOR1-ES70-KIT (Inlcudes Motor 1. & ES70. Slider)	\$1199.00
MOTOR1 (Motor Only)	\$749.00

5-Section Aluminum Monopod for Photo & Video



- Max load capacity: 35 lbs (16 kg) Max height: 70.8 in. (180 cm)
- Closed length: 18.8 in. (48 cm)
- Weight: 1.59 lbs (.72 kg)
- 5 sections with twist locks for fast adjustments
- Double-sided camera screw with a 1/4"-20 and 3/8"-16 thread

MPA70..... .\$49.95







Dual-Transmitter Lavalier Microphone Kit (AA) (Comica)



- 400 ft. (120m) maximum range
- · Receiver handles 2 transmitter groups simultaneously
- Single-switch control alternates transmitter between A and B groups
- Each transmitter & receiver operates on 2 AA batteries (not included)
- Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

CVM-WM200A \$389.00

Wireless Lavalier Microphone Kit (Comica)



- 330 ft. (100m) maximum transmission distance
- 48 channels to choose from between 520-534.1MHz
- Less than .5% audio distortion
- Receiver and transmitter run on 2 AA batteries (not included)
- 3.5mm input/output ports with 3-pin XLR adapter included
- Mounts with included belt clips or via 1/4-20 mounting points on TX/RX bodies
- LCD screen includes signal strength and battery life indicators

CVM-WM100\$189.00

Wireless Dual Mic Kit w/ 1 Mic, 1 Lav, 1 RX, 1 TX, (Li-lon) (Comica)



- 400 ft. (120m) maximum range
- Use a wireless handheld mic and lavalier mic simultaneously with the same receiver
- Single-switch control alternates transmitter between A and B groups
- Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

CVM-WM300B \$469.99

Dual-Channel XLR Audio Mixer w/ Preamp (Comica)



- Supports Both 9V & 48V Phantom Power
- Includes Dual XLR/6.35mm/3.5mm Microphone Inputs
- Dual Gain Control Knobs
- Mono/Stereo Output Switch
- Supports Real-time Monitoring
- Three Cold Shoe Connectors Ideal For Mounting Accessories
- Made of Aluminum-Alloy

CVM-AX3 ______\$99.95

Wireless Lavalier Microphone Kit (Comica)



- Powered by a CR2032 battery, which can be on standby up to 40 hours
- Designed to be used with DSLRs & Smart Phones
- Real-time Monitoring
- XLR Interface Preamp & Stepless Gain Adjustment Wheel

CVM-AD1 ______s34.95

Wireless Lavalier Microphone Kit for Smartphones (Comica)



- Handle, phone holder, and wireless receiver in one unit
 Phone slower integrated into wireless receiver.
- Phone clamp integrated into wireless receiver
- Holds devices between 2.25-3.5 inches wide
- Maximum working distance of 60m, optimal distance of 30m
- LCD screens on TX and RX monitor audio, battery, and mute status
- Stepless volume adjustment on receiver
- 1/4"-20 mount for a wide variety of mounting options
- Built-in rechargeable lithium-ion batteries
- Includes simple handle w/ 1/4"-20 mount

Dual-Transmitter Lavalier Microphone Kit (Li-Ion) (Comica)



- 400 ft. (120m) maximum range
- Receiver handles 2 transmitter groups simultaneously
- Single-switch control alternates transmitter between A and B groups
- Each transmitter and receiver operates on built-in rechargeable lithium-ion batteries
- · Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

Wireless Dual Microphone System & One Receiver (Comica)



- 330 ft. (100m) maximum transmission distance
- 48 channels to choose from between 520-534.1MHz
- Less than .5% audio distortion
- Receiver and transmitter run on 2 AA batteries (not included) or external battery power
- · AA batteries rechargeable via Micro USB cable
- 3.5mm input/output ports with 3-pin XLR adapter included
- Mounts with included belt clips or via 1/4-20 mounting points on TX/RX bodies
- LCD screen includes signal strength and battery life indicators

CVM-WM100-PLUS ______\$239.00

Wireless Handheld Microphone for WM200/WM300 Receivers (Comica)



- IR Sync for Quick Channel Selection
- Low Cut Filter Mode
- Adjustable RF Signal Strength
- Low Consumption/ Long Standby Time
- LCD Display
- · Made of Aluminum

CVM-WM200300HTX \$149.99

UHF Metal XLR Wireless Transmitter (Comica)



- Working Distance up to 200ft. (100ft. with no direct line of sight)
- Supports 48V Phantom Power
- LCF Low Cut Filtering Mode
- Auto-Scanning for Quick Channel Selection
- Manual or Auto IR Sync
- Adjustable RF Signal Strength
- Audio Dynamic Display Bar
- Full Metal Manufacturing

Single Lavalier Microphone for Smartphones & DSLRs (Comica)



- Designed To Be Used With DSLRs and Smart Phones
- Stepless Gain ControlReal-Time Monitoring
- Includes Wind Muff
- LED Working Indicator

Wireless Handheld Microphone for Smartphones (Comica)



- Working Distance Up to 200 ft. (In Open Area, 100 ft. in Barrier Area)
- Very Portable and light, with 6 Channels for Multiple Devices Working Together
- LCD Screen for Displaying Channels and Audio Status; Support Step-less Volume Adjustment, Real-time Audio Monitor
- Extendable for Connection with LED Light, Grip, Tripod, Cold-shoe, etc
- Built-in Rechargeable Lithium Batteries and Come with Metal Material Smartphone Holder

CVM-WS50H _______\$199.99

 \supset

.\$169.00

On-Camera Directional Mic w/ Phone Holder (Comica)



- Includes Mini Tripod
- Cardioid Pattern
- Includes Shock Absorber
- Extendable Smartphone Clamp
- Bottom 1/4-20 Screw Mount for Accessories

CVM-VM10-K2 \$65.99

Directional Shotgun Microphone for Smartphones (Comica)



- Compact Shotgun Mic for Mobile Devices
- For Interviews, Podcast Videos
- Design Reduces Unwanted Sounds
- Plugs into Headphone Jack of Device
- Built-In Headphone Jack for Monitoring
- Includes Mount Adapter
- No Batteries Required
- Includes Foam Windscreen and Synthetic Fur Windmuff

CVM-VS08 \$49.99

Universal Wireless Mic for DSLR & Smartphones (Comica)



- 1-Trigger, Universal for Smartphones and DSLR cameras
- Includes Smartphone Holder
- Lightweight and Compact
- Working Distance of Up To 60m
- 12 Channels For Each Group
- Mono/Stereo Switch
- 10 Levels of Gain Adjustment
- Dynamic Volume Monitor
- High-Resolution Lattice LCD Display

CVM-WS60-COMBO \$239.00

Directional On-Camera Shotgun Microphone (Red) (Comica)



- Works with both DSLRs and Smartphones
- Extremely Lightweight (Only 1.8oz)
- Comica Suspension System
- Requires 2.5V Camera Plug-in Power
- Integrated Shoe Mount with 3/8" Thread 3.5mm Mini-Jack Output
- Foam Windshield Included
- 3.5mm Coiled Output Cable Included

CVM-V30-LITE-R \$39.99

E-IMAGE

Hyper-Cardiod Shotgun Microphone (E-Image)



PM-500

- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Metal Body, Black Finish
- 40Hz-16kHz Frequency Response
- Includes Foam Windscreen
- Built-in low-frequency cutoff switch

Mini On-Camera Directional Shotgun Mic (Comica)





- Compact size and lightweight
- All-metal microphone body
- No battery required (powered by camera plug-in power min 3V)
- Comica shock mount included

\$99.95

Deluxe furry windshield and windmuff included

CVM-VM10II-B (Black) \$49.99 CVM-VM10II-R (Red) \$49.99

Hyper-Cardiod Shotgun Microphone (E-Image)



- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Brass Body, Black Finish
- 40Hz-16kHz Frequency Response
- Includes Foam Windscreen

\$299.99 PM-527

Telescoping Aluminum Boom Pole (E-Image)



- 4 Independent friction locked sections
- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded bag with shoulder strap
- Build material: Aluminum

BA12 (Aluminum) (11 ft)... \$99.95 BA09 (Aluminum) (5.5 ft)..... .\$69.95 **BA06** (Aluminum) (3.5 ft)..... \$59.95

Hyper-Cardiod Shotgun Microphone (E-Image)



PM-846

- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Metal Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen Built-in low-frequency cutoff switch


Telescoping Carbon-Fiber Boom Pole (E-Image)



- 4 Independent friction locked sections
- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded bag with shoulder strap
- Build material: Carbon-Fiber

3C12	(Carbon Fiber) (1 1 ft)	ş-	179.00
3C06	(Carbon Fiber) (3	3.5 ft)		\$99.95

\$199.99



PDMOVIE	Remote Air 4	Remote Air Pro 2	Live Air	Remote Live 3
Wireless	2.4 Ghz / Bluetooth	2.4 Ghz / Bluetooth	Bluetooth 4.2	No (Wired only)
Channels	1-3	1-3	1	1-3
Control Unit	Yes (included)	Yes (included)	Yes (included)	Yes (included)
iOS App Compatible	Yes	Yes	Yes	No
Transmission Distance	100m <i>(328 ft)</i>	100m <i>(328 ft)</i>	10m <i>(32 ft)</i>	1 m <i>(3.2 ft)</i> (Longer cables available)
Price	\$799 / \$1199 / \$1799	\$1299 / \$1699 / \$2299	\$499	\$599.99 / \$899.99 / \$1499

Remote Air 4 Wireless Lens Control Kit (PD Movie)



- Fourth generation of PD Movie wireless lens control systems
- New easy motor calibration works on lenses with and without hard stops
- Motor display shows channel, signal strength, battery life, motor voltage, and Bluetooth connection confirmation in addition to Motor position
- 2.4G wireless technology, a Bluetooth 4.0 module, and full duplex transmission for distance, control, and accuracy
- Maximum transmission distance of 100m
- High-capacity integrated battery gives 30 hours of operation time

PD2-M1 (1 Motor)	\$799.00
PD2-M2 (2 Motor)	\$1199.00
PD2-M3 (3 Motor)	\$1799.00

Live Air Single Motor Kit (PD Movie)



- Completely wireless follow focus system
- Brings control of your lens' focus right to your fingertips
- Automatically calibrates to the mapping of your lens
- Simple, single button system settings control
- 0.8 pitch gearing is compatible with most common cinema lenses
- No external power source required

PDL-AF.	\$499.00
PDL-AZ	\$499.00

Live Pro Lens Control System (PD Movie)



- Professional solution for controlling the lens' focus, iris and zoom
- Handwheel and dual-channel controller easily mount to a tripod handle
- Brings control of your lens focus, iris, and zoom right to your fingertips
- Automatically calibrates to the mapping of your lens
- Single focus and zoom unit can control multiple motors simultaneously
- Compact yet powerful motors can handle both subtle and rapid lens adjustments with ease
- Precision motors attach to both 15 and 19mm rods (included sleeves installed) Remote control attaches to most square/round handles less than 1" diameter
- 0.8 pitch gearing is compatible with most common cinema lenses

PDL-PF	\$899.00
PDL-PFZ	\$1299.00
PDL-PFZI	\$2199.00

Stratus Complete Cage for Sony a6500 Camera Body



- Form-Fitted to the Sony a6500 Camera Body
- Fits Sony a6000, a6300, and a6400
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4-20 and 3/8-16 Mounts

STR-A6 \$199.99

Stratus 15mm Follow Focus with Hard Stops



- Solid Aluminum Follow Focus with Adjustable Hard Stops
- Horizontally Positionable
- Includes Magnetic Marking Disc for Hand Wheel
- Mounts to 15mm Rods
- Slide-On or Slip-On Installation: One Open Rod Mount Gives More Placement Options

STR-FF... \$249.99

Remote Air Pro 2 Wireless Follow Focus Kit with Apple Touch Integration (PD Movie)



- · Hand control includes physical focus wheel & zoom rocker switch
- Compatible with Apple iPhone 6, 6s, 7, 7s 6 Plus, 6s Plus, 7 Plus, 7s Plus and iPod Touch
- Motor mounts to either 19 mm rods or 15 mm rods
- 6000 mAH controller battery
- Communicates through 2.4 Ghz wireless protocol

PD3-X1 (1 Motor)	0.00
PD3-X2 (2 Motor)	00.0
PD3-X3 (3 Motor) \$2299	00.6

Remote Live 3 Compact Focus, Iris & Zoom Control Kit (PD Movie)



- Lens control at your fingertips
- Automatically calibrates to map your lens
- Simple, single button per channel control system
- Single focus & zoom unit can control multiple motors simultaneously
- Compact, powerful motors handle both subtle & rapid lens adjustments with ease
- Precision motors attach to both 15 & 19mm rods (with included sleeves installed)

PDL-F-V2	\$599.99
PDL-FZ-V2	\$899.99
PDL-FIZ-V2	1499.00

Stratus Complete Cage for Sony a7 III Series Cameras



- Form-Fitted to the Sony a7 III Series Cameras
- Fits Sony a7 III, and a7R III
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4-20 and 3/8-16 Mounts
- 15mm Rods are Vertically Positionable to support multiple lenses and accessories

STR-A7III	\$249.99
STR-A7II	

Stratus Complete Cage for Panasonic GH4 and GH5



- Form-Fitted to the Panasonic GH4 and GH5
- Arca-Swiss Plate Shifts to Accommodate Either Camera
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Special Lens Adapter Mount Built-In to Base Front
- Mounts to Tripod Quick Release Plate with 1/4-20 and 3/8-16 Mounts

STR-GH5 \$249.99

Stratus 15mm Lens Supports



- 7/8" of Vertical Adjustment
- Slide-On or Slip-On Installation: One Open Rod Mount Gives More Placement Options
- Solid Aluminum Construction Cuts Weight and Increases Durability

STR-LS1 (Static Lens Support) STR-LS2 (Dynamic Lens Support) \$69.99





SPRING 2019









