





The magic life in the image world

E-IMAGE

GA102 100mm Aluminum Video Tripod

The GA102 two stage aluminum tripod supports a payload weighing up to 132 lbs. It is made of lightweight aluminum, has a 100mm bowl, and the legs are a twin tube design with two stages. The tripod can be adjusted to a maximum height of 63" and a minimum height of 18" with a folded length of 29". The mono-lock feature allows for quick height adjustments of both stages with one twist. An adjustable floor spreader provides extra security and stability.




 100mm	 160.0cm 63.0in	 47.0cm 18.5in	 74.0cm 29.1in
 60.0kg 132.0lbs	 5.1kg 11.2lbs	 Aluminum	 3


2-stages With Mono-lock Patent Design

Mono-lock design allows you to lock and unlock the three sections of each leg using only one locking lever quicker than normal.



Mono-Lock Design

 One lock for one section

 One lock for one section

FEATURES



100mm Bowl Size

Compatible with all professional 100mm half-ball video heads.



Extendable Ground Spreader

Extendable spreader is designed to offer added stability to the tripod.



Removable Rubber Feet

Removable feet attach to the spiked feet for working on delicate or hard surfaces.





The magic life in the image world

E-IMAGE

GH25 100mm Fluid Head



-  100mm
-  3.0-28.0kg
6.6-61.7lbs
-  1-15



FEATURES



7 plus 0 grades of pan & tilt drag



15 steps of counterbalance











Illuminated leveling bubble



Additional standard 1/4" & 3/8" screw holes

SPECIFICATIONS

Model	GH25
 Payload Range	3.0-28.0kg / 6.6-61.7lbs
 Counterbalance Range	1-15
 Grades Of Pan Drag	0-7
 Grades Of Tilt Drag	0-7
 Tilt Range	-65°/+90°
 Temperature Range	-40°C~+80°C
 Bowl Size	100mm
 Net Weight	4.2kg / 9.2lbs



The magic life in the image world

E-IMAGE

VIDEO TRIPOD



Model	GA101	GC101
	100mm	100mm
	140.5cm / 55.3in	140.5cm / 55.3in
	63.5cm / 25.0in	63.5cm / 25.0in
	85.0cm / 25.0in	85.0cm / 25.0in
	60.0kg / 132.0lbs	60.0kg / 132.0lbs
	4.5kg / 9.9lbs	3.9kg / 8.6lbs
	Aluminum	Carbon Fiber
	2	2

VIDEO TRIPOD SYSTEM



Model	EG25A (GH25+GA101)	EG25C (GH25+GC101)
	3.0-28.0kg / 6.6-61.7lbs	3.0-28.0kg / 6.6-61.7lbs
	157.0cm / 61.8in	157.0cm / 61.8in
	80.0cm / 31.5in	80.0cm / 31.5in
	101.5cm / 40.0in	101.5cm / 40.0in
	8.6kg / 19.0lbs	8.1kg / 17.9lbs
	100mm	100mm
Packing	T30	T30



The magic life in the image world

E-IMAGE

VIDEO TRIPOD



Model	GA102	GC102
	100mm	100mm
	160.0cm / 63.0in	160.0cm / 63.0in
	47.0cm / 18.5in	47.0cm / 18.5in
	74.0cm / 29.1in	74.0cm / 29.1in
	60.0kg / 132.0lbs	60.0kg / 132.0lbs
	5.1kg / 11.2lbs	3.6kg / 8.0lbs
	Aluminum	Carbon Fiber
	3	3

VIDEO TRIPOD SYSTEM



Model	EG25A2 (GH25+GA102)	EG25C2 (GH25+GC102)
	3.0-28.0kg / 6.6-61.7lbs	3.0-28.0kg / 6.6-61.7lbs
	175.5cm / 69.1in	175.5cm / 69.1in
	62.5cm / 24.6in	62.5cm / 24.6in
	89.5cm / 35.2in	89.5cm / 35.2in
	9.3kg / 20.5lbs	8.6kg / 19.0lbs
	100mm	100mm
Packing	T20	T20



The magic life in the image world

E-IMAGE

VIDEO TRIPOD



Model	ECT100L
	100mm
	151.5cm / 59.6in
	75.5cm / 29.7in
	92.5cm / 36.4in
	100.0kg / 220.0lbs
	8.1kg / 17.9lbs
	Carbon Fiber
	2

VIDEO TRIPOD SYSTEM



Model	EG25C PLUS (GH25+ECT100L)
	3.0-28.0kg / 6.6-61.7lbs
	168.0cm / 66.1in
	92.0cm / 36.2in
	109.0cm / 42.9in
	12.3kg / 27.1lbs
	100mm
Packing	SC-4

EI-7004B Video Dolly

Super sturdy, designed for heavy duty systems. The 100mm/4 inch wheels can be individually braked.



FEATURES

