



CATALOG





ABOUT US

Ikan is a company of filmmakers. Our staff is almost entirely composed of seasoned professionals whose first love is the world of film and video. As filmmakers, we understand the challenges our customers face on a daily basis. We understand the need for reliable, dependable equipment. We understand that a piece of gear going down during an important shoot can affect your reputation. We also understand that, while imagination may be limitless, budgets aren't. Whether it's an expensive Hollywood motion picture or an intimate wedding shoot, you need to maximize the value of the products you're choosing to buy. And because we understand these things, we feel it's our responsibility to continue to bring our customers the best available technology, quality, service, and long-term value across our entire product line. Whether it's our lights, gimbals, tripods, monitors, or the hundreds of other production tools we've brought to the market, all of Ikan's products are created by filmmakers to empower filmmakers.

Ikan International

11500 S. Sam Houston Pkwy West Houston, TX 77031

www.ikancorp.com

CONTACT

713.272.8822 sales@ikancorp.com

2021 Catalog

Copyright © 2021 Ikan International www.ikancorp.com



TABLE OF CONTENTS

LIGHTING	3
TELEPROMPTERS	וו
CAMERA SUPPORT	1フ
MONITORS	20
FOLLOW FOCUS SYTEMS	22
RIGS & CAGES	24
LIVE STREAMING EQUIPMENT	27
PTZ & NDI SOLUTIONS	30
AUDIO EGUIPMENT	32



Lyra Half x 1 Bi-Color Soft Light



- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of soft panel 110 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Equivalent to 350W incandescent soft light
- Included barn doors with intensifiers

LB5 (Half x 1 Panel with Gold mount & V-mount battery plates)	\$499.00
LBX5 (Half x 1 Panel with DMX)	\$499.99

Lyra Half x 1 Daylight Soft Light



- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Beam angle of soft panel 110 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Equivalent to 350W incandescent soft light
- Included barn doors with intensifiers

LW5 (Half x 1 Panel with Gold mount & V-mount battery plates)	\$399.00
LWX5 (Half x 1 Panel with DMX)	.°439.99

Lyra Half x 1 Daylight Soft Light Kits



- Kit includes:
- Lyra half x 1 light fixtures (LB5)
- Light stands
- Light bag
- Stand bags

LB5-2PT-KIT (LB5 2 Point Kit)	\$1249.00
LB5-3PT-KIT (LB5 3 Point Kit)	\$1699.00
LB5-5PT-KIT (LB5 5 Point Kit)	\$2999.00



- Kit includes:
- Lyra half x 1 light fixtures (LW5)
- Light stands
- Light bag
- Stand bags

LW5-2PT-KIT (LW5 2 Point Kit)	\$999.00
LW5-3PT-KIT (LW5 3 Point Kit)	\$1399.00
LW5-5PT-KIT (LW5 5 Point Kit)	\$2499.00



- · Kit includes:
- Lyra half x 1 light fixtures (LB10)
- Light stands
- Light bag
- Stand bags

LB10-2PT-KIT (LB10 2 Point Kit)	\$1799.00
LB10-3PT-KIT (LB10 3 Point Kit)	\$2499.00
LB10-5PT-KIT (LB10 5 Point Kit)	\$4499.00

Lyra 1 x 1 Bi-Color Soft Light



LB'

- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of soft panel 110 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Equivalent to 850W incandescent soft light
- Included barn doors with intensifiers

LB10 (1 x 1 Panel with Gold mount & V-mount battery plates)	9.00
LBX10 (1 x 1 Panel with DMX) \$86	9.99

Lyra 1 x 1 Daylight Soft Light



- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel Beam angle of soft panel 110 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Equivalent to 850W incandescent soft light
- Included barn doors with intensifiers

LW10 (1 x 1 Panel with Gold mount & V-mount battery plates)	0
LWX10 (1 x 1 Panel with DMX)	9

Lyra 1 x 1 Bi-Color Soft Light Kits



- · Kit includes:
- Lyra half x 1 light fixtures (LW10)
- Light stands Light bag
- Stand bags

LW10-2PT-KIT (LW10 2 Point Kit)	\$1499.00
LW10-3PT-KIT (LW10 3 Point Kit)	\$1999.00
LW10-5PT-KIT (LW10 5 Point Kit)	\$3699.00

Lyra Bi-Color Soft Mixed Light Kits



- Kits include:
- Lyra light fixtures (LB5 & LB10)
- Light stands
- Light bag
- Stand bags

LB-3F2H (3 x LB10 & 2 x LB5)	\$3899.00
LB-2F3H (2 x LB10 & 3 x LB5)	\$3599.00
LB-2F1H (2 x LB10 & 1 x LB5)	\$2249.00
LB-1F2H (1 x LB10 & 2 x LB5)	\$1999.00

Lyra Daylight Soft Mixed Light Kits



- Kits include:
- Lyra light fixtures (LW5 & LW10)
- Light stands
- Light bag
- Stand bags

LW-3F2H (3 x LW10 & 2 x LW5)	\$3299.00
LW-2F3H (2 x LW10 & 3 x LW5)	\$2999.00
LW-2F1H (2 x LW10 & 1 x LW5)	\$1899.00
LW-1F2H (1 x LW10 & 2 x LW5)	\$1699.00

Presto Soft Box for 1 x 1 Panel



- Lightweight foldable soft box
 - No speed ring required
- 1/4 stop front diffusion
- Reflective interior
- Easy mounting straps
- Egg crate included
- Storage pouch included 12" x 12" fixture opening
- Compatible Lyra, and Rayden 1 x 1 LED lights

Presto Soft Box for Half x 1 Panel



- Lightweight foldable soft box
- No speed ring required
- 1/4 stop front diffusion
- Easy mounting straps
- Reflective interior
- Storage pouch included 12" x 7.5" fixture opening

· Egg crate included

Compatible Lyra, Rayden & Mylo half x 1 LED lights

PSB5...



Lyra RGBW Digital Color 1 x 2 Studio Soft Light w/ DMX



- Full RGB color, Saturation, and HSI control
- 97 CRI chip LEDs paired with 1/2 stop soft diffusion panel
- Variable CCT: 2800K-10,000K

LCX21 (DMX).....

- Hue Shift: +green / -magenta 0-100%
- Built-in special FX & color correction filter gels
- 8-bit & 16-bit DMX
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX

Lyra RGBW Digital Color 1 x 2 Studio Soft Light w/ DMX



- Full RGB color, Saturation, and HSI control
- 97 CRI chip LEDs paired with 1/2 stop soft diffusion panel
- Variable CCT: 2800K-10,000K
- Hue Shift: +green / -magenta 0-100%
- Built-in special FX & color correction filter gels
- 8-bit & 16-bit DMX
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX

...\$2499.00 LCX15 (DMX).. \$TBA LCX10 (DMX). \$TRA Lyra 1 x 2 Bi-Color Studio Soft Light w/ DMX



- 95+ CRI Chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Bright consistent light across all color temperatures
- Beam Angle of Soft panel 110 degrees
- DMX In and Out
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
 - Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

LBX20 (DMX)... \$1399.00

Lyra 1 x 3 Bi-Color Soft Light



- 95+ CRI Chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Bright consistent light across all color temperatures
- Beam Angle of Soft panel 110 degrees
- DMX In and Out
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

Lyra 1 x 4 Bi-Color Soft Light



- 95+ CRI Chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Bright consistent light across all color temperatures
- Beam Angle of Soft panel 110 degrees
- DMX In and Out
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control for color, brightness, DMX
- · Fan switch to enable active cooling

LBX30 (DMX).. ...\$1699.00 LBX40 (DMX)... \$2199.00

Mylo Soft Bi-Color Field LED Light



- 95+ CRI chin LEDs
- Bi-Color adjustable 3200K-5600K
- 1/2 stop soft diffusion panel
- Beam angle of 110 degrees
- Includes two L series batteries, dual battery charger, & barn doors

Mylo Half x 1 Field LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50 degrees
- Equivalent to 750W of incandescent light
- Includes two L series batteries, dual battery charger, & barn doors

Mylo Mini Bi-Color Field LED Light



- 95+ CRLLEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50 degrees Equivalent to 300W of
- incandescent light Includes two L series batteries,
- dual battery charger, & barn doors

MSB8 (Half x 1 Panel).

\$549.99

MB8 (Half x 1 Bi-Color).

...\$499.99

MB4-TK (Travel Kit)

\$229.99

Mylo Soft Bi-Color Field LED Light Kits



- Mylo Soft light fixtures (MSB8)
- Light stands Light bag
- Stand bags
- MSB8-2PT-KIT (MSB8 2 Point Kit). .\$1299.00 MSB8-3PT-KIT (MSB8 3 Point Kit). ...\$1699.00 MSB8-5PT-KIT (MSB8 5 Point Kit). \$2699.00

Mylo Half x 1 Field LED Light Kits



- Mylo half x 1 light fixtures (MB8)
- Light stands Light bag
- Stand bags
- MB8-2PT-KIT (MB8 2 Point Kit).. .\$1199.99 MB8-3PT-KIT (MB8 3 Point Kit)... \$1599.00 MB8-5PT-KIT (MB8 5 Point Kit). \$2499.00

Mylo Mini Bi-Color Field LED Light Kits



- Kit includes:
- Mylo Mini light fixtures (MB4)
- Light stands
- Light bag Stand bags
- MB4-2PT-KIT (MB4 2 Point Kit). \$699.99 MB4-3PT-KIT (MB4 3 Point Kit)... \$999.99 MB4-4PT-KIT (MB4 4 Point Kit)... \$1249.00

Mylo Bi-Color LED Mixed Light Kits



- Kit includes:
- Mylo light fixtures (MB8, MB4 & iLED6)
- Light stands
- Light bag
- Stand bags

MB-1H2Q (1 x MB8 & 2 x MB4)... \$1299.99 MB-2H1Q (2 x MB8 & 1 x MB4)\$1499.00



Rayden Half x 1 Bi-Color LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50 degrees Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Included barn doors with intensifiers
- Equivalent to 400W of incandescent light

RB5 (Half x 1 Panel with Gold mount & V-mount battery plates)	\$499.00
RBX5 (Half x 1 Panel with DMX)	\$499.99

Rayden 1 x 1 Bi-Color LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Included barn doors with intensifiers
- Equivalent to 900W of incandescent light

RB10 (1 x 1 Panel with Gold mount & V-mount battery plates)	\$899.00
RBX10 (1 x 1 Panel with DMX)	\$899,99

Rayden Half x 1 Daylight LED Light



- 95+ CRI LEDs
- Daylight 5600K
- Beam angle of 50 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Included barn doors with intensifiers
- Equivalent to 400W of incandescent light

RW5 (Half x 1 Panel with Gold mount & V-mount battery plates)	\$449.00
RWX5 (Half x 1 Panel with DMX)	\$449.99

Rayden 1 x 1 Daylight LED Light



- 95+ CRI LEDs
- Daylight 5600K
- Beam angle of 50 degrees
- Baby 5/8 in. / junior 1-1/8 in. combo pin adapter with right angle receiver hole
- 30 degree angled yoke
- Single knob control for adjustments
- Included barn doors with intensifiers
- Equivalent to 900W of incandescent light

RW10 (1 x 1 Panel with Gold mount & V-mount battery plates).	699.00
RWX10 (1 x 1 Panel with DMX)s	699.99

Rayden Half x 1 Bi-Color LED Light Kits



- Kit includes:
- Rayden half x 1 light fixtures (RB5)
- Light stands
- Light bag
- Stand bags

RB5-2PT-KIT (RB5 2 Point Kit)	\$1249.00
RB5-3PT-KIT (RB5 3 Point Kit)	\$1699.00
RB5-5PT-KIT (RB5 5 Point Kit)	\$2999.00

Rayden 1 x 1 Bi-Color LED Light Kits



- Kit includes:
- Rayden 1 x 1 light fixtures (RB10)
- Light stands
- Light bag
- Stand bags

RB10-2PT-KIT (RB10 2 Point Kit)	\$1799.00
RB10-3PT-KIT (RB10 3 Point Kit)	\$2499.00
RB10-5PT-KIT (RB10 5 Point Kit)	\$4499.00

Rayden Daylight LED Light Kits



- Kit includes:
- Rayden half x 1 light fixtures (RW5)
- Light stands
- Light bag
- Stand bags

RW5-2PT-KIT (RW5 2 Point Kit)	\$1199.00
RW5-3PT-KIT (RW5 3 Point Kit)	\$1599.00
RW5-5PT-KIT (RW5 5 Point Kit)	\$2899.00

Rayden Bi-Color LED Mixed Light Kits



- Kit includes:
- Rayden light fixtures (RB5 & RB10)
- Light stands
- Light bag
- Stand bags

\$3899.00	RB-3F2H (3 x RB10 & 2 x RB5)
\$3599.00	RB-2F3H (2 x RB10 & 3 x RB5)
\$2349.00	RB-2F1H (2 x RB10 & 1 x RB5)
	RB-1F2H (1 x RB10 & 2 x RB5)

XYNC

Onyx Digital Color RGBW LED 1 x 2 Soft Light (Version 2)



- 20% Brighter
- Full RGB color control
- Variable CCT: 2800K to 10.000K
- Amber and white LEDS for better daylight & tungsten color
- Saturation control
- CRI: 95 TLCI: 95
- Built in ½ stop diffusion
- Hue shift: +green / -magenta 0-100%
- Filter gels: 33 gels
- Special effects: 8 built- in modes
- Lightweight aluminum construction

0YC15-V2 .STBA

Onyx Half x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- . DMX ethernet and wireless remote control
- Powered by two L series batteries (both required)
- Includes 2 x batteries, dual battery charger, & barn doors

OYB5 (Half x 1 Bi-Color)..... .\$449.99

Onyx 1 x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- · DMX ethernet and wireless remote control
- · V-mount battery plate allows for battery options

Onyx 2 x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- · DMX ethernet and wireless remote control
- 2 x V-mount battery plate allows for battery options

OYB10 (1 x 1 Bi-Color)... \$599.99 **0YB15** (2 x 1 Bi-Color).. ...\$799.99

Onyx Half x 1 LED Light Kits



- Kit includes:
- Onyx half x 1 light fixtures (OYB5)
- Batteries & dual battery charger
- Barn doors
- Light stands
- Light bag
- Stand bags

OYB5-2P1-KII	(OYB5 2	Point Kit)	 *999.99
OYB5-3PT-KIT	(OYB5 3	Point Kit)	 \$1449.00

Onyx 1 x 1 LED Light Kits



- Kit includes:
- Onyx 1 x 1 light fixtures (OYB10)
 Barn doors
- Light stands
- Light bag
- Stand bags

Onyx 2 x 1 LED Light Kits



- Kit includes:
- Onyx 2 x 1 light fixtures (OYB15)
- Barn doors
- Light stands
- Light bag
- Stand bags

? Point Kit)\$999.99	OYB10-2PT-KIT (OYB10 2 Point Kit)	OYB15-2PT-KIT (OYB15 2 Point Kit)\$1999.00
3 Point Kit)	OYB10-3PT-KIT (OYB10 3 Point Kit)	0YB15-3PT-KIT (OYB15 3 Point Kit)

Onyx Bi-Color Aluminum On-Camera LED Light



- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- LED display
- Equivalent to 100W incandescent light

OYB120 \$79.99

Onyx Bi-Color Aluminum On-Camera LED Light



0YB240

- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%

...\$149.99

- LED display
- Equivalent to 250W incandescent light

Onyx Bi-Color LED Light Kits



- Kit includes:
- 3 x Onyx OYB240 Light fixtures
- Light stands
- Light bag
- Stand bags
- **0YB240-2PT-KIT** (OYB240 2 Point Kit)..... ...\$449.99

ORYON

Oryon 14" Ring Light



- 14 in. Diameter ring light
- Bi-color 3200K-5600K adjustable
- CRI 96 TLCI 97
- Full Kit includes batteries, charger, stand, carrying bag, remote, & more
- · Phone Kit includes carrying case, remote control, and phone mount

RLB40 (Full Kit)s	329.99
RLB40-M (Phone Mount Kit)	\$99.99

Oryon 18" Ring Light



- 18 in. Diameter ring light
- Bi-color 3200K-5600K adjustable
- CRI 96 TLCI 97
- Full Kit includes batteries, charger, stand, carrying bag, remote, & more
- Phone Kit includes carrying case, remote control, and phone mount

RLB48-M2-KIT (Full Kit)	
RLB48-M2 (Phone Mount Kit)	^{\$} 119.99

CANVAS

Canvas Bendable LED Panel



- · Lightweight bendable fabric LEDs
- 95 CRI 96 TLCI
- Bi-color adjustable from 2800K-6500K
- Beam angle of 120 degrees without soft box
- X-Holder mount with 5/8" receiver
- Baby pin mount with 90 degree receiver hole
- Controller with 6' extension cable for adjusting color, brightness
- Can be powered by V-mount batteries or DV batteries
- Soft box and egg crate included
- · Watts equivalent to 300watts incandescent soft light
- Maximum power draw 24W at 120V

CB8	\$499.99
CB8-2PT-KIT (CB8 2 Point Kit)	^{\$} 1199.99
CRR-3PT-KIT (CR8 3 Point Kit)	\$1599.99

Canvas Full Color Bendable LED Panel w/ Tuneable RGBWA Color Control



- · Lightweight bendable fabric LEDs
- 95 CRI 96 TLCI
- Full RGB color control
- Green/Magenta control
- Bi-Color adjustable from 27500K-6500K
- Pre-loaded special FX: Candle, Police Car, Lightning, Watching TV
- Beam angle of 120 degrees without soft box
- X-Holder mount with 5/8" receiver
- Baby pin mount with 90 degree receiver hole
- Controller with 6' extension cable for adjusting color, brightness
- Can be powered by V-mount batteries
- Soft box and egg crate included
- · Watts equivalent to 300 watts incandescent soft light

CC8	149.99
CC8-2PT-KIT (CC8 2 Point Kit)s10	099.00
CC8-3PT-KIT (CC8 3 Point Kit)	199.00

STRYDER

Stryder 100W IP54 Water Resistant Daylight Field LED Fresnel Light



- 95 CRI 98 TLCI
- Daylight 5600K
- IP54 rain and dust-proof
- Rugged aluminum construction
- Fanless passive cooling design
- Silent operation
- 5 in. Fresnel with spot 28° to flood 53°
- Bright consistent color temperature
- V-Mount battery adapter included
- Barn doors and gel frame included

Stryder Fanless Bi-Color 150 Watt LED Fresnel Light w/ DMX



- 4 in. Fresnel lens
- Bi-Color light adjustable from 2800K-6500K
- Fanless cooling system
- Silent operation
- Accurate colors, high CRI and TLCI
- Spot to flood 15-65 degree beam angle
- Powered by AC or optional V-Mount battery
- DMX in and out via control box

Stryder Daylight Studio & Field Light



- Versatile field light
- Daylight 5600K
- 4 in. Fresnel with 60 degree and 30 degree lens
- Whisper-quiet cooling system
- Easily powered by 18650 batteries
- Large digital readout for easy adjustment

SW50 (Daylight Fresnel) \$299.99 SW50-2PT-KIT (2-point kit) \$699.99 SW50-3PT-KIT (3-point kit) \$999.99

HELIA LED

Helia 150 Watt 4 in. Fresnel Bi-Color LED Studio Light w/ DMX



- 4" Fresnel
- Bi-Color Light adjustable from 3200K-5600K
- High CRI and TLCI
- 500 watts equivalency
- 20 to 70 Degree Beam Angle
- DMX In and Out

HF150______\$599.99

LIGHTING CHARTS



* Tungsten Wattage Measurement

SKU	Fixture Type	ССТ	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
LB5/ LBX5	Panel	3200K- 5600K	110°	95+	12 x 7 in.	14 x 8 x 3 in.	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	350 Watts	Gold & V-Mount/ None
LB10/ LBX10	Panel	3200K- 5600K	110°	95+	12 x 12 in.	14 x 14 x 3 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	850 Watts	Gold & V-Mount/ None
LW5/ LWX5	Panel	5600K	110°	95+	12 x 7 in.	14 x 8 x 3 in.	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	350 Watts	Gold & V-Mount/ None
LW10/ LWX10	Panel	5600K	110°	95+	12 x 12 in.	14 x 14 x 3 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	850 Watts	Gold & V-Mount/ None
LCX15	Panel	2800K-10,000K	110°	95	18.7 x 10 in.	24 x 26 x 5 in.	19 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	700 Watts	V-Mount
LCX21	Panel	2800K-10,000K	120°	97	21.5 x 12 in.	25 x 17 x 7 in.	32 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1.2K Watts	V-Mount
LBX20	Panel	3200K- 5600K	110°	95+	21.5 x 12 in.	29 x 20 x 5 in.	18 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1000 Watts	None
LBX30	Panel	3200K- 5600K	110°	95+	38.5 x 10 in.	45 x 18 x 5 in.	20 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	2000 Watts	None
LBX40	Panel	3200K- 5600K	110°	95+	43 x 12 in.	49 x 20 x 5 in.	30 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	2000 Watts	None



SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
RB5/ RBX5	Panel	3200K- 5600K	50°	95+	12 x 7 in.	14 x 8 x 3 in.	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	400 Watts	Gold & V-Mount/ None
RB10/ RBX10	Panel	3200K- 5600K	50°	95+	12 x 12 in.	14 x 14 x 3 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	800 Watts	Gold & V-Mount/ None
RW5/ RWX5	Panel	5600K	50°	95+	12 x 7 in.	14 x 8 x 3 in.	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	500 Watts	Gold & V-Mount/ None
RW10/ RWX10	Panel	5600K	50°	95+	12 x 12 in.	14 x 14 x 3 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	900 Watts	Gold & V-Mount/ None



SKU	Fixture Type	ССТ	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
MSB8	Panel	3200K- 5600K	110°	95+	12 x 6 in.	19 x 13 x 3 in.	8 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No	300 Watts	DV Battery L Series
MB8	Panel	3200K- 5600K	50°	95+	12 x 6 in.	14 x 7 x 2 in.	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No	650 Watts	Pro Battery Gold & V-Mount
MB4-TK	Panel	3200K- 5600K	50°	95+	6.5 x 3.8 in.	8 x 5 x 2 in.	1 lb	Shoe Mount	No	300 Watts	DV Battery L Series

ONYX

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
0YC15-V2	Panel	2800K-10,000K	120°	95	21.5 x 10.2 in.	27 x 18 x 7 in.	11 lbs	5/8" Receiver	No	700 Watts	None
OYC15	Panel	2800K-10,000K	120°	95	21.5 x 10.2 in	27 x 18 x 7 in.	11 lbs	5/8" Receiver	No	500 Watts	None
OYB5	Panel	3200K- 5600K	60°	96+	10 x 6.5 in	15 x 11 x 2 in.	4 lbs	5/8" Baby Pin Receiver	Yes	500 Watts	Pro Battery V-Mount
OYB10	Panel	3200K- 5600K	60°	96+	10 x 10 in	16 x 16 x 2 in.	5 lbs	5/8" Baby Pin Receiver	Yes	650 Watts	Pro Battery V-Mount
0YB15	Panel	3200K- 5600K	60°	96+	16.5 x 10 in.	22 x 16 x 2 in.	8 lbs	5/8" Baby Pin Receiver	Yes	800 Watts	Pro Battery V-Mount
0YB120	On-Camera	3200K- 5600K	110°	92	5.2 x 3.5 in.	6 x 4 x 1 in.	0.5 lb	Shoe Mount	No	100 Watts	DV Battery L Series
OYB240	On-Camera	3200K- 5600K	110°	93	9.2 x 3.5 in.	11 x 4 x 1 in.	1 lb	Shoe Mount	No	250 Watts	DV Battery L Series

STRYDER

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
SW-IP100	Fresnel	5600K	28-53	95	10 x 7 x 4	6 lbs	5/8" Baby Pin Receiver	Np	28°: 300 Watts 53°: 800 Watts	Pro Battery V-Mount
SFB150	Fresnel	2800K- 6500K	30-65	96+	16 x 10 x 7 in.	10.5 lbs	5/8" Baby Pin Receiver	Yes	30°: 300 Watts 65°: 650 Watts	Pro Battery V-Mount
SW50	Fresnel	5600K	30°-60°	96+	12 x 9 x 4 in.	4 lbs	5/8" Baby Pin Receiver	No	30°: 300 Watts 60°: 700 Watts	18650 Battery

HELIA LED

SKU	Fixture Type	ССТ	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
HF150	Fresnel	3200K- 5600K	30°-60°	95+	13 x 10 x 10.2 in.	8.5 lbs	5/8" Baby Pin Receiver	Yes	650 Watts	None

ORYON

SKU	Fixture Type	ССТ	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
RLB40	Ring	3200K- 5600K	110°	95+	14 (diameter) x 2 in.	2 lbs	5/8" Receiver	No	100 Watts	DV Battery L Series
RLB48-M2	Ring	3200K- 5600K	110°	95+	18 (diameter) x 2 in.	3 lbs	5/8" Receiver	No	100 Watts	DV Battery L Series

CANVAS

SKU	Fixture Type	ССТ	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
CB8	Flexible Panel	3200K- 5600K	120°	96	20 x 0.5 x 10 in.	1 lbs	5/8" Receiver	No	300 Watts	DV Battery / Pro Batt V-Mount
CC8	Flexible Panel	2750K- 6500K	120°	95	20 x 0.5 x 10 in.	1 lbs	5/8" Receiver	No	300 Watts	DV Battery / Pro Batt V-Mount



TRADITIONAL TELEPROMPTERS

PT4500 Professional 15" High Bright Beam Splitter Teleprompter



- 1000 nit high bright monitor
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 17'
- Multiple camera mounting option
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software
- Travel Kit includes SKB Rolling Hard Case



PT4500 (Composite, HDMI, VGA)	\$1799.00
PT4500-TK (Travel Kit)	\$1999.00
PT4500-SDI (SDI, HDMI, VGA)	^{\$} 1899.00
PT4500-SDI-TK (Travel Kit)	\$2099.00

PT4700 Professional 17" High Bright Beam Splitter Teleprompter



- 1000 nit high bright monitor
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 20'
- Multiple camera mounting option
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport Monitor supports image flip
- Includes MAC and PC software
- Travel Kit includes SKB Rolling Hard Case



PT4700 (Composite, HDMI,VGA)	^{\$} 1999.00
PT4700-TK (Travel Kit)	\$2199.00
PT4700-SDI (SDI, HDMI, VGA)	\$2099.00
PT4700-SDI-TK (Travel Kit)	\$2299.00

PT4500 Professional 15" Teleprompter with 15" Talent Monitor



- 1000 nit High Bright Monitor
- High-Quality American Made 70/30 Beam Splitter Glass
- Screen Readable from up to 17'
- Easy to Install 15" Talent Monitor
- Multiple Camera Mounting Option
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro software for MAC & PC is FREE with this teleprompter



PT4500-15TM-KIT (Talent Monitor Kit)	\$2499.00
PT15-TM (Talent Monitor Add-On Kit)	\$899.99
PT4500-SDI-15TM (Talent Monitor Kit)	\$2599.00
PT15-SDI-TM (SDI Talent Monitor Add-On Kit)	\$949.99

PT4700 Professional 17" Teleprompter with 17" Talent Monitor



- 1000 nit High Bright Monitor
- High-Quality American Made 70/30 Beam Splitter Glass
- Screen Readable from up to 20'
- Easy to Install 17" Talent Monitor
- Multiple Camera Mounting Option
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro software for MAC & PC is FREE with this teleprompter



PT4700-17TM-KIT (Talent Monitor Kit)	\$2799.00
PT17-TM (Talent Monitor Add-On Kit)	\$999.99
PT4700-SDI-17TM (Talent Monitor Kit)	\$2799.00
PT17-SDI-TM (SDI Talent Monitor Add-On Kit)	\$1049.00

PT4500-P2P Interview System with 2 x 15" Systems



- Includes two teleprompters
- Monitor that supports image flip (vertical and horizontal)
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 13'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Perfect size for portability and view-ability
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or both
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit includes SKB Rolling Hard Case

PT4500-P2P (Composite, HDMI, VGA)	\$3599.00
PT4500-P2P-TK (Travel Kit)	\$3999.00
PT4500-SDI-P2P (SDI, HDMI, VGA)	\$3799.00
PT4500-SDI-P2P-TK (Travel Kit)	\$4199.00

PT4700-P2P Interview System with 2 x 17" Systems





- Includes two teleprompters
- Monitor that supports image flip (vertical and horizontal)
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 13'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Perfect size for portability and view-ability
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit includes SKB Rolling Hard Case

PT4700-P2P (Composite, HDMI, VGA)	\$3999.00
PT4700-P2P-TK (Travel Kit)	\$4399.00
PT4700-SDI-P2P (SDI, HDMI, VGA)	\$4199.00
PT4700-SDI-P2P-TK (Travel Kit)	\$4599.00

PT4200 Professional 12" Portable Teleprompter



- Includes 12" monitor that supports image flip (vertical & horizontal)
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 13'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Perfect size for portability and view-ability
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or both
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit includes SKB Rolling Hard Case

PT4200 (Composite, HDMI, VGA)	\$1099.00
PT4200-TK (Travel Kit)	^{\$} 1299.00

PT4200-P2P Interview System with 2 x 12" Systems





- Includes two teleprompters
- Monitor that supports image flip (vertical and horizontal)
- High-quality American made 70/30 beam splitter glass
- Screen readable from up to 13'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Perfect size for portability and view-ability
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit includes SKB Rolling Hard Case

PT4200-P2P	(Composite, HDMI, VGA)	\$2199.00
PT4200-P2P	TK (Travel Kit)	\$2599.00

PT3500-HB 15" High Bright Rod-Based Location / Studio Teleprompter



- 1000 nit high bright monitor
- High quality American made 70/30 beam splitter glass
- Custom cut foam to protect your teleprompter
- Based on 15mm rod system for ease of use
- · Wide wheels with rubber tires for durability and stability
- Air and water tight design
- Composite, HDMI, and VGA
- · Travel Kit includes SKB Rolling Hard Case



PT3500-HB (1000nit High Bright Monitor)	\$1699.00
PT3500-HB-TK (Travel Kit)	\$1899.00

PT3700-HB 17" High Bright Rod-Based Location / Studio Teleprompter



- 1000 nit high bright monitor
 - High quality American made 70/30 beam splitter glass
- Custom cut foam to protect your teleprompter
- Based on 15mm rod system for ease of use
- Wide wheels with rubber tires for durability and stability
- Air and water tight design
- Composite, HDMI, and VGA
- Travel Kit includes SKB Rolling Hard Case



PT3700-HB (1000nit High Bright Monitor)......\$1899.00 PT3700-HB-TK (Travel Kit).....\$2099.00

PT3500 15" Rod-Based Location / Studio Teleprompter



- Adjustable glass frame
- Based on 15mm rod system for ease of use
- Lightweight & compact design for easy travel
- Ships in reusable foam for easy transportHigh-quality monitor with metal construction
- Monitor supports image flip
- High-quality American made 70/30 teleprompter glass
- Includes MAC and PC software
- Travel Kit includes SKB Rolling Hard Case





PT3700 17" Rod-Based Location / Studio Teleprompter



- Adjustable glass frame
- Based on 15mm rod system
- Lightweight & compact design
- Ships in reusable foam for easy transport
- · High-quality monitor with metal construction
- Monitor supports image flip
- High-quality American made 70/30 teleprompter glass
- Includes MAC and PC software
- Travel Kit includes SKB Rolling Hard Case



PT3700 (Composite, HDMI, VGA)	\$1699.00
PT3700-TK (Travel Kit)	\$1899.00

PT1200 12" Portable Teleprompter Kit





PT1200-LS 12" Portable Teleprompter for Light Stand



- Includes 12 in. custom monitor
- New adjustable glass frame
- Perfect size for portability and viewability
- 15 mm rod based for versatility and ease of use

•	Shins	in	reusable	foam	for	easy	transport

- Includes MAC and PC Software
- Travel Kit includes SKB Rolling Hard Case

PT1200 (Composite, HDMI, VGA)	\$999.99
PT1200-TK (Travel Kit)	\$1199.00
PT1200-LS (Teleprompter for Lightstand)	\$799.99

HomeStream Video Conference Teleprompter w/ 7" Monitor



- 7" monitor w/ mirror image flip
- · Allows for eye contact on video calls
- HomeStream remote for iOS and Android only
- Utilizes 70/30 beamsplitter teleprompter glass
- Works with DSLR, mirrorless, camcorders, smartphones as camera
- Attaches to most lens sizes: 49, 52, 55, 58, 67, 72, 77, 82mm
- Option to mount smartphone to record in horizontal or vertical mode
- Three 1/4-20" threads on bottom of teleprompter

HS-PT700	\$179.99
HS-PT700-RC (Includes PT-ELITE Remote Control)	sTBA
HS-PT700-UGK (Upgrade Kit with Monitor Only)	\$TBA

Teleprompter Riser Plate 50mm for PT4500/PT4700



- Anodized aluminum
- Allows usage of larger cameras
- Works with PT4500 and PT4700

PT-RISER-50 \$99.99

TABLET TELEPROMPTERS

PT-ELITE-PRO Universal Large Tablet Teleprompter



- Min tablet size: 6 in. x 9 in.
- Max tablet size: 9 in. x 12 in.
- Works with apple iPad Pro & Microsoft Surface Pro
- Foldable glass frame
- Quick release baseplate
- 15mm rod based for versatility & ease of use
- Solid CNC machined aluminum construction
- American made 70/30 teleprompter glass
- Travel Kit includes SKB Rolling Hard Case



PT-ELITE-PRO	\$699.00
PT-ELITE-PRO-RC (Includes ELITE-REMOTE)	\$749.00
PT-ELITE-PRO-TK (Travel Kit)	\$899.99

PT-ELITE-V2 Universal Tablet & iPad Teleprompter



- Min tablet size: 7.5 in. x 5 in.
- Max tablet size: 10.5 in. x 8 in.
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- 15mm rod based for versatility & ease of use
- Solid CNC machined aluminum construction
- American made 70/30 teleprompter glass
- Travel Kit includes SKB Rolling Hard Case



PT-ELITE-V2	s649.00
PT-ELITE-V2-RC (Includes ELITE-REMOTE)	\$699.00
PT-ELITE-V2-TK (Travel Kit)	\$849.99

PT-ELITE-LS Tablet Teleprompter for Light Stand



- Designed to be mounted on light stands
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- Solid aluminum construction

PT-ELITE-LS \$399.99 PT-ELITE-LS-RC (Includes ELITE-REMOTE) \$449.99

PT-ELITE-LS Tablet Teleprompter for Light Stand Travel Kit



- Designed to be mounted on light stands
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- Solid aluminum construction

PT-ELITE-LS-TK (Travel Kit includes SKB Rolling Hard Case) ______\$599.99



PROFESSIONAL 15" & 17" HIGH BRIGHT TELEPROMPTERS WITH TALENT MONITOR KITS

lkan's new professional teleprompter series is designed for a quick and easy setup to work efficiently in outside broadcast applications or professional studios. The lightweight aluminum teleprompter has multiple 3/8-16" and 1/4-20" for mounting to a pedestal. The talent monitor allows the talent to easily check their look and framing without moving or looking away from the lens.

- 1000 nit High Bright Monitor
- High-Quality American Made 70/30 Beam Splitter Glass
- · Easy to Install Talent Monitor

- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design
- Monitor Supports Image Flip
- Ships in Reusable Foam for Easy Transport
- PrompterPro software for MAC & PC included in all kits

TELEPROMPTER ACCESSORIES

PT-CASE SKB Rolling Case for Teleprompters



- High-quality rolling hard case
- Designed for PT3500 and 3700
- Air & water tight design
- Designed to be used with the foam included in the PT3500 or PT3700

PT-CASE-V2 SKB Rolling Case for Teleprompters



- Designed to be used with the foam included in the PT4500 or PT4700 shipping box
- High quality rolling hard case
- Designed for PT4500 and PT4700
- Waterproof and dust-tight design (MIL-C-4150J / IP67)
- Ambient pressure equalization valve (MIL-STD-648C)
- Resistant to UV, solvents, corrosion, fungus (MIL-STD-810F)
- Resistant to impact damage (MIL-STD-810F)

PT-CASE \$299.99 PT-CASE-V2 \$299.99

PROMPTER PRO 4 Software for PC & Mac

PT-CASE-ELITE SKB Rolling Case for Teleprompters



PT-CASE-ELITE

- High Quality SKB Designed Rolling Hard Case
- Designed for PT-ELITE-V2. PT-ELITE-PRO, PT1200
- Designed to be used with foam included in the compatible teleprompter
- Fits within Airline Carry-On Size Limits
- Air & Water Tight Design



- Compatible with Windows XP, Vista, 7, 8, or 10
- Compatible with Mac OSX Full featured text editor
- Smooth quiet scrolling
- Supports international languages
- Second talent window
- One click mirrored text

ELITE-REMOTE Bluetooth iPad Teleprompter Remote



- 9 soundless, ruberized buttons for precise and complete control of your teleprompting
- Control range up to 20 feet
- Bluetooth 3.0, laser pointer, 4 speed control buttons, 2 cue point buttons, pause/play button, mirror flip button
- Virtual keyboard show/hide
- Connects with all iPad versions

ELITE-REMOTE ... \$89.95

\$249.99 PROMPTER PRO 4 \$89.95

E-IMAGE PEDESTALS

EI-7100H-KIT Air Controlled Pedestal Kit (E-Image)



FI-7100H-KIT

- Fluid head offers widest range, and heaviest drag in its class
- 0-8 positions of counter balance adjustment
- Center column air pump system for adjusting the operating height
- Two-section central column can be extended and folded accurately and freely according to the object height
- 100mm ball mount style head
- Durable studio-style dolly wheels with independent locks
- 60mm sliding plate, with dials, is suitable for outdoor
- photography and broadcasting
- Fluid head includes a bubble level

\$3499.00

EI-7903-A Air-Assist Aluminum Pedestal with Easy Height Adjustment Lever Aluminum Pedestal with AT7903 Legs (E-Image)



- New easy-adjust latch makes height adjustments simple & quick
- 7103H fluid video head supports up to 33 lbs.
- 100mm riser bowl
- Height range of 47-80 inches
- Air-assist central column dampens movement of heavy loads
- EI-7005 dolly with individually locking wheels
- 0-3 Stages of tilt and pan drag
- 0-8 Stages of counterbalance settings
- Two GB3 padded, extendable pan handles included

\$4399.00

EI-GH25-KIT Pedestal with AT7902 Base/Dolly & GH25 Head (E-Image)



- Payload range 24.95kg | 55lbs
- 0-7 grades of drag for tilt and pan Counter balance adjustment 1-15
- Mounting point for monitor arm
- Bowl size: 100mm ball level feature
- Sliding base plate with safety lock and retractable registration pin
- Illuminated spirit level
- Dual sided pan/tilt arm rosette mounts (two arms included)
- Pan and tilt locks

EI-GH25-KIT \$6499.00

EP880SK Pneumatic Studio Pedestal Kit with 55lbs Capacity Head (E-Image)



- GH25 fluid head supports 55 lbs camera payload
- 100mm riser bowl
- Pedestal working height range 43.5 in. to 72 in.
- Pedestal weight max 66 lbs
- Pneumatic telescoping center column
- Collapsible wheeled spreader w/ cable guards
- Dolly spreader w/ track lock wheels
- Pan and tilt locks & heavy-duty telescoping pan/tilt arms
- Two-stage carbon fiber tripod legs

EP880SK \$7999.00



E-IMAGE TRIPODS















			•				
E-Image Tripod Kits	EG01A2	EG03A2	EG03FA3	EG03TT	EG04AS	EG05A2	EG08A2
Description	2-Stage Aluminum Tripod with Fluid Pan/ Tilt Head	2-Stage Aluminum Tripod with GH03 Head	Rising Column Tripod Kit with GA230 & GH03F	Telescoping Video Tripod Quick Kit with GH03 Head	Lightweight Tripod Kit with Ball/Flat GH04 Head	2-Stage Aluminum Tripod with GH05 Head	Aluminum Tripod Kit with GH08 Fluid Head
Max Height	63.25 in. / 1606.55 mm	66.5 in. / 1689 mm	97.25 in. / 2470 mm	55.5 in. / 1409.7 mm	65.4 in. / 1661 mm	67 in. / 1701.8 mm	67 in. / 1701 mm
Min Height	31.5 in. / 800.1 mm	29.5 in. / 749.3 mm	37.75 in. / 958.8 mm	12.5 in. / 317.5 mm	30.75 in. / 781 mm	32.25 in. / 819.15 mm	30 in. / 762 mm
Bowl Size	65 mm	75 mm	Flat	75 mm	75 mm	75 mm	75 mm
Max Payload	11 lbs / 5 kg	11 lbs / 5 kg	11 lbs / 5 kg	13 lbs / 5.89 kg	13.2 lbs	17 lbs / 7.7 kg	22 lbs
Ground Level Spreader	No	No	No	No	No	No	No
Mid-Level Spreader	Integrated	Yes (Adjustable)	Integrated	No	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)
Price	\$219.99	\$299.99	\$369.99	\$299.99	\$299.99	\$359.99	\$769.99













	*		8	88		*
E-Image Tripod Kits	EG06A2	EG06C2	EG10A2	EG10C2L	EG15A2	EG15C2
Description	2-Stage Aluminum Tripod with GH06 Head	2-Stage Carbon Fiber Tripod with GH06 Head	2-Stage Aluminum Tripod with GH10 Head	2-Stage Carbon Fiber Tripods with GH10L Head	2-Stage Aluminum Tripod with GH15 Head	2-Stage Carbon Fiber Tripod with GH15 Head
Max Height	72.5 in. / 1841.5 mm	73 in. / 1854.2 mm	67.75 in. / 1720.85 mm	66.75 in. / 1695.45 mm	68.5 in. / 1739.9 mm	68.5 in. / 1739.9 mm
Min Height	32.5 in. / 825.5 mm	32.5 in. / 825.5 mm	32.5 in. / 825.5 mm	31 in. / 787.4 mm	32.5 in. / 825.5 mm	32.5 in. / 825.5 mm
Bowl Size	75 mm	75 mm	75 mm	100 mm	100mm	100mm
Max Payload	13 lbs / 5.9 kg	13 lbs / 5.9 kg	22 lbs / 10 kg	22 lbs / 10 kg	33 lbs / 14.9 kg	33 lbs / 14.9 kg
Ground Level Spreader	No	No	No	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)
Mid-Level Spreader	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)
Price	\$849.99	\$1099.00	\$1299.00	\$1799.00	\$1999.00	\$2199.00

MOTUS HEAVY DUTY TRIPODS

MOTUS 3-Section Carbon Fiber Tripod Kit Payload 48.5 lbs. (E-Image)



- Payload range: 48.5lbs 22Kg 1-4 grades of drag for tilt and pan
- Counterbalance adjustment: Continuous Variable Counterbalance
- Tilt range: -67° ~ +90°
- Bowl Size: 100mm
- Quick-release Plate Sliding Range: 4.7in/ 120mm
- Illuminated bubble level
- Dual-sided pan/tilt arm rosette mounts (two arms included)
- Pan Handle: GB4 telescopic 16.7-27in (425-610mm)
- Flip Lock Lever
- Sections: 3
- Tripod Height Range: 21.9 in. ~ 59.6 in. 55.5 cm. ~ 151 cm.
- Tripod Transport Length: 29.3 in. 74.5cm.
- Material: Carbon Fiber Tubes/Metal Body
- Net Weight: 13.9lbs / 6.3kg

MOTUS 3-Section Carbon Fiber Tripod Kit Payload 70.5 lbs. (E-Image)



- Payload range: 70.5lbs 32Kg
- 1-8 grades of drag for tilt and pan
- Counterbalance adjustment: Continuous Variable Counterbalance
- Tilt range: -67° ~ +90°
- Bowl Size: 100mm
- Quick-release Plate Sliding Range: 4.7in/ 120mm
- Illuminated bubble level
- Dual-sided pan/tilt arm rosette mounts (two arms included)
- Pan Handle: GB4 telescopic 16.7-27in (425-610mm)
- Flip Lock Lever
- Sections: 3
- Tripod Height Range: 21.9 in. \sim 59.6 in. 55.5 cm. \sim 151 cm.
- Tripod Transport Length: 29.3 in. 74.5cm.
- Material: Carbon Fiber Tubes/Metal Body
- Net Weight: 14.8lbs / 6.7kg

MOTUS32 \$4999.00



4 Stage Carbon Fiber Monopod (E-Image)



- 4 Stage Carbon Fiber Construction
- Maximum Height: 6.5 ft. / 73.6 in.
- Minimum Height: 28.1 in.
- Payload: 44.1 lbs
- Weight: 3.1 lbs
- Flip Lock Design
- Swivel Base/Mini Tripod
- Foam Grip, Wrist Strap

4 Stage Hands-Free Carbon Fiber Monopod w/610FH Fluid Head (E-Image)



- 4 Stage Carbon Fiber Construction Maximum Height: 6.5 ft. / 73.6 in.
- Minimum Height: 32.5 in.
- Payload: 6.6 lbs
- Weight: 4.9 lbs
- Flip Lock Design
- Swivel Base/Mini Tripod
- Foam Grip, Wrist Strap
- Flat-Based Tripod Head
- Tilt Range: -40° ~ +80°

Easy-Mount Tilting Camera Base Plate (E-Image)



- Payload: 6.6 lbs.
- Net Weight: 0.9 lbs.
- 1/4" and 3/8" Mounting Threads
- Build Material: Aluminum
- Bubble Level

MFC700. \$259.99 MFC700+610FH \$329.99 FH10 \$59.99

Extendable Belt-Driven Carbon Fiber Slider (E-Image)



- Includes extra outrigger legs for center support when at full length
- Latch & hook connection style eliminates give at section junctions
- Includes long and short drive belts (S3M type, 10 mm wide)

ES150 (80/150cm)	\$699.99
ES220 (80/150/220cm)	\$899.99

Carbon Fiber Slider (E-Image)



- Hand, motor, or crank operation (motor optional)
- Sturdy lightweight 10 layer carbon fiber
- Extremely smooth sealed-bearing 12 wheel guides
- Integrated 5/8" stand receivers

ES120 (48 inch slider)... ...\$579.99 ES70 (27 inch slider)..... .\$499.99

MOTOR1 & Motorized Video Slider Kit (E-Image)



- 3 Modes of operation: Time-lapse, Stop-motion, Trace-record
- Precision stepless motor
- Wireless shutter control (most popular cameras)
- Mobile app for iOS & Android Horizontal & Vertical Operation

MOTOR1-ES120-KIT (Motor 1 & ES120 Slider)	\$1299.00
MOTOR1-ES70-KIT (Motor 1 & ES70 Slider)	\$1199.00
MOTOD1 (Motor Only)	\$7/0.00

Double Slider / Dual Track (E-Image)



- Camera mounting plate compatible with cameras requiring either 1/4"-20 and 3/8"-16 mounting
- Can be used on any flat surface or mounted to a tripod
- Perfect for those need maximum use with minimal size and weight

Portable Camera Dolly w/ Tracks (E-Image)



- High-density foam gaskets keep smooth shooting on uneven ground
- High-quality wheels
- Lightweight and long rail for unlimited connection
- Multipurpose dolly
- Includes carrying bag

...\$199.99 ES35 (17 inch double slider)...

ED330 \$699.99



Atlas 21.5" Field/Studio 4K HDMI & 3G-SDI Monitor



- 1920 x 1080 LCD display
- Three color tally indicator LED on the front (green, red, yellow)
- SD card slot for loading 3D LUTs
- Built-in hard case with a mount for light stands
- HDR mode supports PQ & HG modes
- Waveform, vectorscope, RGB histogram, brightness histrogram, peaking, false color, clip guides, audiometer
- HDMI/3G-SDI input and output
- V-mount battery plate

AX20-FK-V2_____STB/

VXF7-V2 7" On-Camera 4K HDMI/3G-SDI Monitor



- 1920 x 1200 LCD display
- SDI/HDMI signal conversion
- · Front and rear tally
- 4K Ultra HD Support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- · HDMI,3G-SDI, component, composite input and output
- · L series battery mount

VXF7-V2s6	49.99
VXF7-V2-DK	99.99

EVF-EC Bluestar Ultrasuede Eye Cushion



- Ultrasuede surface provides a luxurious amount of comfort
- Double thickness padding
- Eight special holes to minimize chance of light infiltration

EVF-EC (Eye Cushion Only)	7.95

Articulating Monitor Arm (E-Image)



- Heavy-duty mount for monitors and other accessories
- 1/4"-20 threads on both sides
- Center wing nut features locking teeth for increased holding capacity

EI-A49 (5 in. Length)	\$29.95
EI-A51 (9 in. Length)	\$49.95
EI-A52 (2.875 in. Length)	^{\$} 14.95

Articulating Arm



- Mount monitor or camera accessories
- 1/4"- 20 threaded ends
- Ball joints at each end
- Center wing nut lock
- Removable shoe mount

MA207 (7 in. Length)	\$44.95
MA211 (11 in. Length)	\$54.95
MA211-R (11 in. Arm w/ Single Rod Mount)	\$59.95

Shoe Mount with Tool-less Mounting Screw & Mounting Plate



- Wide accessory mounting surface with a padded anti-slip surface
- Tool-less mounting with rotating thumb wheel
- Accepts any accessory with a 1/4"-20 mount
- Adaptable for cold shoe mounts and both 1/4"-20 & 3/8"-16 screws
- Can support up to 4.5 lb. horizontally, over 7 lb. vertically
- Includes 3/8"-16 to 1/4"-20 step-down adapter (pre-installed)

Heavy Duty 1/4-20 Stand Mount with 5/8 in. Receiver



- Padded anti-slip surface
- Accepts any accessory with a 1/4"-20 mount
- · Receives any 5/8" stand or adapter
- Can support up to 5 lbs.
- Solid metal construction

SM-501 ______\$29.95

Slim HDMI Cable with 1.4 Ultra HD 4K Support



- Lengths available: 1.5ft, 3ft
- Slim & flexible for easy routing
- Designed for production use
- Short lengths for camera rigs
- · HDMI v1.4 with backwards compatibility
- Supports 4K & Ultra HD

\$9.95
\$9.95
\$9.95

Ultra Slim SDI Cable with Right Angle Connector



SDI-SLM-36 (3 ft Length)

- Only 2.5mm thick
- Ultra durable & super flexible
- Short lengths for camera rigs & gimbals

......\$11.95

Supports 4K & Ultra HD

600

Monitor Mount and Quick Release (Lanparte)

- Quick release monitor mount
 Mounts to monitor arms or directly to
- a 1/4-20 threaded recess
- Includes pocket key-driver for easy installation
 Mounting Range: 3/16 to 5/8" from
- center of mounting point to inside lip of quick release plate

MQR-03	\$35.00

 \supset



PDMOVIE

WIRELESS SYSTEMS

Live Air 2 Compact Wireless Focus Control Kit (PD Movie)



- · Completely wireless follow focus system
- Compatible with Live Pro Controllers
- Removable Li-42B Battery
- Control All Functions with One Button
- Automatically calibrates to the mapping of your lens
- Simple, single-button system settings control
- Compact yet powerful motor handles subtle and rapid focus pulls with ease
- Focus control attaches to most square/round handles less than 1" in diameter
- 0.8 pitch gearing is compatible with most common cinema lenses

PDL-AFP (includes remote, motor, and Rig Air)	\$299.00
PDL-AFP-A (includes remote, and motor)	\$289.99

Live Air 2 Compact Wireless Zoom Control Kit (PD Movie)



- Completely wireless zoom control system
- Compatible with Live Pro controllers
- Removable Li-42B battery
- Control all functions with one button
- Automatically calibrates to the mapping of your lens
- Simple, single-button system settings control
- · Zoom control attaches to most square/round handles less than 1" in diameter
- 0.8 pitch gearing is compatible with most common cinema lenses

PDL-AZP......\$299.00

WIRED SYSTEMS

Live Pro Wired Lens Control System (PD Movie)



- Professional solution for controlling the lens' focus, iris and zoom
- Handwheel and dual-channel controller easily mount to a tripod handle
- Brings control of your lens focus, iris, and zoom right to your fingertips
- Automatically calibrates to the mapping of your lens
- Single focus and zoom unit can control multiple motors simultaneously
- Compact yet powerful motors can handle both subtle and rapid lens adjustments with ease
- Precision motors attach to both 15 and 19mm rods (included sleeves installed)
- Remote control attaches to most square/round handles less than 1" diameter
- 0.8 pitch gearing is compatible with most common cinema lenses

PDL-PF (1 Motor).......\$899.00

Remote Air Pro 3 Wireless Follow Focus System (PD Movie)

PE

- Single-channel wireless lens control system
- · Includes one controller and one motor
- Transmission distance up to 328 ft.
- · Stable built-in antenna
- Removable Li-40/42B battery offers up to 15 hours standby mode and 10 hours consistent use
- Wireless controller can control up to three motors (additional motors available separately)
- Upgrade to a two or three-channel system by adding PD-MX motors

PD4-S1 (1 Motor)	\$799.00
PD4-S2 (2 Motors)	1299.00
PD4-S3 (3 Motors)	1599.00

FOLLOW FOCUS SYSTEM CHARTS

	Live Air 2	Remote Air Pro 3	Live Pro
Wireless	Bluetooth 4.2	2.4 Ghz / Bluetooth 4.2	No (wired only)
Channels	1	1-3	1-3
Control Unit	Yes (included)	Yes (included)	Yes (included)
iOS App Compatible	Yes	Yes	No
Transmission Distance	10m (32 ft)	100m (328 ft)	N/A (wired)
SKUs	PDL-AFP (Focus) PDL-AZP (Zoom)	PD4-S1 PD4-S2 PD4-S3	PDL-PF



Whether you're shooting a live event or a feature film, lkan rigs have the flexibility to adapt to your camera rig needs.

Ikan provides shoulder rigs, cages, & kit accessories to build a solid, working, customized rig around your camera.



Stratus Complete Shoulder Rig Kit for Canon C200



- Complete Shoulder Mount Rig System for Canon C200 & C200B
- Includes 2 x Handgrips, 2 x Carbon fiber 15mm rods, Canon Hand Grip Relocator Cable, Rotatable Monitor/EVF mount
- Shoulder Pad Features Manfrotto 501 Mount
- Compatible w/ Monitors up to 7 in.
- Compatible w/ any Arri Rosette Mounted EVF

STR-CINE-C200-RIG. \$699.99

Stratus STRATUS Complete Cage for Sony a7R IV & a7III Series Cameras



- Form-Fitted to the Sony a7R IV & III Series Cameras
- Fits Sony a7 III, a7S II, and a7R III
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- Top Handle Mounts Directly to Cage Front
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4-20 and 3/8-16 Mounts
- 15mm Rods Vertically Positionable to support multiple lenses & accessories

STR-A7IV. \$179.99

Stratus Complete Shoulder Rig Kit for Canon C300 MK III & C500 MK II



- Complete Shoulder Mount Rig System for Canon C500 Mk II & C300 Mk III
- Includes 2 x Handgrips, 2 x Carbon fiber 15mm rods, Canon Hand Grip Relocator Cable, Rotatable Monitor/EVF mount
- Shoulder Pad Features Manfrotto 501 Mount
- Compatible w/ Monitors up to 7 in.
- Compatible w/ any Arri Rosette Mounted EVF

STR-CINE-C500-RIG \$999.99

Stratus Complete Cage for Sony a7 III Series Cameras **Cage Features**



- Form-Fitted to the Sony a7 III Series Cameras
- Fits Sony a7 III. and a7R III
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4-20 and 3/8-16 Mounts
- 15mm Rods Vertically Positionable to support multiple lenses & accessories

STR-A7III \$149.99

Stratus Shoulder Rig for Cinema Cameras



- Shoulder Mount System for Cinema Cameras
- Two Rosette Based Articulating Handgrips
- Shoulder Pad Features Manfrotto 501 Compatible Mount
- 16 in. Carbon Fiber 15mm Rods
- Fully Adjustable Monitor/EVF mount

STR-CINE-RIG \$599.99

Stratus Complete Cage for Sony a7 II Series Cameras



Cage Features

- Form-Fitted to the Sony a7 II Series Cameras
- Fits Sony a7 II, a7S II, and a7R II
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4-20 and 3/8-16 Mounts
- 15mm Rods Vertically Positionable to support multiple lenses & accessories

Stratus Complete Cage for BlackMagic Pocket Cinema Camera 6K & 4K



Cage Features

- Form-Fitted to the Blackmagic Pocket Cinema Camera 6K and 4K
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- Top Handle Mounts Directly to NATO Rail/Top Rod Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4-20 and 3/8-16 Mounts
- Mounts to ARRI Standard 19mm Dovetails

STR-BMPCC6K \$349.99





Stratus 15mm Follow Focus with Hard Stops

Includes Full Cage Kit, Follow Focus, and Lens Support System

Solid Aluminum Follow Focus with Adjustable Hard Stops

Slide-On or Slip-On Installation: One Open Rod Mount Gives More

\$349.99

- Follow Focus Made of Aluminum
- Adjustable Hard Stops

Horizontally Positionable Includes Magnetic Marking Disc Mounts to 15mm Rods

Placement Options

- Follow Focus Mounts to 15mm Rods
- Lens Support Slide-On or Slip-On Installation

STR-A7II \$129.99 STR-A7II-KIT.

Stratus Complete Cage for Sony a6500 Camera Body



Cage Features

- Form-Fitted to the Sony a6500 Camera Body
- Fits Sony a6000, a6300, and a6400
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4-20 and 3/8-16 Mounts

Stratus 15mm Static Lens Support



STR-FF...

\$129.99

- Quick and Easy Basic Lens Support
- 7/8" of Vertical Adjustment
- Slide-On or Slip-On Installation: One Open Rod Mount Gives More Placement Options
- Solid Aluminum Construction Cuts Weight and Increases Durability

STR-LS1. \$24 99

STR-A6

Stratus Blackmagic BMPCC 4K & 6K Single Rod DV Power Kit for Sony L



- Provides extended DV battery life to the BMPCC4K & 6K
- Mounts securely to any single 15mm rod
- Can be used with Sony L-Series DV batteries

BMPCC4K6K-PWR-1RD-S \$59.99

Stratus Blackmagic BMPCC 4K & 6K Dual Rod Mount DV Power Kit for Sony L



- Provides extended DV battery life to the BMPCC4K & 6K
- Mounts securely to any dual 15mm rod system
- Can be used with Sony L-Series DV batteries

BMPCC4K6K-PWR-2RD-S \$69.99

Stratus Blackmagic BMPCC 4K & 6K Cinema Belt Clip DV Power Kit for Sony L



- Provides extended DV battery life to the BMPCC4K & 6K
- · Mounts securely to any belt
- Can be used with Sony L-Series DV batteries.

Stratus Blackmagic BMPCC 4K & 6K DV Power Kit w/ Clamp for Sony L



- Provides extended DV battery life to the BMPCC4K & 6K
- Mounts securely to any pole or rod up to 38mm
- Can be used with Sony L-Series DV hatteries

Stratus Lens Control Y-Cable for Canon Cinema CN-E Servo Lenses



- Connects the Canon Servo Controllers to a Servo lens
- Simultaneously Control the Focus and Zoom of Your Canon Servo Lens
- Compatible with the FPD-400D and ZSD-300D Controllers

STR-CN-E-Y \$499.99

Stratus Grip Relocator Extension Cable for Canon C200, C300MKIII & C500MKII



- Coiled Design
- Works with Stratus Shoulder Rig System
- 3.5mm Connector Compatible with C200, C300 Mark III, & C500 Mark II

Stratus AC Power Supply System with NP-FZ100 Dummy Battery



- Provides Continuous AC Power to Any Compatible Sony Camera
- · For Select Sony Cameras
- · Short and Overload Circuit Protection

Stratus Stratus ARRI Standard 10 in. Dovetail w/ 15mm Baseplate and Carbon Fiber Rods



- Includes ARRI Standard Dovetail and Baseplate
- Includes a Pair of 12" Carbon Fiber
 15mm Pade
- Has Multiple 1/4-20 and 3/8-16 Mounting Points

Stratus ARRI Standard 12 in. Lightweight Dovetail



- Use with ARRI-Standard Bridge Plate
- 12" Lightweight Cutout Design
- Stopper Screw & Safety Button in Each End
- Multiple 1/4-20 and 3/8-16 Screw Threads

\$29.99

Stratus V-Mount Battery Plate w/ 15mm Rod Mount



STR-PWR-DTAP-LEMO (Cable Only)......

- 4x D-Tap Output connections
- 1x 5V USB Output connection
- Use longer-lasting V-mount batteries with your DSLR or Cinema Camera
- Mounts onto a pair of industry-standard 15mm LWS rods
- Can be mounted to the back of the rig as a counterweight
- Plate combo includes D-Tap Power Cable

STR-PWR-PLATE-BMPCC6K (for Blackmagic BMPCC6K) \$199.99 STR-PWR-DTAP-BMPCC6K (Cable Only) \$24.99 STR-PWR-PLATE-LEMO (for Canon C200 & C300 Camera) \$199.99

Stratus V-Mount Battery Plate w/ 15mm Rod Mount



- 4x D-Tap Output connections
- 1x 5V USB Output connection
- Use longer-lasting V-mount batteries with your DSLR or other devices
- Mounts onto a pair of industry-standard 15mm LWS rods
- · Can be mounted to the back of the rig as a counterweight

STR-PWR-PLATE-V......\$179.99



HOME\$1?1₹¶¶

HomeStream Kit #1 with 2 Desktop Lights, HDMI Capture Device,

Variable Height Camera Stand & 2 HDMI Cables



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
 - Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Adjustable Rotation & Swivel
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"





- For Podcasts, Chat, Conferencing & More
- · Compatible with Windows, Mac, Android, and iOS Devices
- Cardioid Polar Pattern
- Includes Height-Adjustable Stand
- Broadcast-Quality 48 kHz/16-Bit Capture
- · Plug-and-Play Operation
- Includes USB-A to USB-C Adapter
- . Bus-Powered from Computer or Tablet

HS-KIT-1 \$329.99 HS-USB-MIC \$49.99

HomeStream Kit #2 with 2 Desktop Lights, Podcast Microphone w/ Adjustable Arm



- Detachable Edge-lit LED Light w/ Standard ¼" Mounting Thread
- Adjustable Rotation & Swivel
- · Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- Cardioid/Bi-directional Multiple Pattern Selection
- Gain Control, Muting, Real-time Monitor Functions
- 20Hz-20KHz Frequency Response
- USB-C Interface Design, Universal for Computer and Phone
- USB-A Cable for Use with PC or Mac
- · Detachable Pop-Shield Design to Efficiently Filter Airflow
- Metal Housing for Excellent Shielding

HS-KIT-2 \$449.99

HomeStream Kit #3 with 2 Desktop Lights, HDMI Capture Device, Adjustable Camera Stand, 2 HDMI Cables, Podcast Microphone w/ Adjustable Arm



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard ¼" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- · Gain Control, Muting, Real-time Monitor Functions
- 20Hz-20KHz Frequency Response

HomeStream Kit #4 with 2 Desktop Lights, Pull-Up Green Screen, HDMI Capture Device, Adjustable Camera Stand, Podcast Microphone w/ Adjustable Arm



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard ¼" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- Maximum Screen Height: 76" / Screen Width: 57.5"
- Fast Green Screen Setup Time (3 to 7 Seconds)
- Wrinkle-Free Green Screen Material

HS-KIT-4 \$649.99

HomeStream 6" Diameter Accent Light w/ Variable Height Table Stop Stand



- Edge-lit LED Technology for a Professional Look
- Slim Lightweight Aluminum Design
- Adjustable Rotation & Swivel
- Detachable Light w/ Standard 1/4" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- 95 CRI
- Digital Readout for Brightness, Color Temperature, & Battery Life
- Brightness: 1050 Lux @ 0.5m
- · Cooling System: Passive Cooling
- Variable Stand Height: 13.75" to 21.5"

HS-LR6 _______\$129.99

HomeStream 76" Tall Portable Pull Up Chroma Key Green Screen



- Portable Pro-Level Chroma Key Screen
- Aluminum Enclosure
- Fast Setup Time (3 to 7 Seconds)
- Wrinkle-Free Material
- Convenient Collapsible Design
- Screen Width: 57.5"
- Maximum Screen Height: 76"
- Use for Photography, SFX Compositing, Game Streaming, Blogging, Interviews, etc.

HS-GS76 ______\$149.99

HomeStream 21" Variable Height Table Top Camera Stand



- Mount DSLRs, Pocket Cinema Cameras, Action Cams, or Camcorders
- 1/4"-20 Screw Mount
- · Ball Head Included
- Aluminum Build
- Adjustable HeightMaximum Height: 21.5"
- Minimum Height: 13.75"

HS-LSTND.

HomeStream Adjustable Microphone Arm 3.2 lbs Capacity



- Durable Articulating Boom Arm
- Secure Desk Clamp Mount
- Locking Knobs to Adjust Tension
- Steel Tubing Ensures Strength & Long Life
- Vertical Arm Length: 14"
- Horizontal Arm Length: 14"
- Max C-Clamp Grip: 1.75"Weight Capacity: 3.2 lbs.

HS-MSTND \$14.99

\$49.99

VIDEO CONFERENCE TELEPROMPTERS

HomeStream Video Conference Teleprompter w/ 7" Monitor



- 7" monitor w/ mirror image flip
- Allows for eye contact on video calls
- HomeStream remote for iOS and Android only
- Utilizes 70/30 beamsplitter teleprompter glass
- Works with DSLR, mirrorless, camcorders, smartphones as camera
- Attaches to most lens sizes: 49, 52, 55, 58, 67, 72, 77, 82mm
- Option to mount smartphone to record in horizontal or vertical mode
- Three 1/4-20" threads on bottom of teleprompter

HS-PT700	\$179.99
HS-PT700-RC (Includes PT-ELITE Remote Control)	\$TBA
HS-PT700-UGK (Upgrade Kit with Monitor Only)	\$TBA

VIDEO CAPTURE DEVICES

HomeStream HDMI to USB Video Capture Device 4K 30fps Input Audio-in/out HDMI Loop-Out



- Max Input Resolution: 4K 30fps
- Max Output Resolution (USB): 1080P 30fps
- Suppots HDMI Loopout
- Max Output Resolution (Loop out): 4K 30fps
- Supports 8/10/12bit Deep Color
- Supports 3.5mm Microphone Audio Input/ 3.5mm Stereo Output
- Supports Simultaneous HDMI Audio & Microphone Audio Capture
- Supports AWG26 HDMI Standard Cable; Input up to 15 Meters (1080P and below resolution)
- Supports OBS, Zoom, Skype, Facebook Live, YouTube Live, vMix, Twitch, Uberconference, VLC, etc.
- Supports Windows, Android, and MacOS
- Conforms to UVC Standard, USB 1.5 and USB 1.0
- Conforms to USB Audio UAC standard

HS-VCD-PRO \$59.99

HomeStream Phone Teleprompter for DSLR, Mirrorless, Phone w/ Bluetooth Remote



HS-PROMPTER.

- Lightweight portable smartphone teleprompter
- Supports iPhones and Android devices as teleprompter display
- Minimum phone size: 4 x 2.3 in; Maximum phone size: 7 x 3.5 in
- Supports larger smartphones including the iPhone 11 Pro
- Utilizes 70/30 beamsplitter teleprompter glass
- Works with DSLR, mirrorless, or smartphones as camera
- Attaches to most lens sizes: 49, 52, 55, 58, 67, 72, 77, 82mm
- Option to mount smartphone to record in horizontal or vertical mode
- Three 1/4-20" threads on bottom of teleprompter
- Bluetooth remote control included
- Downloadable HomeStream teleprompter app for iOS and Android

HomeStream HDMI to USB Video Capture Device 4K 30fps Input w/USB Cable



- Max input resolution 4K 30fps
- 1ft USB Cable Included
- Max output resolution 1080P 30fps
- Supports 8/10/12bit deep color
- Supports AWG26 HDMI standard cable; input up to 15 meters (1080P and below resolution)
- Supports most acquisition software such as VLC, OBS, Amcap, etc.
- Supports Windows, Android, and MacOS
- Conforms USB Video and UVC standard
- Conforms to USB Video 1.5 and 1.0 standard
- Conforms to USB Audio UAC standard
- Without external power supply, compact and portable
- UVC 1.5 Compliant

\$179.99 HS-VCD-2 \$49.99

HomeStream Phone Teleprompter w/ 18" Ring Light and Stand



- Smartphone teleprompter with ring light and stand set up
- Lightweight portable smartphone teleprompter
- Supports iPhones and Android devices as teleprompter display
- Minimum phone size: 4 x 2.3 in; Maximum phone size: 7 x 3.5 in
- Utilizes 70/30 beamsplitter teleprompter glass
- Works with DSLR, mirrorless, or smartphones as camera
- Attaches to most lens sizes: 49, 52, 55, 58, 67, 72, 77, 82mm
- Option to mount smartphone to record in horizontal or vertical mode
- Three 1/4-20" threads on bottom of teleprompter
- Bluetooth remote control included
- Downloadable HomeStream teleprompter app for iOS and Android
- 18" Diameter Bi-Color 3200K-5600K Ring Light
- 120 Degree beam angle; Dimming from 10-100%
- CRI:95 TLCI:95
- · Lightweight heavy-duty plastic construction

HomeStream HDMI to USB-C Video Capture Dongle 4K 30fps Input



- Works with DSLRs, Camcorders, Action Cameras, and Game Consoles
- Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Compact & Portable
- No External Power Required
- Supports 8/10/12bit Deep Color
- Supports AWG26 HDMI Standard Cable
- Supports OBS, Zoom, Skype, etc.
- Supports Windows, Android, and MacOS
- Supports UVC Standard, USB-C/M
- Supports USB Audio UAC Standard
- Low Latency

HS-PROMPTER-RL \$349.99 HS-VCD-USBC \$44 99

VIDEO CAPTURE DEVICE CHART

SKU	Included USB Cable	HDMI Loop-Out	Extra Audio Inputs & Outputs	Max Input Resolution & Frame Rate	Max Output Resolution & Frame Rate (USB)	Max Output Resolution & Frame Rate (Loop-Out)
HS-VCD-PRO	Yes	Yes	Yes	4K 30 FPS	1080P 30 FPS	4K 30 FPS
HS-VCD-USBC	Yes	No	No	4K 30 FPS	1080P 30 FPS	No Loop-Out
HS-VCD-2	Yes	No	No	4K 30 FPS	1080P 30 FPS	No Loop-Out

PTZ & NDI SOLUTIONS

Browse Ikan's OTTICA line of high-performance PTZ cameras giving you great options when working on independent broadcasts of gatherings, events, ceremonies, lectures, and \underline{more} .



OTTICA NDI HX PTZ Video Camera 12x Optical Zoom POE 4K 60fps



- NDI®IHX 2 Compatibility with POE (Power Over Ethernet)
- 1/2.5" Sony CMOS Sensor
- 8.51MP Effective Pixels, 16:9
- 3840×2160 Progressive @ 60fps
- Fast, Stable, & Accurate Auto-focus
- Horizontal Viewing Angle: 7.59° (zoom) to 80.4° (wide)
- Vertical Viewing Angle: 4.6° (zoom) to 50.0° (wide)
- 12x Optical Zoom
- HDMI, USB3.0, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction, ≥50dB

OTTICA-4K	^{\$} 1999.00
OTTICA4K-2PTZ-1C (Includes 2 x OTTICA-4K, 1 x OTT-CONTROLLER)	\$4599.00
OTTICA4K-3PTZ-1C (Includes 3 x OTTICA-4K, 1 x OTT-CONTROLLER)	

OTTICA NDI HX PTZ Video Camera 20x Optical Zoom POE 1080/60p



- NDI®IHX Compatibility with POE (Power Over Ethernet)
- 1/2.8" CMOS Sensor
- 1080/60P Resolution/Frame Rate
- Fast, Stable, & Accurate Auto-focus
- Silent PTZ Motor Mechanism
- 5.5-11mm Varifocal Len with 20x Zoom
- HDMI, SDI, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- · 2D/3D Noise Reduction

OTTICA	\$1399.00
OTTICA-2PTZ-1C (Includes 2 x OTTICA, 1 x OTT-CONTROLLER)	\$2899.00
OTTICA-3PTZ-1C (Includes 3 x OTTICA, 1 x OTT-CONTROLLER)	\$3899.00

OTTICA IP PTZ Camera Controller; Supports VISCA, ONVIF & PELCO



OTT-CONTROLLER.

- NDI®IHX 2 Compatibility with POE (Power Over Ethernet)
- 1/2.5" Sony CMOS Sensor
- 8.51MP Effective Pixels, 16:9
- 3840×2160 Progressive @ 60fps
- Fast, Stable, & Accurate Auto-focus
- Horizontal Viewing Angle: 7.59° (zoom) to 80.4° (wide)
- Vertical Viewing Angle: 4.6° (zoom) to 50.0° (wide)
- 12x Optical Zoom
- . HDMI, USB3.0, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction, ≥50dB



Aluminum Tripod with Rising Center Column and Quick Release Plate for PTZ Cameras



- Convenient Tripod for PTZ Camera Setups
- Extra-Tall Tripod Legs with Geared Rising Center Column
- Maximum Height of 92", Minimum Height of 33.25"
- Recommended Payload of 26.5 lb.
- Mid-Level Spreader
- Individual Locks for Each Leg Stage
- Retractable Foot Spikes for Soft Ground
- · Adjustable Ratcheted Release Screw
- Plate Mountable from Rear or Front
- Plate Includes 1/4"-20 and 3/8"-16 Mounting Screws and Registration Pin
- Plate Includes Safety Locks and Safety Release
- Includes Stone Bag

GA230-PTZ (Tripod Only)	\$379.99
GA230-PTZ-OTTICA (Includes Tripod & OTTICA PTZ Camera)	
GA230-PTZ-OTTICA4K (Includes Tripod & OTTICA-4K PTZ Camera)	\$2299.00

OTTICA PTZ Camera Wall Mount



- Supports PTZ Cameras with 1/4"-20 screw thread
- Metal Frame
- · Easy & Quick Assembly


OTTICA PTZ Camera Ceiling Mount



• Supports PTZ Cameras with 1/4"-20 screw thread

OTT-CONTROLLER

- Metal Frame
- · Easy & Quick Assembly



\$599.99









Dual-Transmitter Lavalier Microphone Kit (AA) (Comica)



- 400 ft. (120m) maximum range
- Receiver handles 2 transmitter groups simultaneously
- Single-switch control alternates transmitter between A and B groups
- Each transmitter & receiver operates on 2 AA batteries (not included)
- Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

CVM-WM200A .\$389.00

Wireless Lavalier Microphone Kit (Comica)



- 330 ft. (100m) maximum transmission distance
- 48 channels to choose from between 520-534.1MHz
- Less than .5% audio distortion
- Receiver and transmitter run on 2 AA batteries (not included)
- 3.5mm input/output ports with 3-pin XLR adapter included
- Mounts with included belt clips or via 1/4-20 mounting points on TX/RX bodies
- LCD screen includes signal strength and battery life indicators

Dual-Transmitter Lavalier Microphone Kit (Li-Ion) (Comica)



- 400 ft (120m) maximum range
- Receiver handles 2 transmitter groups simultaneously
- Single-switch control alternates transmitter between A and B groups
- Each transmitter and receiver operates on built-in rechargeable lithium-ion batteries
- Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

CVM-WM300A ...\$469.00

Wireless Handheld Microphone for WM200/WM300 Receivers (Comica)



- IR Sync for Quick Channel Selection
- Low Cut Filter Mode
- Adjustable RF Signal Strength
- Low Consumption/ Long Standby Time
- LCD Display
- Made of Aluminum

CVM-WM100 .\$139.00 CVM-WM200300HTX...

Wireless Lavalier Microphone Kit (Comica)



- Powered by a CR2032 battery, which can be on standby up to 40 hours
- Designed to be used with DSLRs & Smart Phones
- Real-time Monitoring
- XLR Interface Preamp & Stepless Gain Adjustment Wheel

Single Lavalier Microphone for Smartphones & DSLRs (Comica)



SIG.LAV V05

- Designed To Be Used With DSLRs and Smart Phones
- Stepless Gain Control
- Real-Time Monitoring
- Includes Wind Muff
- LED Working Indicator

CVM-AD1 \$35.69

Wireless Lavalier Microphone Kit for Smartphones (Comica)



- Handle, phone holder, and wireless receiver in one unit
- Phone clamp integrated into wireless receiver
- Holds devices between 2.25-3.5 inches wide
- Maximum working distance of 60m, optimal distance of 30m
- LCD screens on TX and RX monitor audio, battery, and mute status
- Stepless volume adjustment on receiver
- 1/4"-20 mount for a wide variety of mounting options
- Built-in rechargeable lithium-ion batteries
- Includes simple handle w/ 1/4"-20 mount

CVM-WS50B \$169.00

Wireless Handheld Microphone for Smartphones (Comica)



Working Distance Up to 200 ft. (In Open Area, 100 ft. in Barrier Area)

..\$149.00

\$29.99

- Very Portable and light, with 6 Channels for Multiple Devices Working Together
- LCD Screen for Displaying Channels and Audio Status; Support Step-less Volume Adjustment, Real-time Audio Monitor
- Extendable for Connection with LED Light, Grip, Tripod, Cold-shoe, etc
- Built-in Rechargeable Lithium Batteries and Come with Metal Material Smartphone Holder

CVM-WS50H \$199.00

On-Camera Directional Mic w/ Phone Holder (Comica)



- Includes Mini Tripod
- Cardioid Pattern
- Includes Shock Absorber
- Extendable Smartphone Clamp
- Bottom 1/4-20 Screw Mount for Accessories

Universal Wireless Mic for DSLR & Smartphones (Comica)



\$52.99

- 1-Trigger, Universal for Smartphones and DSLR cameras
- Includes Smartphone Holder
- Lightweight and Compact
- Working Distance of Up To 60m
- 12 Channels For Each Group Mono/Stereo Switch
- 10 Levels of Gain Adjustment
- Dynamic Volume Monitor

High-Resolution Lattice LCD Display

CVM-WS60-COMBO \$239.00

UHF Metal XLR Wireless Transmitter (Comica)



- Works with WM200/WM300 Receivers
- Working Distance up to 200ft. (100ft. with no direct line of sight)
- Supports 48V Phantom Power
- LCF Low Cut Filtering Mode
- Auto-Scanning for Quick Channel Selection
- Manual or Auto IR Sync
- Adjustable RF Signal Strength
- Audio Dynamic Display Bar
- Full Metal Manufacturing

CVM-WM200300XLR

Dual-Channel XLR Audio Mixer w/ Preamp (Comica)



- Supports Both 9V & 48V Phantom Power
- Includes Dual XLR/6.35mm/3.5mm Microphone Inputs
- **Dual Gain Control Knobs**
- Mono/Stereo Output Switch
- Supports Real-time Monitoring
- Three Cold Shoe Connectors Ideal For Mounting Accessories
- Made of Aluminum-Alloy

CVM-AX3 \$98.99

Directional Shotgun Microphone for Smartphones (Comica)



- Compact Shotgun Mic for Mobile Devices
- For Interviews, Podcast Videos
- Design Reduces Unwanted Sounds
- Plugs into Headphone Jack of Device
- · Built-In Headphone Jack for Monitoring
- Includes Mount Adapter
- No Batteries Required
- Includes Foam Windscreen and Synthetic Fur Windmuff

Directional On-Camera Shotgun Microphone (Red) (Comica)



- Works with both DSLRs and Smartphones
- Extremely Lightweight (Only 1.8oz)
- Comica Suspension System
- Requires 2.5V Camera Plug-in Power
- Integrated Shoe Mount with 3/8" Thread
- 3.5mm Mini-Jack Output
- Foam Windshield Included
- 3.5mm Coiled Output Cable Included

Mini On-Camera Directional Shotgun Mic (Comica)



- · Compact size and lightweight
- All-metal microphone body
- No battery required (powered by camera plug-in power min 3V)
- Comica shock mount included
- Deluxe furry windshield and windmuff included

CVM-VM10II-B (Black)	\$39.90
CVM-VM10II-R (Red)	\$39.99

E-IMAGE

Hyper-Cardiod Shotgun Microphone (E-Image)



- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Brass Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen

PM-527 \$299.99

Hyper-Cardiod Shotgun Microphone (E-Image)



PM-846

- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Metal Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen
- Built-in low-frequency cutoff switch

Telescoping Aluminum Boom Pole (E-Image)



- · 4 Independent friction locked sections
- 3/8"-16 or 1/4"-20 mount
- · Cable raceway for convenient cable management
- · Includes padded bag with shoulder strap
- Build material: Aluminum

BA12 (Aluminum) (11 ft)	s109.99
BA09 (Aluminum) (5.5 ft)	\$79.99
BA06 (Aluminum) (3.5 ft)	\$69.99

Telescoping Carbon-Fiber Boom Pole (E-Image)



- 4 Independent friction locked sections
- 3/8"-16 or 1/4"-20 mount
- · Cable raceway for convenient cable management
- Includes padded bag with shoulder strap
- Build material: Carbon-Fiber

BC12 (Carbon Fiber) (11 ft) \$199.99
BC06 (Carbon Fiber) (3.5 ft) \$109.99

Hyper-Cardiod Shotgun Microphone (E-Image)



- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Metal Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen
- Built-in low-frequency cutoff switch

PM-500 \$99.95

\$199.99



CATALOG







