





ABOUT US

Ikan is a company of filmmakers. Our staff is almost entirely composed of seasoned professionals whose first love is the world of film and video. As filmmakers, we understand the challenges our customers face on a daily basis. We understand the need for reliable, dependable equipment. We understand that a piece of gear going down during an important shoot can affect your reputation. We also understand that, while imagination may be limitless, budgets aren't. Whether it's a broadcasting studio or an intimate wedding shoot, you need to maximize the value of the products you're choosing to buy. And because we understand these things, we feel it's our responsibility to continue to bring our customers the best available technology, quality, service, and long-term value across our entire product line. Whether it's our lights, gimbals, tripods, monitors, or the hundreds of other production tools we've brought to the market, all of Ikan's products are created by filmmakers to empower filmmakers.

Ikan International

11500 S. Sam Houston Pkwy West
Houston, TX 77031

www.ikancorp.com

CONTACT

713.272.8822
sales@ikancorp.com

2022 Catalog

Copyright © 2022 Ikan International
www.ikancorp.com

Catalog pricing subject to change without notice.

TABLE OF CONTENTS

LIGHTING	3
TELEPROMPTERS	11
CAMERA SUPPORT	17
PTZ & NDI CAMERAS	20
MONITORS	22
FOLLOW FOCUS SYTEMS	24
RIGS & CAGES	26
LIVE STREAMING EQUIPMENT	29
AUDIO EQUIPMENT	32



LIGHTING

Ikan lights are the professional's choice when it comes to lighting up any set or studio.

We offer different types of light fixtures that can handle a diverse range of environments. With a variety of power options, professionals have the freedom to shoot whenever and wherever they want. Ikan lighting solutions keep all professionals in the right light.



Lyra Half x 1 Bi-Color Soft Light




- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 350W incandescent soft light
- Includes barn doors with intensifiers

LB5 (Half x 1 Panel with Gold mount & V-mount battery plates).....\$499.00

LBX5 (Half x 1 Panel with DMX).....\$499.99

Lyra 1 x 1 Bi-Color Soft Light



- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 850W incandescent soft light
- Includes barn doors with intensifiers

LB10 (1 x 1 Panel with Gold mount & V-mount battery plates).....\$899.00

LBX10 (1 x 1 Panel with DMX).....\$869.99

Lyra Half x 1 Daylight Soft Light




- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 350W incandescent soft light
- Includes barn doors with intensifiers

LW5 (Half x 1 Panel with Gold mount & V-mount battery plates).....\$399.00

LWX5 (Half x 1 Panel with DMX).....\$439.99

Lyra 1 x 1 Daylight Soft Light




- 95+ CRI chip LEDs with 1/2 stop soft diffusion panel
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 850W incandescent soft light
- Includes barn doors with intensifiers

LW10 (1 x 1 Panel with Gold mount & V-mount battery plates).....\$699.00

LWX10 (1 x 1 Panel with DMX).....\$749.99

Lyra Half x 1 Bi-Color Soft Light Kits



Kits include:

- Light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag
- Yoke mounts

Fixtures with Pro Battery Plates

LB5-2PT-KIT (LB5 2 Point Kit).....\$1249.00

LB5-3PT-KIT (LB5 3 Point Kit).....\$1699.00

LB5-5PT-KIT (LB5 5 Point Kit).....\$2999.00

Fixtures with DMX

LBX5-2PT-KIT (LBX5 2 Point Kit).....\$1249.00

LBX5-3PT-KIT (LBX5 3 Point Kit).....\$1699.00

Lyra Half x 1 Daylight Soft Light Kits



Kits include:

- Light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag
- Yoke mounts

Fixtures with Pro Battery Plates

LW5-2PT-KIT (LW5 2 Point Kit).....\$999.00

LW5-3PT-KIT (LW5 3 Point Kit).....\$1399.00

LW5-5PT-KIT (LW5 5 Point Kit).....\$2499.00

Lyra 1 x 1 Bi-Color Soft Light Kits



Kits include:

- Light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag
- Yoke mounts

Fixtures with Pro Battery Plates

LB10-2PT-KIT (LB10 2 Point Kit).....\$1799.00

LB10-3PT-KIT (LB10 3 Point Kit).....\$2499.00


LB10-5PT-KIT (LB10 5 Point Kit).....\$4499.00

Fixtures with DMX

LBX10-2PT-KIT (LBX10 2 Point Kit).....\$1799.00

LBX10-3PT-KIT (LBX10 3 Point Kit).....\$2499.00

Lyra 1 x 1 Daylight Soft Light Kits



Kits include:

- Light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag
- Yoke mounts

Fixtures with Pro Battery Plates

LW10-2PT-KIT (LW10 2 Point Kit).....\$1499.00

LW10-3PT-KIT (LW10 3 Point Kit).....\$1999.00

LW10-5PT-KIT (LW10 5 Point Kit).....\$3699.00

Lyra Bi-Color Soft Mixed Light Kits



Kits include:

- Lyra light fixtures (LB10 & LB5)
- Light stands
- Light bags
- Stand bags


LB-3F2H (3 x LB10 & 2 x LB5).....\$3899.00

LB-2F3H (2 x LB10 & 3 x LB5).....\$3599.00

LB-2F1H (2 x LB10 & 1 x LB5).....\$2249.00

LB-1F2H (1 x LB10 & 2 x LB5).....\$1999.00

Lyra Daylight Soft Mixed Light Kits



Kits include:

- Lyra light fixtures (LW10 & LW5)
- Light stands
- Light bags
- Stand bags

LW-3F2H (3 x LW10 & 2 x LW5).....\$3299.00

LW-2F3H (2 x LW10 & 3 x LW5).....\$2999.00

LW-2F1H (2 x LW10 & 1 x LW5).....\$1899.00

LW-1F2H (1 x LW10 & 2 x LW5).....\$1699.00

Presto Soft Box for 1 x 1 Panel



- Lightweight foldable soft box
- No speed ring required
- ¼ stop front diffusion
- Reflective interior
- Easy mounting straps
- Egg crate included
- Storage pouch included
- 12 x 12" fixture opening
- Compatible Lyra, and Rayden 1 x 1 LED lights

PSB10.....\$59.99

Presto Soft Box for Half x 1 Panel



- Lightweight foldable soft box
- No speed ring required
- ¼ stop front diffusion
- Reflective interior
- Easy mounting straps
- Egg crate included
- Storage pouch included
- 12 x 7.5" fixture opening
- Compatible Lyra, Rayden & Mylo half x 1 LED lights

PSB5.....\$49.99

Lyra RGBW Digital Color Studio Soft Light w/ DMX



- Full RGB color, Saturation, and HSI control
- 97 CRI chip LEDs paired with 1/2 stop soft diffusion panel
- Variable CCT: 2800K-10,000K
- Hue Shift: +green / -magenta 0-100%
- Built-in special FX & color correction filter gels
- 8-bit & 16-bit DMX
- Baby 5/8" / Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX

LCX21 (1 x 2 Panel with DMX).....	\$2499.00
LCX15 (1 x 2 Panel with DMX).....	\$TBA
LCX10 (1 x 1 Panel with DMX).....	\$TBA

Lyra 1 x 2 Bi-Color Studio Soft Light w/ DMX



- 95+ CRI Chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam Angle of 110°
- DMX In and Out
- Baby 5/8" / Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

LBX20 (1 x 2 Panel with DMX).....	\$1399.00
--	------------------

Lyra 1 x 3 Bi-Color Soft Light



- 95+ CRI Chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam Angle of 110°
- DMX In and Out
- Baby 5/8" / Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

LBX30 (1 x 3 Panel with DMX).....	\$1699.00
--	------------------

Lyra 1 x 4 Bi-Color Soft Light



- 95+ CRI Chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam Angle of 110°
- DMX In and Out
- Baby 5/8" / Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control for color, brightness, DMX
- Fan switch to enable active cooling

LBX40 (1 x 4 Panel with DMX).....	\$2199.00
--	------------------

MYLO

Mylo Soft Bi-Color Field LED Light



- 95+ CRI chip LEDs
- Bi-Color adjustable 3200K-5600K
- 1/2 stop soft diffusion panel
- Beam angle of 110°
- Includes two L series batteries, dual battery charger, & barn doors

MSB8 (Half x 1 Bi-Color).....	\$549.99
--------------------------------------	-----------------

Mylo Half x 1 Field LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Equivalent to 750W of incandescent light
- Includes two L series batteries, dual battery charger, & barn doors

MB8 (Half x 1 Bi-Color).....	\$499.99
-------------------------------------	-----------------

Mylo Mini Bi-Color Field LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Equivalent to 300W of incandescent light
- Includes two L series batteries, dual battery charger, & barn doors

MB4-TK (Travel Kit).....	\$229.99
---------------------------------	-----------------

Mylo Soft Bi-Color Field LED Light Kits



- Kits include:**
- Mylo Soft light fixtures (MSB8)
 - Light stands
 - Light bag
 - Stand bag

MSB8-2PT-KIT (MSB8 2 Point Kit).....	\$1299.00
MSB8-3PT-KIT (MSB8 3 Point Kit).....	\$1699.00
MSB8-5PT-KIT (MSB8 5 Point Kit).....	\$2699.00

Mylo Half x 1 Field LED Light Kits



- Kits include:**
- Mylo half x 1 light fixtures (MB8)
 - Light stands
 - Light bag
 - Stand bag

MB8-2PT-KIT (MB8 2 Point Kit).....	\$1199.99
MB8-3PT-KIT (MB8 3 Point Kit).....	\$1599.00
MB8-5PT-KIT (MB8 5 Point Kit).....	\$2499.00

Mylo Mini Bi-Color Field LED Light Kits



- Kits include:**
- Mylo Mini light fixtures (MB4)
 - Light stands
 - Light bag
 - Stand bag

MB4-2PT-KIT (MB4 2 Point Kit).....	\$699.99
MB4-3PT-KIT (MB4 3 Point Kit).....	\$999.99
MB4-4PT-KIT (MB4 4 Point Kit).....	\$1249.00

Mylo Bi-Color LED Mixed Light Kits



- Kits include:**
- Mylo light fixtures (MB8 & MB4)
 - Light stands
 - Light bag
 - Stand bag

MB-1H2Q (1 x MB8 & 2 x MB4).....	\$1299.99
MB-2H1Q (2 x MB8 & 1 x MB4).....	\$1499.00

Rayden Half x 1 Bi-Color LED Light




- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- Equivalent to 400W of incandescent light

RB5 (Half x 1 Panel with Gold mount & V-mount battery plates).....\$499.00

RBX5 (Half x 1 Panel with DMX).....\$499.99

Rayden 1 x 1 Bi-Color LED Light



- 95+ CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- Equivalent to 900W of incandescent light

RB10 (1 x 1 Panel with Gold mount & V-mount battery plates).....\$899.00

RBX10 (1 x 1 Panel with DMX).....\$899.99

Rayden Half x 1 Daylight LED Light



- 95+ CRI LEDs
- Daylight 5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- Equivalent to 400W of incandescent light

RW5 (Half x 1 Panel with Gold mount & V-mount battery plates).....\$449.00

RWX5 (Half x 1 Panel with DMX).....\$449.99

Rayden 1 x 1 Daylight LED Light




- 95+ CRI LEDs
- Daylight 5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- Equivalent to 900W of incandescent light

RW10 (1 x 1 Panel with Gold mount & V-mount battery plates).....\$699.00

RWX10 (1 x 1 Panel with DMX).....\$699.99

Rayden Half x 1 Bi-Color LED Light Kits



Kits include:

- Rayden light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag


Fixtures with Pro Battery Plates

RB5-2PT-KIT (RB5 2 Point Kit).....\$1249.00

RB5-3PT-KIT (RB5 3 Point Kit).....\$1699.00

RB5-5PT-KIT (RB5 5 Point Kit).....\$2999.00

Rayden 1 x 1 Bi-Color LED Light Kits



Kits include:

- Rayden light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag


Fixtures with Pro Battery Plates

RB10-2PT-KIT (RB10 2 Point Kit).....\$1799.00

RB10-3PT-KIT (RB10 3 Point Kit).....\$2499.00

RB10-5PT-KIT (RB10 5 Point Kit).....\$4499.00

Rayden Daylight LED Light Kits



Kits include:

- Rayden light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag


Fixtures with Pro Battery Plates

RW5-2PT-KIT (RW5 2 Point Kit).....\$1199.00

RW5-3PT-KIT (RW5 3 Point Kit).....\$1599.00

RW5-5PT-KIT (RW5 5 Point Kit).....\$2899.00

Rayden Bi-Color LED Mixed Light Kits



Kits include:

- Rayden light fixtures (RB10 & RB5)
- Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures with Pro Battery Plates

RB-3F2H (3 x RB10 & 2 x RB5).....\$3899.00

RB-2F3H (2 x RB10 & 3 x RB5).....\$3599.00

RB-2F1H (2 x RB10 & 1 x RB5).....\$2349.00

RB-1F2H (1 x RB10 & 2 x RB5).....\$1999.00

Onyx Digital Color RGBWA LED 1 x 2 Soft Light (Version 2)



- 20% Brighter
- Full RGB color control
- Variable CCT: 2800K to 10,000K
- Amber and white LEDs for better daylight & tungsten color
- Saturation control
- CRI: 95 TLCI: 95
- Built in 1/2 stop diffusion
- Hue shift: +green / -magenta 0-100%
- Filter gels: 33 gels
- Special effects: 8 built-in modes
- Lightweight aluminum construction

OYC15-V2 (1 x 2 RGBWA)\$899.99

Onyx Half x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- Powered by two L series batteries (both required)
- Includes 2 x batteries, dual battery charger, & barn doors

OYB5 (Half x 1 Bi-Color)\$449.99

Onyx 1 x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- V-mount battery plate allows for battery options

OYB10 (1 x 1 Bi-Color)\$599.99

Onyx 1 x 2 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- 2 x V-mount battery plate allows for battery options

OYB15 (1 x 2 Bi-Color)\$799.99

Onyx Half x 1 LED Light Kits



Kits include:

- Onyx half x 1 light fixtures (OYB5)
- Batteries & dual-charger
- Barn doors
- Light stands
- Light bag
- Stand bag

OYB5-2PT-KIT (OYB5 2 Point Kit)\$999.99

OYB5-3PT-KIT (OYB5 3 Point Kit)\$1449.00

Onyx 1 x 1 LED Light Kits



Kits include:

- Onyx 1 x 1 light fixtures (OYB10)
- Barn doors
- Light stands
- Light bag & stand bag
- Power adapters
- Remote controls
- Yokes

OYB10-2PT-KIT (OYB10 2 Point Kit)\$1299.00

OYB10-3PT-KIT (OYB10 3 Point Kit)\$1799.00

Onyx 2 x 1 LED Light Kits




Kits include:

- Onyx 2 x 1 light fixtures (OYB15)
- Barn doors
- Light stands
- Light bag & stand bag
- Power adapters
- Remote controls
- Yokes

OYB15-2PT-KIT (OYB15 2 Point Kit)\$1999.00

OYB15-3PT-KIT (OYB15 3 Point Kit)\$2899.00

Onyx Bi-Color Aluminum On-Camera LED Light



- Durable lightweight aluminum frame
- Panel size: 5.6 x 3.7"
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- Equivalent to 100W incandescent light
- Includes battery and charger

OYB120\$79.99

Onyx Bi-Color Aluminum On-Camera LED Light



- Durable lightweight aluminum frame
- Panel size: 11.1 x 3.7"
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- Equivalent to 250W incandescent light
- Includes 2 x batteries and dual battery charger

OYB240\$149.99

Onyx Bi-Color LED Light Kits



Kits include:


- Onyx OYB240 Light fixtures
- Light stands
- Light bag
- Batteries and dual chargers
- Power adapters
- Car chargers
- Shoe mounts

OYB240-2PT-KIT (OYB240 2 Point Kit)\$449.99

OYB240-3PT-KIT (OYB240 3 Point Kit)\$599.99

ORYON


Oryon 14" Ring Light



- 14" Diameter ring light
- Bi-color 3200K-5600K adjustable
- CRI 96 TLCI 97
- **Full Kit** includes batteries, charger, stand, carrying bag, remote, & more
- **Phone Kit** includes carrying case, remote control, and phone mount

RLB40 (Full Kit)\$329.99
RLB40-M (Phone Mount Kit)\$99.99

Oryon 18" Ring Light




- 18" Diameter ring light
- Bi-color 3200K-5600K adjustable
- CRI 96 TLCI 97
- **Full Kit** includes batteries, charger, stand, carrying bag, remote, & more
- **Phone Kit** includes carrying case, remote control, and phone mount

RLB48-M2-KIT (Full Kit)\$299.99
RLB48-M2 (Phone Mount Kit)\$119.99

CANVAS

Canvas Bi-Color 2800K-6500K Bendable LED Panel



- Lightweight bendable fabric LEDs
- 95 CRI 96 TLCI
- Bi-color adjustable from 2800K-6500K
- Beam angle of 120° without soft box
- X-Holder mount with 5/8" receiver
- Baby pin mount with 90° receiver hole
- Controller with 6' extension cable for adjusting color, brightness
- Can be powered by V-mount batteries or DV batteries
- Includes soft box and egg crate
- Equivalent to 300W incandescent soft light
- Maximum power draw 24W at 120V

CB8 (Bi-Color)\$499.99
CB8-2PT-KIT (CB8 2 Point Kit)\$1199.99
CB8-3PT-KIT (CB8 3 Point Kit)\$1599.99

Canvas Full Color Bendable LED Panel w/ Tuneable RGBWA Color Control




- Lightweight bendable fabric LEDs
- 95 CRI 96 TLCI
- Full RGB color control
- Bi-Color adjustable from 27500K-6500K
- Beam angle of 120° without soft box
- Green/Magenta control
- Pre-loaded special FX: Candle, Police Car, Lightning, Watching TV
- X-Holder mount with 5/8" receiver
- Baby pin mount with 90° receiver hole
- Controller with 6' extension cable for adjusting color, brightness
- Can be powered by V-mount batteries
- Includes soft box and egg crate
- Equivalent to 300W incandescent soft light

CC8 (RGBWA)\$449.99
CC8-2PT-KIT (CC8 2 Point Kit)\$1099.00
CC8-3PT-KIT (CC8 3 Point Kit)\$1499.00

STRYDER


Stryder 100W IP54 Water Resistant Daylight Field LED Fresnel Light



- 5" Fresnel lens
- Daylight 5600K
- Fanless passive cooling design
- Silent operation
- 95 CRI 98 TLCI
- Beam angle of 28-53°
- IP54 rain and dust-proof
- Rugged aluminum construction
- V-Mount battery adapter included
- Includes barn doors and gel frame

SW-IP100 (Daylight Fresnel)\$1,499.00

Stryder Fanless Bi-Color 150W LED Fresnel Light w/ DMX




- 4" Fresnel lens
- Bi-Color light adjustable from 2800K-6500K
- Fanless cooling system
- Silent operation
- Accurate colors, high CRI and TLCI
- Beam angle of 15-65°
- Powered by AC or optional V-Mount battery
- DMX-512 compatible

SFB150 (Bi-Color Fresnel)\$599.99
SFB150-2PT-KIT (SFB150 2 Point Kit)\$1899.99
SFB150-3PT-KIT (SFB150 3 Point Kit)\$2499.99

HELIA LED

Helia 150W 4" Fresnel Bi-Color LED Studio Light w/ DMX



- 4" Fresnel
- Bi-Color Light adjustable from 3200K-5600K
- High CRI and TLCI
- 500W equivalency
- Beam angle of 20-70°
- DMX-512 compatible

HF150 (Bi-Color Fresnel)\$599.99
HF150-2PT-KIT (HF150 2 Point Kit)\$1899.99
HF150-3PT-KIT (HF150 3 Point Kit)\$2499.99

LIGHTING CHARTS

LYRA

SOFT STUDIO LIGHTS

* Tungsten Wattage Measurement

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
LB5/ LBX5	Panel	3200K- 5600K	110°	95+	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	350W	Gold & V-Mount/ None
LB10/ LBX10	Panel	3200K- 5600K	110°	95+	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	850W	Gold & V-Mount/ None
LW5/ LWX5	Panel	5600K	110°	95+	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	350W	Gold & V-Mount/ None
LW10/ LWX10	Panel	5600K	110°	95+	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	850W	Gold & V-Mount/ None
LCX15	Panel	2800K-10,000K	110°	95	18.7 x 10"	24 x 26 x 5"	19 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	700W	V-Mount
LCX21	Panel	2800K-10,000K	120°	97	21.5 x 12"	25 x 17 x 7"	32 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1.2KW	V-Mount
LBX20	Panel	3200K- 5600K	110°	95+	21.5 x 12"	29 x 20 x 5"	18 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1000W	None
LBX30	Panel	3200K- 5600K	110°	95+	38.5 x 10"	45 x 18 x 5"	20 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	2000W	None
LBX40	Panel	3200K- 5600K	110°	95+	43 x 12"	49 x 20 x 5"	30 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	2000W	None

RAYDEN

LED LIGHTS

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
RB5/ RBX5	Panel	3200K- 5600K	50°	95+	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	400W	Gold & V-Mount/ None
RB10/ RBX10	Panel	3200K- 5600K	50°	95+	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	800W	Gold & V-Mount/ None
RW5/ RWX5	Panel	5600K	50°	95+	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	500W	Gold & V-Mount/ None
RW10/ RWX10	Panel	5600K	50°	95+	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	900W	Gold & V-Mount/ None

MYLO

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
MSB8	Panel	3200K- 5600K	110°	95+	12 x 6"	19 x 13 x 3"	8 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No	300W	DV Battery L Series
MB8	Panel	3200K- 5600K	50°	95+	12 x 6"	14 x 7 x 2"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No	650W	Pro Battery Gold & V-Mount
MB4-TK	Panel	3200K- 5600K	50°	95+	6.5 x 3.8"	8 x 5 x 2"	1 lb	Shoe Mount	No	300W	DV Battery L Series

ONYX

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
OYC15-V2	Panel	2800K-10,000K	120°	95	21.5 x 10.2"	27 x 18 x 7"	11 lbs	5/8" Receiver	No	700W	None
OYB5	Panel	3200K- 5600K	60°	96+	10 x 6.5"	15 x 11 x 2"	4 lbs	5/8" Baby Pin Receiver	Yes	500W	Pro Battery V-Mount
OYB10	Panel	3200K- 5600K	60°	96+	10 x 10"	16 x 16 x 2"	5 lbs	5/8" Baby Pin Receiver	Yes	650W	Pro Battery V-Mount
OYB15	Panel	3200K- 5600K	60°	96+	16.5 x 10"	22 x 16 x 2"	8 lbs	5/8" Baby Pin Receiver	Yes	800W	Pro Battery V-Mount
OYB120	On-Camera	3200K- 5600K	110°	92	5.2 x 3.5"	6 x 4 x 1"	0.5 lb	Shoe Mount	No	100W	DV Battery L Series
OYB240	On-Camera	3200K- 5600K	110°	93	9.2 x 3.5"	11 x 4 x 1"	1 lb	Shoe Mount	No	250W	DV Battery L Series

OORYON

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
RLB40	Ring	3200K- 5600K	110°	95+	14 x 2"	2 lbs	5/8" Receiver	No	100W	DV Battery L Series
RLB48-M2	Ring	3200K- 5600K	110°	95+	18 x 2"	3 lbs	5/8" Receiver	No	100W	DV Battery L Series

CANVAS

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
CB8	Flexible Panel	3200K- 5600K	120°	96	20 x 0.5 x 10"	1 lbs	5/8" Receiver	No	300W	DV Battery / Pro Batt V-Mount
CC8	Flexible Panel	2750K- 6500K	120°	95	20 x 0.5 x 10"	1 lbs	5/8" Receiver	No	300W	Pro Batt V-Mount

STRYDER

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
SW-IP100	Fresnel	5600K	28-53°	95	10 x 7 x 4"	6 lbs	5/8" Baby Pin Receiver	No	28°: 300W 53°: 800W	Pro Battery V-Mount
SFB150	Fresnel	2800K- 6500K	30-65°	96+	16 x 10 x 7"	10.5 lbs	5/8" Baby Pin Receiver	Yes	30°: 300W 65°: 650W	Pro Battery V-Mount

HELIA LED

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
HF150	Fresnel	3200K- 5600K	30-60°	95+	13 x 10 x 10.2"	8.5 lbs	5/8" Baby Pin Receiver	Yes	650W	None

* Tungsten Wattage Measurement

TELEPROMPTERS

Ikan delivers innovative teleprompter designs based on years of experience. Emphasizing portability, ease of use, and lightweight designs, our teleprompters stand above the competition. We have small and portable models such as our Elite line of tablet teleprompters as well as larger 15 and 17" monitors.



TRADITIONAL TELEPROMPTERS

PT4900 Professional 19" High Bright Beamsplitter Teleprompter



- 1000 nit high bright monitor
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 25'
- Multiple camera mounting options
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- PrompterPro software for MAC & PC is FREE with this teleprompter



PT4900 (Composite, HDMI, VGA).....	\$2299.00
PT4900-TK (Travel Kit).....	\$2499.00
PT4900-SDI (SDI, HDMI, VGA).....	\$2399.00
PT4900-SDI-TK (Travel Kit).....	\$2599.00

PT4900 Professional 19" Teleprompter with 19" Talent Monitor



PT4900-19TM-KIT (Talent Monitor Kit).....	\$3199.00
PT19-TM (Talent Monitor Add-On Kit).....	\$1099.00
PT4900-SDI-19TM (SDI Talent Monitor Kit).....	\$3399.00
PT19-SDI-TM (SDI Talent Monitor Add-On Kit).....	\$1149.00

PT4900-P2P Interview System with 2 x 19" Systems



- Includes two teleprompters
- Monitor that supports image flip (vertical and horizontal)
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 25'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Perfect size for portability and view-ability
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or both
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit packed in SKB Rolling Hard Cases

PT4900-P2P (Composite, HDMI, VGA).....	\$4499.00
PT4900-P2P-TK (Travel Kit).....	\$4899.00
PT4900-SDI-P2P (SDI, HDMI, VGA).....	\$4699.00
PT4900-SDI-P2P-TK (Travel Kit).....	\$4999.00

PT4500 Professional 15" High Bright Beamsplitter Teleprompter




- 1000 nit high bright monitor
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 17'
- Multiple camera mounting option
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software
- Travel Kit packed in SKB Rolling Hard Cases



PT4500 (Composite, HDMI, VGA).....	\$1799.00
PT4500-TK (Travel Kit).....	\$1999.00
PT4500-SDI (SDI, HDMI, VGA).....	\$1899.00
PT4500-SDI-TK (Travel Kit).....	\$2099.00

PT4700 Professional 17" High Bright Beamsplitter Teleprompter




- 1000 nit high bright monitor
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 20'
- Multiple camera mounting option
- Easy balancing with adjustable base
- Lightweight and compact design
- Ships in reusable foam for easy transport
- Monitor supports image flip
- Includes MAC and PC software
- Travel Kit packed in SKB Rolling Hard Cases




PT4700 (Composite, HDMI, VGA).....	\$1999.00
PT4700-TK (Travel Kit).....	\$2199.00
PT4700-SDI (SDI, HDMI, VGA).....	\$2099.00
PT4700-SDI-TK (Travel Kit).....	\$2299.00

PT4500 Professional 15" Teleprompter with 15" Talent Monitor



PT4500-15TM-KIT (Talent Monitor Kit).....	\$2499.00
PT15-TM (Talent Monitor Add-On Kit).....	\$899.99
PT4500-SDI-15TM (Talent Monitor Kit).....	\$2599.00
PT15-SDI-TM (SDI Talent Monitor Add-On Kit).....	\$949.99

PT4700 Professional 17" Teleprompter with 17" Talent Monitor



PT4700-17TM-KIT (Talent Monitor Kit).....	\$2799.00
PT17-TM (Talent Monitor Add-On Kit).....	\$999.99
PT4700-SDI-17TM (Talent Monitor Kit).....	\$2899.00
PT17-SDI-TM (SDI Talent Monitor Add-On Kit).....	\$1049.00

PT4500-P2P Interview System with 2 x 15" Systems



- Includes two teleprompters
- Monitor that supports image flip (vertical and horizontal)
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 17'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or both
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit packed in SKB Rolling Hard Cases

PT4500-P2P (Composite, HDMI, VGA).....	\$3599.00
PT4500-P2P-TK (Travel Kit).....	\$3999.00
PT4500-SDI-P2P (SDI, HDMI, VGA).....	\$3799.00
PT4500-SDI-P2P-TK (Travel Kit).....	\$4199.00


PT4700-P2P Interview System with 2 x 17" Systems



- Includes two teleprompters
- Monitor that supports image flip (vertical and horizontal)
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 20'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or both
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit includes SKB Rolling Hard Cases

PT4700-P2P (Composite, HDMI, VGA).....	\$3999.00
PT4700-P2P-TK (Travel Kit).....	\$4399.00
PT4700-SDI-P2P (SDI, HDMI, VGA).....	\$4199.00
PT4700-SDI-P2P-TK (Travel Kit).....	\$4599.00

PT4200 Professional 12" Portable Teleprompter




- Includes 12" monitor that supports image flip (vertical & horizontal)
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 13'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Perfect size for portability and view-ability
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or both
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit packed in SKB Rolling Hard Cases

PT4200 (Composite, HDMI, VGA).....	\$1099.00
PT4200-TK (Travel Kit).....	\$1299.00



PT4200-P2P Interview System with 2 x 12" Systems



- Includes two teleprompters
- Monitor that supports image flip (vertical and horizontal)
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 13'
- Works with many different sized cameras
- Easy balancing with adjustable base
- Ships in reusable foam for easy transport
- Monitor has a dedicated button that can be set to flip the image: horizontal, vertical, or both
- PrompterPro software for MAC & PC is FREE with this teleprompter
- Travel Kit packed in SKB Rolling Hard Cases

PT4200-P2P (Composite, HDMI, VGA).....	\$2199.00
PT4200-P2P-TK (Travel Kit).....	\$2599.00

PT3700 17" & PT3500 15" Rod-Based Location / Studio Teleprompter




- Adjustable glass frame
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Based on 15mm rod system
- Lightweight & compact design
- Ships in reusable foam for easy transport
- High-quality monitor with metal construction
- Monitor supports image flip
- Includes MAC and PC software
- Travel Kit packed in SKB Rolling Hard Cases

PT3700 (17" Composite, HDMI, VGA).....	\$1699.00
PT3700-TK (17" Travel Kit).....	\$1899.00
PT3500 (15" Composite, HDMI, VGA).....	\$1499.00
PT3500-TK (15" Travel Kit).....	\$1699.00




PT3700-HB 17" & PT3500-HB 15" High Bright Rod-Based Location / Studio Teleprompter





- 1000 nit high bright monitor
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Custom cut foam to protect your teleprompter
- Based on 15mm rod system for ease of use
- Composite, HDMI, and VGA
- Travel Kit packed in SKB Rolling Hard Cases


PT3700-HB (17" 1000nit High Bright Monitor).....	\$1899.00
PT3700-HB-TK (17" Travel Kit).....	\$2099.00
PT3500-HB (15" 1000nit High Bright Monitor).....	\$1699.00
PT3500-HB-TK (15" Travel Kit).....	\$1899.00



PT1200 12" Portable Teleprompter Kit




PT1200-LS 12" Portable Teleprompter for Light Stand



- Includes 12" custom monitor
- New adjustable glass frame
- 15mm rod based for versatility and ease of use
- Ships in reusable foam for easy transport
- Includes MAC and PC Software
- Travel Kit packed in SKB Rolling Hard Cases

PT1200 (Composite, HDMI, VGA).....	\$999.99
PT1200-TK (Travel Kit).....	\$1199.00
PT1200-LS (Teleprompter for Lightstand).....	\$799.99

HomeStream Video Conference Teleprompter w/ 7" Monitor



- 7" monitor w/ mirror image flip
- Allows for eye contact on video calls
- HomeStream remote for iOS and Android only
- Utilizes 70/30 beamsplitter teleprompter glass
- Works with DSLR, mirrorless, camcorders, smartphones as camera
- Attaches to most lens sizes: 49, 52, 55, 58, 67, 72, 77, 82mm

- Option to mount smartphone to record in horizontal or vertical mode
- Three 1/4-20" threads on bottom of teleprompter


HS-PT700	\$299.99
HS-PT700-RC (Includes ELITE-REMOTE).....	\$399.99
HS-PT700-UGK (Upgrade Kit with Monitor Only).....	\$219.99

TABLET TELEPROMPTERS

PT-ELITE-PRO2 Universal Large Tablet Teleprompter (Version 2)




- Minimum tablet size: 6 x 9"
- Maximum tablet size: 9 x 13"
- Supports iPad, iPad Pro, Android tablets
- Fits many different sized cameras
- Easy balancing with adjustable base
- High-quality 70/30 beam splitter glass (Made in the USA)
- 15mm rod based for versatility and ease of use
- Solid CNC machined aluminum construction
- Ships in custom foam for hard case
- Travel Kit packed in SKB Rolling Hard Cases




PT-ELITE-PRO2	\$749.99
PT-ELITE-PRO2-RC (Includes ELITE-REMOTE).....	\$799.99
PT-ELITE-PRO2-TK (Travel Kit).....	\$949.00

PT-ELITE-V2 Universal Tablet & iPad Teleprompter




- Minimum tablet size: 7.5 x 5"
- Maximum tablet size: 10.5 x 8"
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- High-quality 70/30 beam splitter glass (Made in the USA)
- 15mm rod based for versatility & ease of use
- Solid CNC machined aluminum construction
- Ships in custom foam for hard case
- Travel Kit packed in SKB Rolling Hard Cases



PT-ELITE-V2	\$649.00
PT-ELITE-V2-RC (Includes ELITE-REMOTE).....	\$699.00
PT-ELITE-V2-TK (Travel Kit).....	\$849.99

PT-ELITE-LS Tablet Teleprompter for Light Stand



- Designed to be mounted on light stands
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- Solid aluminum construction

PT-ELITE-LS	\$399.99
PT-ELITE-LS-RC (Includes ELITE-REMOTE).....	\$449.99

PT-ELITE-LS Tablet Teleprompter for Light Stand Travel Kit



- Designed to be mounted on light stands
- Supports iPad, Android, and Windows tablets
- Foldable glass frame
- Quick release baseplate
- Solid aluminum construction
- Travel Kit packed in SKB Rolling Hard Cases

PT-ELITE-LS-TK (Travel Kit).....	\$599.99
---	-----------------



PROFESSIONAL 15", 17", & 19" HIGH BRIGHT TELEPROMPTERS WITH TALENT MONITOR KITS

Ikan's new professional teleprompter series is designed for a quick and easy setup to work efficiently in outside broadcast applications or professional studios. The lightweight aluminum teleprompter has multiple 3/8"-16 and 1/4"-20 for mounting to a pedestal. The talent monitor allows the talent to easily check their look and framing without moving or looking away from the lens.

- 1000 nit High Bright Monitor
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Easy to Install Talent Monitor
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design
- Monitor Supports Image Flip
- Ships in Reusable Foam for Easy Transport
- PrompterPro software for MAC & PC included in all kits

TELEPROMPTER ACCESSORIES

PT-CASE SKB Rolling Case for Teleprompters



- High quality rolling hard case
- Waterproof and dust-tight design (MIL-C-4150J / IP67)
- Ambient pressure equalization valve (MIL-STD-648C)
- Resistant to UV, solvents, corrosion, fungus (MIL-STD-810F)
- Resistant to impact damage (MIL-STD-810F)
- PT-CASE-ELITE Fits within Airline Carry-On Size Limits

Threaded Teleprompter Monitor Power Cable w/ D-Tap Connector & V-Mount Clamp



- Power Ikan Teleprompter Monitor from D-Tap Source
- 28" Length
- Threaded 2.5mm DC Connector
- V-Mount Clamp Supports Up To 3 lbs Batteries
- Attach V-Mount Battery to Tripod Legs or Arms with V-Mount Clamp

PT-PEDAL Teleprompter Foot Control Pedal



- Control Script by Foot
- Plug-&-Play with Prompter Pro 4
- Windows & MacOS compatible
- Three Control Pedals
- For Studio Use, Conferences, Meetings, and more
- Compatible with Prompter Pro 4 Teleprompter Software
- Includes Pedal Sound Dampeners

PT-CASE (Designed for PT3700, PT3500).....\$299.99

PT-CASE-V2 (Designed for PT4900, PT4700, PT4500).....\$299.99

PT-CASE-ELITE.....\$249.99


(Designed for PT-ELITE-V2, PT-ELITE-PRO2, PT4200, PT1200)

PT-PWR-DTAP (Cable Only).....\$69.99

PT-PWR-DTAP-V (Includes V-Mount Clamp).....\$119.99

PT-PEDAL.....\$109.99

Riser Plate 50mm for PT4500, PT4700, PT4900




- Anodized aluminum
- Allows usage of larger cameras
- Works with PT4500, PT4700, and PT4900

PROMPTER PRO 4 Software for PC & Mac



- Compatible with Windows XP, Vista, 7, 8, or 10
- Compatible with Mac OS X
- Full featured text editor
- Smooth quiet scrolling
- Supports international languages
- Second talent window
- One click mirrored text

ELITE-REMOTE Bluetooth iPad Teleprompter Remote



- Compatible with Prompter Pro 4
- 9 soundless, rubberized buttons for complete control of your script
- Control range up to 20'
- Bluetooth 3.0, laser pointer, 4 speed control buttons, 2 cue point buttons, pause/play button, mirror flip button
- Virtual keyboard show/hide
- Connects with all iPad versions


PT-RISER-50.....\$99.99

PROMPTER PRO 4.....\$89.95

ELITE-REMOTE.....\$89.95

E-IMAGE PEDESTALS


EI-7100H-KIT Air Controlled Pedestal Kit (E-Image)



- Payload range: 17.6-33.1 lbs. / 8.0-15.0kg
- Bowl Size: 100mm
- Counter balance adjustments: 0-8
- Fluid head offers widest range, and heaviest drag in its class
- Center column air pump system for adjusting the operating height
- Two-section central column can be extended and folded accurately and freely according to the object height
- Durable studio-style dolly wheels with independent locks

EI-7100H-KIT.....\$3499.00


EI-7903-A Air-Assist Aluminum Pedestal with Easy Height Adjustment Lever Aluminum Pedestal with AT7903 Legs (E-Image)



- Payload range: 17.6-33.1 lbs. / 8.0-15.0kg
- Bowl Size: 100mm
- Counter balance adjustments: 0-8
- Tilt and pan drag adjustments: 0-3
- Easy-adjust latch makes height adjustments simple & quick
- Pedestal height range: 47-80"
- Air-assist central column dampens movement of heavy loads
- EI-7005 dolly with individually locking wheels

EI-7903-A.....\$4399.00


EI-GH25-KIT Pedestal with AT7902 Base/Dolly & GH25 Head (E-Image)



- Payload range: 6.6-61.7 lbs. / 3.0-28.0kg
- Bowl Size: 100mm
- Counter balance adjustments: 1-15
- Tilt and pan drag adjustments: 0-7
- Sliding base plate with safety lock and retractable registration pin
- Illuminated spirit level
- Dual sided pan/tilt arm rosette mounts (two arms included)
- Pan and tilt locks

EI-GH25-KIT.....\$6499.00

EP880SK Pneumatic Studio Pedestal Kit with 61.7lbs Capacity (E-Image)



- Payload range: 6.6-61.7 lbs. / 3.0-28.0kg
- Bowl Size: 100mm
- Counter balance adjustments: 1-15
- Tilt and pan drag adjustments: 0-7
- Pedestal height range: 43.5-72"
- Pneumatic telescoping center column
- Heavy-duty dolly with locking wheels and cable guards
- Adjustable radial and straight dolly movements
- Pan and tilt locks & heavy-duty telescoping pan/tilt arms
- Two-stage carbon fiber tripod legs

EP880SK.....\$7999.00



CAMERA SUPPORT

Ikan offers support for your camera from the ground up. A variety of tripods and pedestals from E-Image are available for a wide range of sizes and payloads.

E-IMAGE TRIPODS




E-Image Tripod Kits	EG01A2	EG03A2	EG03FA3	EG03TT	EG04AS	EG05A2	EG08A2
Description	2-Stage Aluminum Tripod with Fluid Pan/Tilt Head	2-Stage Aluminum Tripod with GH03 Head	Rising Column Tripod Kit with GA230 & GH03F	Telescoping Video Tripod Quick Kit with GH03 Head	Lightweight Tripod Kit with Ball/Flat GH04 Head	2-Stage Aluminum Tripod with GH05 Head	Aluminum Tripod Kit with GH08 Fluid Head
Max Height	63.25" / 160.6cm	66.5" / 168.9cm	97.25" / 247cm	55.5" / 140.9cm	65.4" / 166.1cm	67" / 170.1cm	67" / 170.1cm
Min Height	31.5" / 80cm	29.5" / 74.9cm	37.75" / 95.8cm	12.5" / 31.7cm	30.75" / 78.1cm	32.25" / 81.9cm	30" / 76.2cm
Bowl Size	65mm	75mm	Flat	75mm	75mm	75mm	75mm
Max Payload	11 lbs / 5kg	11 lbs / 5 g	11 lbs / 5kg	13 lbs / 5.89kg	13.2 lbs / 5.98kg	15.4 lbs / 7kg	17.6 lbs / 8kg
Ground Level Spreader	No	No	No	No	No	No	No
Mid-Level Spreader	Integrated	Yes (Adjustable)	Integrated	No	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)
Price	\$219.99	\$299.99	\$369.99	\$299.99	\$299.99	\$359.99	\$769.99



E-Image Tripod Kits	EG06A2	EG06C2	EG10A2	EG10C2L	EG15A2	EG15C2
Description	2-Stage Aluminum Tripod with GH06 Head	2-Stage Carbon Fiber Tripod with GH06 Head	2-Stage Aluminum Tripod with GH10 Head	2-Stage Carbon Fiber Tripods with GH10L Head	2-Stage Aluminum Tripod with GH15 Head	2-Stage Carbon Fiber Tripod with GH15 Head
Max Height	72.5" / 184.1cm	73" / 185.4cm	67.75" / 172cm	66.75" / 169.5cm	68.5" / 173.9cm	68.5" / 173.9cm
Min Height	32.5" / 82.5cm	32.5" / 82.5cm	32.5" / 82.5cm	31" / 78.7cm	32.5" / 82.5cm	32.5" / 82.5cm
Bowl Size	75mm	75mm	75mm	100mm	100mm	100mm
Max Payload	13.2 lbs / 6kg	13.2 lbs / 6kg	22 lbs / 10kg	22 lbs / 10kg	39.6 lbs / 18kg	39.6 lbs / 18kg
Ground Level Spreader	No	No	No	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)
Mid-Level Spreader	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)	Yes (Adjustable)
Price	\$849.99	\$1099.00	\$1299.00	\$1799.00	\$1999.00	\$2199.00

MOTUS HEAVY DUTY TRIPODS


MOTUS 3-Section Carbon Fiber Tripod Kit Payload 48.5 lbs. (E-Image)



- Payload: 48.5 lbs / 22kg
- Bowl Size: 100mm
- Tilt and pan drag adjustments: 1-4
- Counterbalance adjustment: Continuous Variable Counterbalance
- Tilt range: -67° to +90°
- Quick-release Plate Sliding Range: 4.7in/ 120mm
- Illuminated bubble level
- Dual-sided pan/tilt arm rosette mounts (two arms included)
- Pan Handle: GB4 telescopic 16.7-27" (425-610mm)
- Flip Lock Lever
- Sections: 3
- Tripod Height Range: 21.9-59.6" / 55.5-151cm
- Tripod Transport Length: 29.3" / 74.5cm
- Material: Carbon Fiber Tubes/Metal Body
- Net Weight: 13.9 lbs / 6.3kg

MOTUS22.....\$4299.00
MH22 (Fluid Head Only).....\$3699.00

MOTUS 3-Section Carbon Fiber Tripod Kit Payload 70.5 lbs. (E-Image)



- Payload: 70.5 lbs / 32kg
- Bowl Size: 100mm
- Tilt and pan drag adjustments: 1-8
- Counterbalance adjustment: Continuous Variable Counterbalance
- Tilt range: -67° to +90°
- Quick-release Plate Sliding Range: 4.7in/ 120mm
- Illuminated bubble level
- Dual-sided pan/tilt arm rosette mounts (two arms included)
- Pan Handle: GB4 telescopic 16.7-27" (425-610mm)
- Flip Lock Lever
- Sections: 3
- Tripod Height Range: 21.9-59.6" / 55.5-151cm
- Tripod Transport Length: 29.3" / 74.5cm
- Material: Carbon Fiber Tubes/Metal Body
- Net Weight: 14.8 lbs / 6.7kg

MOTUS32.....\$4999.00

E-MOTUS

3 Stage Hands-Free Carbon Fiber Monopod (E-Image)



- 3 Stage Carbon Fiber Construction
- Flip Lock Design
- Swivel Base/Mini Tripod
- Foam Grip, Wrist Strap
- Flat-Based Tripod Head

Monopod w/ 610FH Head

- Maximum Height: 73.6"
- Minimum Height: 32.5"
- Payload: 6.6 lbs
- Weight: 4.9 lbs

MFC700+610FH\$329.99
MFC700 (Monopod Only)\$259.99

3 Stage Carbon Fiber Monopod (E-Image)



- 3 Stage Carbon Fiber Construction
- Flip Lock Design
- Swivel Base/Mini Tripod
- Foam Grip, Wrist Strap

Monopod w/ 630FH Head

- Maximum Height: 82.7"
- Minimum Height: 31.5"
- Payload: 8.8 lbs
- Weight: 6.2 lbs

MC800+630FH\$249.99
MC800 (Monopod Only)\$179.99

Carbon Fiber Monopod w/ Hand Crank (E-Image)



- 2 Stage Carbon Fiber Construction
- Hand crank allows for easy vertical adjustment
- Feet can be used as a mini tripod
- Includes ball joint for tilting in any direction
- Strong-hold flip lock system
- Full Fluid Base

Monopod w/ GH04F Head

- Maximum Height: 81.9"
- Minimum Height: 37.4"
- Payload: 11 lbs
- Weight: 7 lbs

Monopod w/ GH03F Head

- Maximum Height: 81.5"
- Minimum Height: 37"
- Payload: 11 lbs
- Weight: 6.8 lbs

ML-900C+GH04F\$449.99
ML-900C+GH03F\$399.99
ML-900C (Monopod Only)\$299.99

Portable Camera Dolly w/ Tracks (E-Image)



- Payload: 110.2 lbs
- Adjustable length of 1.2' to 16.4'
- High-density foam gaskets keep smooth shooting on uneven ground
- High-quality wheels
- Lightweight and long rail for unlimited connection
- Multipurpose dolly
- Includes carrying bag


ED330\$699.99

48" Carbon Fiber Slider (E-Image)



- Hand, motor, or crank operation (motor optional)
- Sturdy lightweight 10 layer carbon fiber
- Extremely smooth sealed-bearing 12 wheel guides
- Integrated 5/8" stand receivers

MOTOR1 & Motorized Video Slider Kit (E-Image)



- 3 Modes of operation: Time-lapse, Stop-motion, Trace-record
- Precision stepless motor
- Wireless shutter control (most popular cameras)
- Mobile app for iOS & Android
- Horizontal & Vertical Operation

17" Double Slider / Dual Track (E-Image)



- Camera mounting plate compatible with cameras requiring either 1/4"-20 and 3/8"-16 mounting
- Can be used on any flat surface or mounted to a tripod
- Perfect for those need maximum use with minimal size and weight

ES120\$579.99 **MOTOR1-ES120-KIT (Motor 1 & ES120 Slider)**\$1299.00 **ES35**\$199.99

PTZ & NDI CAMERAS

Browse Ikan's OTTICA line of high-performance PTZ cameras giving you great options when working on independent broadcasts of gatherings, events, ceremonies, lectures, and more.



OTTICA NDI®|HX 2 PTZ Video Camera 25x Optical Zoom POE 4K 60fps



- NDI®|HX 2 Compatibility with POE (Power Over Ethernet) 802.3af
- 3840x2160 Progressive @ 60fps
- 25x Optical Zoom 7.1mm - 175.11mm
- Horizontal FOV: 2.5° (zoom) to 59.2° (wide)
- 1/2.5" Sony CMOS Sensor
- 3G-SDI, HDMI, USB2.0, LAN, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction, ≥50dB

OTTICA-4K-25X

\$TBA

OTTICA4K-2PTZ-1C (Includes 2 x OTTICA-4K-25X, 1 x OTT-CONTROLLER)

\$TBA

OTTICA4K-3PTZ-1C (Includes 3 x OTTICA-4K-25X, 1 x OTT-CONTROLLER)

\$TBA

OTTICA NDI®|HX 2 PTZ Video Camera 20x Optical Zoom POE 1080/60p



- NDI®|HX 2 Compatibility with POE (Power Over Ethernet) 802.3af
- 1080/60P Resolution/Frame Rate
- 20x Optical Zoom 5.2-110mm
- Horizontal FOV: 3.3° (zoom) to 54.7° (wide)
- 1/2.8" CMOS Sensor
- Silent PTZ Motor Mechanism
- HDMI, 3G-SDI, LAN, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction

OTTICA

\$1399.00

OTTICA-2PTZ-1C (Includes 2 x OTTICA, 1 x OTT-CONTROLLER)

\$2899.00

OTTICA-3PTZ-1C (Includes 3 x OTTICA, 1 x OTT-CONTROLLER)

\$3899.00

OTTICA IP PTZ Camera Controller; Supports ONVIF, IP VISCA, Serial Port VISCA, PELCO-D/P



- Supports ONVIF, IP VISCA, Serial port VISCA, PELCO-D/P Protocols
- RJ45, RS422, RS232 Control Interfaces
- Control up to 255 Cameras
- Control Various Camera Parameters
- LCD Display, Keypad Sound Prompt, Real-time Display Decoder, and Matrix Working Status
- Maximum Communication Distance: 1200M (0.5MM Twisted-Pair Cable)

OTT-CONTROLLER

\$599.99

Aluminum Tripod with Rising Center Column and Quick Release Plate for PTZ Cameras



- Convenient Tripod for PTZ Camera Setups
- Extra-Tall Tripod Legs with Geared Rising Center Column
- Maximum Height of 92", Minimum Height of 33.25"
- Recommended Payload of 26.5 lbs
- Includes Mid-Level Spreader and Stone Bag
- Individual Locks for Each Leg Stage
- Retractable Foot Spikes for Soft Ground
- Plate Includes 1/4"-20 and 3/8"-16 Mounting Screws and Registration Pin
- Plate Includes Safety Locks and Safety Release

GA230-PTZ (Tripod Only)

\$379.99


GA230-PTZ-OTTICA (Includes Tripod & OTTICA PTZ Camera)

\$1599.00

GA230-PTZ-OTTICA-4K-25X (Includes Tripod & OTTICA-4K-25X PTZ Camera)

\$TBA

IR Remote Controller for OTTICA Cameras



- Remotely Control up to 4 PTZ Cameras
- Compatible with OTTICA & OTTICA-4K Cameras
- Uses Wireless IR Communication
- Controls Pan, Tilt, Zoom, Menu Settings, Camera Presets
- 32' Range

OTT-IR-REMOTE

\$19.99

OTTICA PTZ Camera Wall Mount



- Supports PTZ Cameras with 1/4"-20 screw thread
- Metal Frame
- Easy & Quick Assembly

OTT-WM

\$49.99

OTTICA PTZ Camera Ceiling Mount



- Supports PTZ Cameras with 1/4"-20 screw thread
- Metal Frame
- Easy & Quick Assembly

OTT-CM

\$49.99



OTTICA



OTTICA-4K-25X



OTT-CONTROLLER

MONITORS

Ikan monitors provide the right balance of features and price while prioritizing durability. They offer a selection ranging from small on-camera monitors to broadcast monitors complete with tally lights and 3G-SDI connections.



AX20-FK-V2



VXF7-V2



Atlas 21.5" Field/Studio 4K HDMI & 3G-SDI Monitor



- 1920 x 1080 LCD display
- Three color tally indicator LED on the front (green, red, yellow)
- SD card slot for loading 3D LUTs
- Built-in hard case with a mount for light stands
- HDR mode supports PQ & HG modes
- Waveform, vectorscope, RGB histogram, brightness histogram, peaking, false color, clip guides, audiometer
- HDMI/3G-SDI input and output
- V-mount battery plate

AX20-FK-V2\$1699.00

VXF7-V2 7" On-Camera 4K HDMI/3G-SDI Monitor



- 1920 x 1200 LCD display
- SDI/HDMI signal conversion
- Front and rear tally
- 4K Ultra HD Support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI, 3G-SDI, component, composite input and output
- L series battery mount

VXF7-V2\$649.99

VXF7-V2-DK\$699.99

EVF-EC Bluestar Ultrasuede Eye Cushion



- Ultrasuede surface provides a luxurious amount of comfort
- Double thickness padding
- Eight special holes to minimize chance of light infiltration

EVF-EC (Eye Cushion Only)\$7.95

Articulating Monitor Arm (E-Image)



- Heavy-duty mount for monitors and other accessories
- 1/4"-20 threads on both sides
- Center wing nut features locking teeth for increased holding capacity

EI-A49 (5" Length)\$29.95

EI-A51 (9" Length)\$49.95

EI-A52 (2.875" Length)\$14.95

Articulating Arm



- Mount monitor or camera accessories
- 1/4"-20 threaded ends
- Ball joints at each end
- Center wing nut lock
- Removable shoe mount

MA207 (7" Length)\$44.95

MA211 (11" Length)\$54.95

MA211-R (11" Arm w/ Single Rod Mount)\$59.95

Shoe Mount with Tool-less Mounting Screw & Mounting Plate



- Wide accessory mounting surface with a padded anti-slip surface
- Tool-less mounting with rotating thumb wheel
- Accepts any accessory with a 1/4"-20 mount
- Adaptable for cold shoe mounts and both 1/4"-20 & 3/8"-16 screws
- Can support up to 4.5 lb. horizontally, over 7 lb. vertically
- Includes 3/8"-16 to 1/4"-20 step-down adapter (pre-installed)

SM-202\$19.95

Heavy Duty 1/4"-20 Stand Mount with 5/8" Receiver



- Padded anti-slip surface
- Accepts any accessory with a 1/4"-20 mount
- Receives any 5/8" stand or adapter
- Can support up to 5 lbs.
- Solid metal construction

SM-501\$29.95

Slim HDMI Cable with 1.4 Ultra HD 4K Support



- Lengths available: 1.5', 3'
- Slim & flexible for easy routing
- Designed for production use
- Short lengths for camera rigs
- HDMI v1.4 with backwards compatibility
- Supports 4K & Ultra HD

HDMI-AA1.4 (Standard to Standard)\$9.95

HDMI-AC1.4 (Mini to Standard)\$9.95

HDMI-AD1.4 (Micro to Standard)\$9.95

Ultra Slim SDI Cable with Right Angle Connector




- Only 2.5mm thick
- Ultra durable & super flexible
- Short lengths for camera rigs & gimbals
- Supports 4K & Ultra HD

SDI-SLM-36 (3' Length)\$11.95

SDI-SLM-18 (1.5' Length)\$9.95

Monitor Mount and Quick Release (Lanparte)



- Quick release monitor mount
- Mounts to monitor arms or directly to a 1/4"-20 threaded recess
- Includes pocket key-driver for easy installation
- Mounting Range: 3/16 to 5/8" from center of mounting point to inside lip of quick release plate

MQR-03\$35.00



FOLLOW FOCUS SYSTEMS

Many PD Movie follow focus systems can operate up to 3 independent motors, giving you complete control of the camera lens's focus, zoom and iris.

PDMOVIE

Remote Air Pro 3 Wired Follow Focus System (PD Movie)



- Single-channel wired lens control system
- Includes one controller and one motor
- Removable Li-40/42B battery offers up to 15 hours standby mode and 10 hours consistent use
- Controller can control up to three motors (additional motors available separately)
- System can be upgraded to a two or three-channel wired system or wireless system
- Motor is powered via AC Adapter

PD4-S1-STUDIO (1 Motor) \$TBA



**REMOTE AIR PRO 3 THREE-CHANNEL CONTROLLER
WITH ZOOM ROCKER, FOCUS WHEEL, & IRIS ROCKER**


Live Air 2 Compact Wireless Focus Control Kit (PD Movie)



- Completely wireless follow focus system
- Compatible with Live Pro Controllers
- Removable Li-42B Battery
- Control All Functions with One Button
- Automatically calibrates to the mapping of your lens
- Simple, single-button system settings control
- Compact yet powerful motor handles subtle and rapid focus pulls with ease
- Focus control attaches to most square/round handles less than 1" in diameter
- 0.8 pitch gearing is compatible with most common cinema lenses

PDL-AFP (Includes Remote, Motor, and Rig Air) \$TBA
PDL-AFP-A (Includes Remote, and Motor) \$TBA


Live Air 2 Compact Wireless Zoom Control Kit (PD Movie)



- Completely wireless zoom control system
- Compatible with Live Pro controllers
- Removable Li-42B battery
- Control all functions with one button
- Automatically calibrates to the mapping of your lens
- Simple, single-button system settings control
- Zoom control attaches to most square/round handles less than 1" in diameter
- 0.8 pitch gearing is compatible with most common cinema lenses

PDL-AZP \$TBA

Remote Air 4 Wireless Follow Focus System w/Hand Controller (PD Movie)



- Wireless focus, zoom and iris control system
- Hand controller is capable of controlling up to three motors
- Easy motor calibration works on lenses with and without hard stops
- Motor display shows channel, signal strength, battery life, motor voltage, and Bluetooth connection confirmation in addition to Motor position
- Brushless motors designed in and imported from Germany
- 2.4G wireless technology, Bluetooth 4.2 module, and full-duplex transmission
- Maximum transmission distance of 100m
- High-capacity integrated battery gives 30 hours of operation time
- Adaptable for 3D shooting

PD2-M1-A (Includes Remote and 1 Motor) \$TBA
PD2-M2-A (Includes Remote and 2 Motors) \$TBA
PD2-M3-A (Includes Remote and 3 Motors) \$TBA

FOLLOW FOCUS SYSTEMS CHART

	Remote Air Pro 3 (wired)	Live Air 2	Remote Air 4
Wireless	No	Bluetooth 4.2	Bluetooth 4.2
Channels	1-3	1	1-3
Control Unit	Yes (included)	Yes (included)	Yes (included)
iOS App Compatible	No	Yes	No
Transmission Distance	N/A (wired)	10m / 32.8'	100m / 328'
SKUs	PD4-S1-STUDIO	PDL-AFP (Focus) PDL-AZP (Zoom)	PD2-M1-A PD2-M2-A PD2-M3-A


RIGS & CAGES

Whether you're shooting a live event or a feature film, Ikan rigs have the flexibility to adapt to your camera rig needs.

Ikan provides shoulder rigs, cages, & kit accessories to build a solid, working, customized rig around your camera.




Stratus Complete Shoulder Rig Kit for Canon C200



- Complete Shoulder Mount Rig System for Canon C200 & C200B
- Includes 2 x Handgrips, 2 x Carbon fiber 15mm rods, Canon Hand Grip Relocator Cable, Rotatable Monitor/EVF mount
- Shoulder Pad Features Manfrotto 501 Mount
- Compatible w/ Monitors up to 7"
- Compatible w/ any Arri Rosette Mounted EVF

STR-CINE-C200-RIG\$699.99


Stratus STRATUS Complete Cage for Sony a7R IV & a7III Series Cameras



- Form-Fitted to the Sony a7R IV & III Series Cameras
- Fits Sony a7 III, a7S II, and a7R III
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- Top Handle Mounts Directly to Cage Front
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4"-20 and 3/8"-16 Mounts
- 15mm Rods Vertically Positionable to support multiple lenses & accessories

STR-A7IV\$179.99


Stratus Complete Shoulder Rig Kit for Canon C300 MK III & C500 MK II



- Complete Shoulder Mount Rig System for Canon C500 Mk II & C300 Mk III
- Includes 2 x Handgrips, 2 x Carbon fiber 15mm rods, Canon Hand Grip Relocator Cable, Rotatable Monitor/EVF mount
- Shoulder Pad Features Manfrotto 501 Mount
- Compatible w/ Monitors up to 7"
- Compatible w/ any Arri Rosette Mounted EVF

STR-CINE-C500-RIG\$999.99

Stratus Complete Cage for Sony a7 III Series Cameras




Cage Features

- Form-Fitted to the Sony a7 III Series Cameras
- Fits Sony a7 III, and a7R III
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4"-20 and 3/8"-16 Mounts
- 15mm Rods Vertically Positionable to support multiple lenses & accessories

STR-A7III\$149.99


Stratus Shoulder Rig for Cinema Cameras



- Shoulder Mount System for Cinema Cameras
- Two Rosette Based Articulating Handgrips
- Shoulder Pad Features Manfrotto 501 Compatible Mount
- 16" Carbon Fiber 15mm Rods
- Fully Adjustable Monitor/EVF mount

STR-CINE-RIG\$599.99

Stratus Complete Cage for BlackMagic Pocket Cinema Camera 6K & 4K




Cage Features

- Form-Fitted to the Blackmagic Pocket Cinema Camera 6K and 4K
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- Top Handle Mounts Directly to NATO Rail/Top Rod Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4"-20 and 3/8"-16 Mounts
- Mounts to ARRI Standard 19mm Dovetails

STR-BMPCC6K\$349.99

Stratus Complete Cage for Sony a6500 Camera Body




Cage Features

- Form-Fitted to the Sony a6500 Camera Body
- Fits Sony a6000, a6300, and a6400
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4"-20 and 3/8"-16 Mounts

STR-A6\$129.99

Stratus Complete Cage for Sony a7 II Series Cameras



Cage Features

- Form-Fitted to the Sony a7 II Series Cameras
- Fits Sony a7 II, a7S II, and a7R II
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate with 1/4"-20 and 3/8"-16 Mounts
- 15mm Rods Vertically Positionable to support multiple lenses & accessories


Kit Features

- Includes Full Cage Kit, Follow Focus, and Lens Support System
- Follow Focus Made of Aluminum
- Adjustable Hard Stops
- Follow Focus Mounts to 15mm Rods
- Lens Support Slide-On or Slip-On Installation

STR-A7II\$129.99

STR-A7II-KIT\$349.99


Stratus 15mm Follow Focus with Hard Stops



- Solid Aluminum Follow Focus with Adjustable Hard Stops
- Horizontally Positionable
- Includes Magnetic Marking Disc
- Mounts to 15mm Rods
- Slide-On or Slip-On Installation: One Open Rod Mount Gives More Placement Options

STR-FF\$349.99

Stratus 15mm Static Lens Support



- Quick and Easy Basic Lens Support
- 7/8" of Vertical Adjustment
- Slide-On or Slip-On Installation: One Open Rod Mount Gives More Placement Options
- Solid Aluminum Construction Cuts Weight and Increases Durability

STR-LS1\$24.99

Stratus Blackmagic BMPCC 4K & 6K
Single Rod DV Power Kit for Sony L



- Provides extended DV battery life to the BMPCC4K & 6K
- Mounts securely to any single 15mm rod
- Can be used with Sony L-Series DV batteries

BMPCC4K6K-PWR-1RD-S\$59.99

Stratus Blackmagic BMPCC 4K & 6K
Dual Rod Mount DV Power Kit for Sony L



- Provides extended DV battery life to the BMPCC4K & 6K
- Mounts securely to any dual 15mm rod system
- Can be used with Sony L-Series DV batteries

BMPCC4K6K-PWR-2RD-S\$69.99

Stratus Blackmagic BMPCC 4K & 6K
Cinema Belt Clip DV Power Kit for Sony L



- Provides extended DV battery life to the BMPCC4K & 6K
- Mounts securely to any belt
- Can be used with Sony L-Series DV batteries.

BMPCC4K6K-PWR-BC-S\$49.99

Stratus Blackmagic BMPCC 4K & 6K
DV Power Kit w/ Clamp for Sony L



- Provides extended DV battery life to the BMPCC4K & 6K
- Mounts securely to any pole or rod up to 38mm
- Can be used with Sony L-Series DV batteries

BMPCC4K6K-PWR-PN-S\$89.99

Stratus Lens Control Y-Cable
for Canon Cinema CN-E Servo Lenses



- Connects the Canon Servo Controllers to a Servo lens
- Simultaneously Control the Focus and Zoom of Your Canon Servo Lens
- Compatible with the FPD-400D and ZSD-300D Controllers

STR-CN-E-Y\$499.99

Stratus Grip Relocator Extension Cable
for Canon C200, C300MKIII & C500MKII



- Coiled Design
- Works with Stratus Shoulder Rig System
- 3.5mm Connector Compatible with C200, C300 Mark III, & C500 Mark II

STR-CN-GR\$64.99

Stratus AC Power Supply System
with NP-FZ100 Dummy Battery



- Provides Continuous AC Power to Any Compatible Sony Camera
- For Select Sony Cameras
- Short and Overload Circuit Protection

STR-PWR-AC-FZ100\$64.99

Stratus Stratus ARRI Standard 10" Dovetail w/
15mm Baseplate and Carbon Fiber Rods



- Includes ARRI Standard Dovetail and Baseplate
- Includes a Pair of 12" Carbon Fiber 15mm Rods
- Has Multiple 1/4"-20 and 3/8"-16 Mounting Points

STR-DT10-SBP15\$299.99

Stratus ARRI Standard 12" Lightweight Dovetail



- Use with ARRI-Standard Bridge Plate
- 12" Lightweight Cutout Design
- Stopper Screw & Safety Button in Each End
- Multiple 1/4"-20 and 3/8"-16 Screw Threads

STR-DT12\$149.99

Stratus V-Mount Battery Plate w/ 15mm Rod Mount



- 4x D-Tap Output connections
- 1x 5V USB Output connection
- Use longer-lasting V-mount batteries with your DSLR or Cinema Camera
- Mounts onto a pair of industry-standard 15mm LWS rods
- Can be mounted to the back of the rig as a counterweight
- Plate combo includes D-Tap Power Cable

STR-PWR-PLATE-BMPCC6K (for Blackmagic BMPCC6K)\$199.99

STR-PWR-DTAP-BMPCC6K (Cable Only)\$24.99

STR-PWR-PLATE-LEMO (for Canon C200 & C300 Camera)\$199.99

STR-PWR-DTAP-LEMO (Cable Only)\$29.99

Stratus V-Mount Battery Plate w/ 15mm Rod Mount



- 4x D-Tap Output connections
- 1x 5V USB Output connection
- Use longer-lasting V-mount batteries with your DSLR or other devices
- Mounts onto a pair of industry-standard 15mm LWS rods
- Can be mounted to the back of the rig as a counterweight

STR-PWR-PLATE-V\$179.99




LIVE STREAMING EQUIPMENT

What used to require high-end and complex equipment can now be done with gear accessible to the everyday consumer. Ikan has developed a line of products aimed to give our customers the live streaming equipment they need to start their production.



HOMESTREAM™


HomeStream Kit #1 with 2 Desktop Lights, HDMI Capture Device, Variable Height Camera Stand & 2 HDMI Cables



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Adjustable Rotation & Swivel
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"

HS-KIT-1\$329.99


HomeStream USB Condenser Cardioid Microphone w/ Gain Control



- For Podcasts, Chat, Conferencing & More
- Compatible with Windows, Mac, Android, and iOS Devices
- Cardioid Polar Pattern
- Includes Height-Adjustable Stand
- Broadcast-Quality 48 kHz/16-Bit Capture
- Plug-and-Play Operation
- Includes USB-A to USB-C Adapter
- Bus-Powered from Computer or Tablet

HS-USB-MIC\$49.99

HomeStream Kit #2 with 2 Desktop Lights, Podcast Microphone w/ Adjustable Arm



- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Adjustable Rotation & Swivel
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- Cardioid/Bi-directional Multiple Pattern Selection
- Gain Control, Muting, Real-time Monitor Functions
- 20Hz-20KHz Frequency Response
- USB-C Interface Design, Universal for Computer and Phone
- USB-A Cable for Use with PC or Mac
- Detachable Pop-Shield Design to Efficiently Filter Airflow
- Metal Housing for Excellent Shielding

HS-KIT-2\$449.99


HomeStream Kit #3 with 2 Desktop Lights, HDMI Capture Device, Adjustable Camera Stand, 2 HDMI Cables, Podcast Microphone w/ Adjustable Arm



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- Gain Control, Muting, Real-time Monitor Functions
- 20Hz-20KHz Frequency Response

HS-KIT-3\$499.99


HomeStream Kit #4 with 2 Desktop Lights, Pull-Up Green Screen, HDMI Capture Device, Adjustable Camera Stand, Podcast Microphone w/ Adjustable Arm



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- Maximum Screen Height: 76" / Screen Width: 57.5"
- Fast Green Screen Setup Time (3 to 7 Seconds)
- Wrinkle-Free Green Screen Material

HS-KIT-4\$649.99


HomeStream 6" Diameter Accent Light w/ Variable Height Table Stop Stand



- Edge-lit LED Technology for a Professional Look
- Slim Lightweight Aluminum Design
- Adjustable Rotation & Swivel
- Detachable Light w/ Standard 1/4" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- 95 CRI
- Digital Readout for Brightness, Color Temperature, & Battery Life
- Brightness: 1050 Lux @ 0.5m
- Cooling System: Passive Cooling
- Variable Stand Height: 13.75" to 21.5"

HS-LR6\$129.99


HomeStream 76" Tall Portable Pull Up Chroma Key Green Screen



- Portable Pro-Level Chroma Key Screen
- Aluminum Enclosure
- Fast Setup Time (3 to 7 Seconds)
- Wrinkle-Free Material
- Convenient Collapsible Design
- Screen Width: 57.5"
- Maximum Screen Height: 76"
- Use for Photography, SFX Compositing, Game Streaming, Blogging, Interviews, etc.

HS-GS76\$149.99


HomeStream 21" Variable Height Table Top Camera Stand



- Mount DSLRs, Pocket Cinema Cameras, Action Cams, or Camcorders
- 1/4"-20 Screw Mount
- Ball Head Included
- Aluminum Build
- Adjustable Height
- Maximum Height: 21.5"
- Minimum Height: 13.75"

HS-LSTD\$49.99

HomeStream Adjustable Microphone Arm 3.2 lbs Capacity



- Durable Articulating Boom Arm
- Secure Desk Clamp Mount
- Locking Knobs to Adjust Tension
- Steel Tubing Ensures Strength & Long Life
- Vertical Arm Length: 14"
- Horizontal Arm Length: 14"
- Max C-Clamp Grip: 1.75"
- Weight Capacity: 3.2 lbs.

HS-MSTD\$14.99

VIDEO CONFERENCE TELEPROMPTERS

HomeStream Video Conference Teleprompter w/ 7" Monitor



- 7" monitor w/ mirror image flip
- Allows for eye contact on video calls
- HomeStream remote for iOS and Android only
- Utilizes 70/30 beamsplitter teleprompter glass
- Works with DSLR, mirrorless, camcorders, smartphones as camera
- Attaches to most lens sizes: 49, 52, 55, 58, 67, 72, 77, 82mm
- Option to mount smartphone to record in horizontal or vertical mode
- Three 1/4-20" threads on bottom of teleprompter

HS-PT700 \$299.99
 HS-PT700-RC (Includes PT-ELITE Remote Control) \$399.99
 HS-PT700-UGK (Upgrade Kit with Monitor Only) \$219.99

HomeStream Phone Teleprompter for DSLR, Mirrorless, Phone w/ Bluetooth Remote



- Lightweight portable smartphone teleprompter
- Supports iPhones and Android devices as teleprompter display
- Minimum phone size: 4 x 2.3 in; Maximum phone size: 7 x 3.5 in
- Supports larger smartphones including the iPhone 11 Pro
- Utilizes 70/30 beamsplitter teleprompter glass
- Works with DSLR, mirrorless, or smartphones as camera
- Attaches to most lens sizes: 49, 52, 55, 58, 67, 72, 77, 82mm
- Option to mount smartphone to record in horizontal or vertical mode
- Three 1/4-20" threads on bottom of teleprompter
- Bluetooth remote control included
- Downloadable HomeStream teleprompter app for iOS and Android

HS-PROMPTER \$179.99

VIDEO CAPTURE DEVICES

HomeStream HDMI to USB Video Capture Device 4K 30fps Input

Audio-in/out HDMI Loop-Out



- Max Input Resolution: 4K 30fps
- Max Output Resolution (USB): 1080P 30fps
- Max Output Resolution (Loop-out): 4K 30fps (Supports HDMI Loop-out)
- Supports 8/10/12bit Deep Color
- Supports 3.5mm Microphone Audio Input/ 3.5mm Stereo Output
- Supports Simultaneous HDMI Audio & Microphone Audio Capture
- Supports AWG26 HDMI Standard Cable; Input up to 15 Meters (1080P and below resolution)
- Supports OBS, Zoom, Skype, Facebook Live, YouTube Live, vMix, Twitch, Uberconference, VLC, etc.
- Supports Windows, Android, and MacOS
- Conforms to UVC Standard, USB 1.5 and USB 1.0
- Conforms to USB Audio UAC standard

HS-VCD-PRO \$44.95
 HS-VCD-PRO-FZ100 (Includes STRATUS Dummy Battery) \$94.99


HomeStream HDMI to USB Video Capture Device 4K 30fps Input w/USB Cable



- Max input resolution 4K 30fps
- 1' USB Cable Included
- Max output resolution 1080P 30fps
- Supports 8/10/12bit deep color
- Supports AWG26 HDMI standard cable; input up to 15 meters (1080P and below resolution)
- Supports most acquisition software such as VLC, OBS, Amcap, etc.
- Supports Windows, Android, and MacOS
- Conforms USB Video and UVC standard
- Conforms to USB Video 1.5 and 1.0 standard
- Conforms to USB Audio UAC standard
- Without external power supply, compact and portable
- UVC 1.5 Compliant

HS-VCD-2 \$34.99
 HS-VCD-2-FZ100 (Includes STRATUS Dummy Battery) \$89.99

HomeStream HDMI to USB-C Video Capture Dongle 4K 30fps Input



- Works with DSLRs, Camcorders, Action Cameras, and Game Consoles
- Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Compact & Portable
- No External Power Required
- Supports 8/10/12bit Deep Color
- Supports AWG26 HDMI Standard Cable
- Supports OBS, Zoom, Skype, etc.
- Supports Windows, Android, and MacOS
- Supports UVC Standard, USB-C/M
- Supports USB Audio UAC Standard
- Low Latency

HS-VCD-USBC \$24.99
 HS-VCD-USBC-FZ100 (Includes STRATUS Dummy Battery) \$84.99

VIDEO CAPTURE DEVICE CHART

SKU	Included USB Cable	HDMI Loop-Out	Extra Audio Inputs & Outputs	Max Input Resolution & Frame Rate	Max Output Resolution & Frame Rate (USB)	Max Output Resolution & Frame Rate (Loop-Out)
HS-VCD-PRO	Yes	Yes	Yes	4K 30 FPS	1080P 30 FPS	4K 30 FPS
HS-VCD-USBC	Yes	No	No	4K 30 FPS	1080P 30 FPS	No Loop-Out
HS-VCD-2	Yes	No	No	4K 30 FPS	1080P 30 FPS	No Loop-Out

AUDIO EQUIPMENT

Browse a wide variety of accessories from lavalier microphones to boom poles and sand bags to stands. See the latest addition of audio solutions from CoMica and E-Image.



Dual-Transmitter Lavalier Microphone Kit (AA) (Comica)



- 400' (120m) maximum range
- Receiver handles 2 transmitter groups simultaneously
- Single-switch control alternates transmitter between A and B groups
- Each transmitter & receiver operates on 2 AA batteries (not included)
- Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

CVM-WM200A (AA-battery Powered)\$389.00


Wireless Lavalier Microphone Kit (Comica)



- 330' (100m) maximum transmission distance
- 48 channels to choose from between 520-534.1MHz
- Less than .5% audio distortion
- Receiver and transmitter run on 2 AA batteries (not included)
- 3.5mm input/output ports with 3-pin XLR adapter included
- Mounts with included belt clips or via 1/4"-20 mounting points on TX/RX bodies
- LCD screen includes signal strength and battery life indicators

CVM-WM100\$139.00

Wireless Lavalier Microphone Kit (Comica)



- Powered by a CR2032 battery, which can be on standby up to 40 hours
- Designed to be used with DSLRs & Smart Phones
- Real-time Monitoring
- XLR Interface Preamp & Stepless Gain Adjustment Wheel

CVM-AD1\$35.69


Wireless Lavalier Microphone Kit for Smartphones (Comica)



- Handle, phone holder, and wireless receiver in one unit
- Phone clamp integrated into wireless receiver
- Holds devices between 2.25-3.5" wide
- Maximum working distance of 60m, optimal distance of 30m
- LCD screens on TX and RX monitor audio, battery, and mute status
- Stepless volume adjustment on receiver
- 1/4"-20 mount for a wide variety of mounting options
- Built-in rechargeable lithium-ion batteries
- Includes simple handle w/ 1/4"-20 mount

CVM-WS50B\$169.00


On-Camera Directional Mic w/ Phone Holder (Comica)



- Includes Mini Tripod
- Cardioid Pattern
- Includes Shock Absorber
- Extendable Smartphone Clamp
- Bottom 1/4"-20 Screw Mount for Accessories

CVM-VM10-K2\$52.99


UHF Metal XLR Wireless Transmitter (Comica)



- Works with WM200/WM300 Receivers
- Working Distance up to 200' (100' with no direct line of sight)
- Supports 48V Phantom Power
- LCF Low Cut Filtering Mode
- Auto-Scanning for Quick Channel Selection
- Manual or Auto IR Sync
- Adjustable RF Signal Strength
- Audio Dynamic Display Bar
- Full Metal Manufacturing

CVM-WM200300XLR\$149.00

Dual-Transmitter Lavalier Microphone Kit (Li-Ion) (Comica)



- 400' (120m) maximum range
- Receiver handles 2 transmitter groups simultaneously
- Single-switch control alternates transmitter between A and B groups
- Each transmitter and receiver operates on built-in rechargeable lithium-ion batteries
- Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

CVM-WM300A (Built-in Rechargeable Lithium-ion Batteries)\$469.00


Wireless Handheld Microphone for WM200/WM300 Receivers (Comica)



- IR Sync for Quick Channel Selection
- Low Cut Filter Mode
- Adjustable RF Signal Strength
- Low Consumption/ Long Standby Time
- LCD Display
- Made of Aluminum

CVM-WM200300HTX\$149.00


Single Lavalier Microphone for Smartphones & DSLRs (Comica)



- Designed To Be Used With DSLRs and Smart Phones
- Stepless Gain Control
- Real-Time Monitoring
- Includes Wind Muff
- LED Working Indicator

SIG.LAV V05\$29.99


Wireless Handheld Microphone for Smartphones (Comica)



- Working Distance Up to 200' (In Open Area, 100' in Barrier Area)
- Very Portable and light, with 6 Channels for Multiple Devices Working Together
- LCD Screen for Displaying Channels and Audio Status; Support Step-less Volume Adjustment, Real-time Audio Monitor
- Extendable for Connection with LED Light, Grip, Tripod, Cold-shoe, etc
- Built-in Rechargeable Lithium Batteries and Come with Metal Material Smartphone Holder

CVM-WS50H\$199.00

Universal Wireless Mic for DSLR & Smartphones (Comica)



- 1-Trigger, Universal for Smartphones and DSLR cameras
- Includes Smartphone Holder
- Lightweight and Compact
- Working Distance of Up To 60m
- 12 Channels For Each Group
- Mono/Stereo Switch
- 10 Levels of Gain Adjustment
- Dynamic Volume Monitor
- High-Resolution Lattice LCD Display

CVM-WS60-COMBO\$239.00

Dual-Channel XLR Audio Mixer w/ Preamp (Comica)



- Supports Both 9V & 48V Phantom Power
- Includes Dual XLR/6.35mm/3.5mm Microphone Inputs
- Dual Gain Control Knobs
- Mono/Stereo Output Switch
- Supports Real-time Monitoring
- Three Cold Shoe Connectors Ideal For Mounting Accessories
- Made of Aluminum-Alloy

CVM-AX3\$98.99

Directional Shotgun Microphone for Smartphones (Comica)



- Compact Shotgun Mic for Mobile Devices
- For Interviews, Podcast Videos
- Design Reduces Unwanted Sounds
- Plugs into Headphone Jack of Device
- Built-In Headphone Jack for Monitoring
- Includes Mount Adapter
- No Batteries Required
- Includes Foam Windscreen and Synthetic Fur Windmuff

CVM-VS08\$39.99


Directional On-Camera Shotgun Microphone (Red) (Comica)



- Works with both DSLRs and Smartphones
- Extremely Lightweight (Only 1.8oz)
- Comica Suspension System
- Requires 2.5V Camera Plug-in Power
- Integrated Shoe Mount with 3/8" Thread
- 3.5mm Mini-Jack Output
- Includes Foam Windshield
- Includes 3.5mm Coiled Output Cable

CVM-V30-LITE-R\$39.99

Mini On-Camera Directional Shotgun Mic (Comica)




- Compact size and lightweight
- All-metal microphone body
- No battery required (powered by camera plug-in power – min 3V)
- Comica shock mount included
- Deluxe furry windshield and windmuff included

CVM-VM10II-B (Black)\$39.99

CVM-VM10II-R (Red)\$39.99




Hyper-Cardioid Shotgun Microphone (E-Image)



- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Brass Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen

PM-527\$299.99


Hyper-Cardioid Shotgun Microphone (E-Image)



- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Metal Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen
- Built-in low-frequency cutoff switch

PM-846\$199.99

Telescoping Aluminum Boom Pole (E-Image)




- 4 Independent friction locked sections
- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded bag with shoulder strap
- Build material: Aluminum

BA12 (Aluminum) (11')\$109.99

BA09 (Aluminum) (5.5')\$79.99

BA06 (Aluminum) (3.5')\$69.99

Telescoping Carbon-Fiber Boom Pole (E-Image)




- 4 Independent friction locked sections
- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded bag with shoulder strap
- Build material: Carbon-Fiber

BC12 (Carbon Fiber) (11')\$199.99

BC06 (Carbon Fiber) (3.5')\$109.99

Hyper-Cardioid Shotgun Microphone (E-Image)



- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Metal Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen
- Built-in low-frequency cutoff switch

PM-500\$99.95



2022 CATALOG



Ikan International
11500 S. Sam Houston Pkwy West
Houston, TX 77031



Phone: 1.713.272.8822
Fax: 713.995.4994
www.ikancorp.com