





ABOUT US

At Ikan, we have a team of skilled professionals who are passionate about every aspect of professional video production. Founded in 2005 and headquartered in Houston, our expertise lies in designing and manufacturing top-quality, professional-grade video equipment that is trusted by a diverse range of professionals, from TV stations and production studios to colleges, K-12 schools, churches, and corporations.

Our extensive range of professional products includes LED lights, teleprompters, PTZ cameras, tripods & pedestals, and monitors. Ikan products are sold through authorized dealers located in more than 50 countries around the world and at www.ikancorp.com.

Ikan International

11500 S. Sam Houston Pkwy West
Houston, TX 77031

www.ikancorp.com

CONTACT

713.272.8822
sales@ikancorp.com

2023 Catalog

Copyright © 2023 Ikan International
www.ikancorp.com

Catalog pricing subject to change without notice.

TABLE OF CONTENTS

LIGHTING	3
TURNKEY SOLUTIONS	12
TELEPROMPTERS	19
CAMERA SUPPORT	25
PTZ & NDI SOLUTIONS	31
MONITORS	34
RIGS & CAGES	36
LIVE STREAMING EQUIPMENT	39
AUDIO EQUIPMENT	42



LIGHTING

Ikan provides a broad spectrum of lighting solutions tailored to the requirements of professionals seeking to illuminate their sets or studios. Our array of light fixtures is designed to suit diverse environments, offering a range of power options that afford ultimate flexibility in shooting location and timing. With Ikan lighting solutions, professionals can rest assured that they are always in the optimal light.



Designed, Lit, and Installed by
FXDesignGroup
SET / LIGHTING / VIRTUAL
HIGH DEFINITION BROADCAST SOLUTIONS

Lyra Bi-Color Low Ceiling Light w/ DMX Control



- Low profile to fit low clearance areas
- Bi-color 3200K - 5600K
- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Silent fanless fixture
- Beam angle 110 degrees
- DMX512 in and out
- Combo pin with right angle receiver hole
- Single knob control for adjusting brightness or DMX

LBX8	\$699.99
LBX8-2PT-KIT (2 Point Kit)	\$TBA
LBX8-3PT-KIT (3 Point Kit)	\$TBA
LBX8-POE (DMX512 over Art-Net & sACN)	\$TBA

Lyra Daylight Low Ceiling Light w/ DMX Control



- Low profile to fit low clearance areas
- Daylight 5600K color temp.
- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Silent fanless fixture
- Beam angle 110 degrees
- DMX512 in and out
- Combo pin with right angle receiver hole
- Single knob control for adjusting brightness or DMX

LWX8	\$649.99
LWX8-2PT-KIT (2 Point Kit)	\$TBA
LWX8-3PT-KIT (3 Point Kit)	\$TBA
LWX8-POE (DMX512 over Art-Net & sACN)	\$TBA


Lyra Half x 1 Bi-Color Soft Light



- 97 CRI COB LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 350W incandescent soft light
- Includes barn doors with intensifiers

LB5 (Gold mount & V-mount battery plates)	\$499.00
LBX5 (DMX512)	\$499.99
LBX5-POE (DMX512 over Art-Net & sACN)	\$TBA

Lyra 1 x 1 Bi-Color Soft Light



- 97 CRI COB LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 850W incandescent soft light
- Includes barn doors with intensifiers

LB10 (Gold mount & V-mount battery plates)	\$899.00
LBX10 (DMX512)	\$869.99
LBX10-POE (DMX512 over Art-Net & sACN)	\$TBA


Lyra Half x 1 Daylight Soft Light



- 97 CRI COB LEDs with 1/2 stop soft diffusion panel
- Daylight 5600K color temperature
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 350W incandescent soft light
- Includes barn doors with intensifiers

LW5 (Gold mount & V-mount battery plates)	\$399.00
LWX5 (DMX512)	\$439.99
LWX5-POE (DMX512 over Art-Net & sACN)	\$TBA


Lyra 1 x 1 Daylight Soft Light



- 97 CRI COB LEDs with 1/2 stop soft diffusion panel
- Daylight 5600K color temperature
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 850W incandescent soft light
- Includes barn doors with intensifiers

LW10 (Gold mount & V-mount battery plates)	\$699.00
LWX10 (DMX512)	\$749.99
LWX10-POE (DMX512 over Art-Net & sACN)	\$TBA


Lyra Half x 1 Bi-Color Soft Light Kits



Kits include:

- Light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag
- Yoke mounts

Lyra Half x 1 Daylight Soft Light Kits



Kits include:

- Light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag
- Yoke mounts


Lyra 1 x 1 Bi-Color Soft Light Kits



Kits include:

- Light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag
- Yoke mounts

Lyra 1 x 1 Daylight Soft Light Kits



Kits include:

- Light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag
- Yoke mounts

Fixtures With Pro Battery Plates

LB5-2PT-KIT (LB5 2 Point Kit)	\$1249.00
LB5-3PT-KIT (LB5 3 Point Kit)	\$1699.00
LB5-5PT-KIT (LB5 5 Point Kit)	\$2999.00

Fixtures With DMX

LBX5-2PT-KIT (LBX5 2 Point Kit)	\$1249.00
LBX5-3PT-KIT (LBX5 3 Point Kit)	\$1699.00

Fixtures With Pro Battery Plates

LW5-2PT-KIT (LW5 2 Point Kit)	\$999.00
LW5-3PT-KIT (LW5 3 Point Kit)	\$1399.00
LW5-5PT-KIT (LW5 5 Point Kit)	\$2499.00

Fixtures With Pro Battery Plates

LB10-2PT-KIT (LB10 2 Point Kit)	\$1799.00
LB10-3PT-KIT (LB10 3 Point Kit)	\$2499.00
LB10-5PT-KIT (LB10 5 Point Kit)	\$4499.00

Fixtures With DMX

LBX10-2PT-KIT (LBX10 2 Point Kit)	\$1799.00
LBX10-3PT-KIT (LBX10 3 Point Kit)	\$2499.00

Fixtures With Pro Battery Plates

LW10-2PT-KIT (LW10 2 Point Kit)	\$1499.00
LW10-3PT-KIT (LW10 3 Point Kit)	\$1999.00
LW10-5PT-KIT (LW10 5 Point Kit)	\$3699.00

Lyra Bi-Color Soft Mixed Light Kits



Kits include:

- Lyra light fixtures (LB10 & LB5)
- Light stands
- Light bags
- Stand bags

LB-3F2H (3 x LB10 & 2 x LB5)	\$3899.00
LB-2F3H (2 x LB10 & 3 x LB5)	\$3599.00
LB-2F1H (2 x LB10 & 1 x LB5)	\$2249.00
LB-1F2H (1 x LB10 & 2 x LB5)	\$1999.00

Lyra Daylight Soft Mixed Light Kits



Kits include:

- Lyra light fixtures (LW10 & LW5)
- Light stands
- Light bags
- Stand bags

LW-3F2H (3 x LW10 & 2 x LW5)	\$3299.00
LW-2F3H (2 x LW10 & 3 x LW5)	\$2999.00
LW-2F1H (2 x LW10 & 1 x LW5)	\$1899.00
LW-1F2H (1 x LW10 & 2 x LW5)	\$1699.00

LYRA SOFT LIGHT SERIES WELCOMES NEW LOW PROFILE STUDIO LIGHTS

The Ikan LBX8 bi-color and LWX8 daylight panels are a sleek and low-profile lighting solution designed to be effortlessly installed in studios with limited ceiling clearance. The dimensions of the light fixture are 24.5" wide by 5.6" tall. Adding the included yoke brings the total height of the light to only 7". Equipped with high CRI LED chips and a soft panel, it emits a gentle, wraparound light that offers a clean and sharp shadow. The 110-degree beam angle offers ample coverage, and the sturdy yoke, with its tension knobs, allows for easy adjustments and secure placement at any angle. The yellow control knob on the back, along with the LED readout, makes adjusting the light's brightness, color temperature, and DMX channels a breeze.



ikan
LYRA
SOFT LIGHTS


Lyra RGBW Digital Color Studio Soft Light w/ DMX



- Full RGB color, Saturation, and HSI control
- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Variable CCT: 2800K-10,000K
- Hue Shift: +green / -magenta 0-100%
- Built-in special FX & color correction filter gels
- 8-bit & 16-bit DMX
- Baby 5/8" / Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Multiple DMX Modes

LCX21 (1 x 2 Panel with DMX512).....	\$2499.00
LCX15 (1 x 2 Panel with DMX512).....	\$TBA
LCX10 (1 x 1 Panel with DMX512).....	\$TBA


Lyra 1 x 2 Studio Soft Light w/ DMX



- 97 CRI COB LEDs paired With 1/2 stop soft diffusion panel
- Beam Angle of 110°
- DMX512 In and Out
- Baby 5/8" / Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

LBX20 (Bi-Color; 1 x 2 Panel with DMX512).....	\$1399.00
LWX20 (Daylight; 1 x 2 Panel with DMX512).....	\$1299.00

Lyra 1 x 3 Studio Soft Light w/ DMX



- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Beam Angle of 110°
- DMX512 In and Out
- Baby 5/8" / Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

LBX30 (Bi-Color; 1 x 3 Panel with DMX512).....	\$1699.00
LWX30 (Daylight; 1 x 3 Panel with DMX512).....	\$TBA

Lyra 1 x 4 Studio Soft Light w/ DMX




- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Beam Angle of 110°
- DMX512 In and Out
- Baby 5/8" / Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

LBX40 (Bi-Color; 1 x 4 Panel with DMX512).....	\$2199.00
LWX40 (Daylight; 1 x 4 Panel with DMX512).....	\$TBA

MYLO


Mylo Soft Bi-Color Field LED Light



- 97 CRI COB LEDs
- Bi-Color adjustable 3200K-5600K
- 1/2 stop soft diffusion panel
- Beam angle of 110°
- Includes two L series batteries, dual battery charger, & barn doors

MSB8 (Half x 1 Bi-Color).....	\$549.99	MB8 (Half x 1 Bi-Color).....	\$499.99	MB4-TK (Travel Kit).....	\$229.99
--------------------------------------	-----------------	-------------------------------------	-----------------	---------------------------------	-----------------

Mylo Half x 1 Field LED Light




- 97 CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Equivalent to 750W of incandescent light
- Includes two L series batteries, dual battery charger, & barn doors

Mylo Mini Bi-Color Field LED Light



- 97 CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Equivalent to 300W of incandescent light
- Includes two L series batteries, dual battery charger, & barn doors


Mylo Soft Bi-Color Field LED Light Kits



- Kits include:**
- Mylo Soft light fixtures (MSB8)
 - Light stands
 - Light bag
 - Stand bag

MSB8-2PT-KIT (MSB8 2 Point Kit).....	\$1299.00
MSB8-3PT-KIT (MSB8 3 Point Kit).....	\$1699.00
MSB8-5PT-KIT (MSB8 5 Point Kit).....	\$2699.00


Mylo Half x 1 Field LED Light Kits



- Kits include:**
- Mylo half x 1 light fixtures (MB8)
 - Light stands
 - Light bag
 - Stand bag

MB8-2PT-KIT (MB8 2 Point Kit).....	\$1199.99
MB8-3PT-KIT (MB8 3 Point Kit).....	\$1599.00
MB8-5PT-KIT (MB8 5 Point Kit).....	\$2499.00


Mylo Mini Bi-Color Field LED Light Kits



- Kits include:**
- Mylo Mini light fixtures (MB4)
 - Light stands
 - Light bag
 - Stand bag

MB4-2PT-KIT (MB4 2 Point Kit).....	\$699.99
MB4-3PT-KIT (MB4 3 Point Kit).....	\$999.99
MB4-4PT-KIT (MB4 4 Point Kit).....	\$1249.00

Mylo Bi-Color LED Mixed Light Kits



- Kits include:**
- Mylo light fixtures (MB8 & MB4)
 - Light stands
 - Light bag
 - Stand bag

MB-1H2Q (1 x MB8 & 2 x MB4).....	\$1299.99
MB-2H1Q (2 x MB8 & 1 x MB4).....	\$1499.00

Rayden Half x 1 Bi-Color LED Light



- 97 CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- Equivalent to 400W of incandescent light

Rayden 1 x 1 Bi-Color LED Light



- 97 CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- Equivalent to 900W of incandescent light

Rayden Half x 1 Daylight LED Light




- 97 CRI LEDs
- Daylight 5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- Equivalent to 400W of incandescent light

RB5 (Gold mount & V-mount battery plates).....\$499.00
RBX5 (DMX512).....\$499.99

RB10 (Gold mount & V-mount battery plates).....\$899.00
RBX10 (DMX512).....\$899.99

RW5 (Gold mount & V-mount battery plates).....\$449.00
RWX5 (DMX512).....\$449.99

Rayden Half x 1 Bi-Color LED Light Kits



Kits include:

- Rayden light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures With Pro Battery Plates

RB5-2PT-KIT (RB5 2 Point Kit).....\$1249.00
RB5-3PT-KIT (RB5 3 Point Kit).....\$1699.00
RB5-5PT-KIT (RB5 5 Point Kit).....\$2999.00

Rayden 1 x 1 Bi-Color LED Light Kits




Kits include:

- Rayden light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures With Pro Battery Plates

RB10-2PT-KIT (RB10 2 Point Kit).....\$1799.00
RB10-3PT-KIT (RB10 3 Point Kit).....\$2499.00
RB10-5PT-KIT (RB10 5 Point Kit).....\$4499.00

Rayden Daylight LED Light Kits




Kits include:

- Rayden light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures With Pro Battery Plates

RW5-2PT-KIT (RW5 2 Point Kit).....\$1199.00
RW5-3PT-KIT (RW5 3 Point Kit).....\$1599.00
RW5-5PT-KIT (RW5 5 Point Kit).....\$2899.00

Rayden Bi-Color LED Mixed Light Kits



Kits include:

- Rayden light fixtures (RB10 & RB5)
- Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures With Pro Battery Plates

RB-3F2H (3 x RB10 & 2 x RB5).....\$3899.00
RB-2F3H (2 x RB10 & 3 x RB5).....\$3599.00
RB-2F1H (2 x RB10 & 1 x RB5).....\$2349.00
RB-1F2H (1 x RB10 & 2 x RB5).....\$1999.00

Presto Soft Box for 1 x 1 Panel



- Lightweight foldable soft box
- No speed ring required
- ¼ stop front diffusion
- Reflective interior
- Easy mounting straps
- Egg crate included
- Storage pouch included
- 12 x 12" fixture opening
- Compatible Lyra, and Rayden 1 x 1 LED lights

PSB10.....\$59.99


Presto Soft Box for Half x 1 Panel



- Lightweight foldable soft box
- No speed ring required
- ¼ stop front diffusion
- Reflective interior
- Easy mounting straps
- Egg crate included
- Storage pouch included
- 12 x 7.5" fixture opening
- Compatible Lyra, Rayden & Mylo half x 1 LED lights

PSB5.....\$49.99

Onyx Digital Color RGBWA LED 1 x 2 Soft Light (Version 2)



- 20% Brighter
- Full RGB color control
- Variable CCT: 2800K to 10,000K
- Amber and white LEDs for better daylight & tungsten color
- Saturation control
- CRI: 95 TLCI: 95
- Built in 1/2 stop diffusion
- Hue shift: +green / -magenta 0-100%
- Filter gels: 33 gels
- Special effects: 8 built-in modes
- Lightweight aluminum construction

OYC15-V2 (1 x 2 RGBWA)\$799.99

Onyx Half x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- Powered by two L series batteries (both required)
- Includes 2 x batteries, dual battery charger, & barn doors

OYB5 (Half x 1 Bi-Color)\$399.99

Onyx 1 x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- V-mount battery plate allows for battery options

OYB10 (1 x 1 Bi-Color)\$499.99

Onyx 1 x 2 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- 2 x V-mount battery plate allows for battery options

OYB15 (1 x 2 Bi-Color)\$699.99

Onyx Half x 1 LED Light Kits




Kits include:

- Onyx half x 1 light fixtures (OYB5)
- Batteries & dual-charger
- Barn doors
- Light stands
- Light bag
- Stand bag

OYB5-2PT-KIT (OYB5 2 Point Kit)\$899.99

OYB5-3PT-KIT (OYB5 3 Point Kit)\$1249.00

Onyx 1 x 1 LED Light Kits




Kits include:

- Onyx 1 x 1 light fixtures (OYB10)
- Barn doors
- Light stands
- Light bag & stand bag
- Power adapters
- Remote controls
- Yokes

OYB10-2PT-KIT (OYB10 2 Point Kit)\$999.00

OYB10-3PT-KIT (OYB10 3 Point Kit)\$1499.00

Onyx 2 x 1 LED Light Kits



Kits include:

- Onyx 2 x 1 light fixtures (OYB15)
- Barn doors
- Light stands
- Light bag & stand bag
- Power adapters
- Remote controls
- Yokes

OYB15-2PT-KIT (OYB15 2 Point Kit)\$1699.00

OYB15-3PT-KIT (OYB15 3 Point Kit)\$2499.00


Onyx Bi-Color Aluminum On-Camera LED Light



- Durable lightweight aluminum frame
- Panel size: 5.6 x 3.7"
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- Equivalent to 100W incandescent light
- Includes battery and charger

OYB120\$79.99

Onyx Bi-Color Aluminum On-Camera LED Light



- Durable lightweight aluminum frame
- Panel size: 11.1 x 3.7"
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- Equivalent to 250W incandescent light
- Includes 2 x batteries and dual battery charger

OYB240\$139.99

Onyx Bi-Color LED Light Kits



Kits include:


- Onyx OYB240 Light fixtures
- Light stands
- Light bag
- Batteries and dual chargers
- Power adapters
- Car chargers
- Shoe mounts

OYB240-2PT-KIT (OYB240 2 Point Kit)\$449.99

OYB240-3PT-KIT (OYB240 3 Point Kit)\$599.99

ORYON


Oryon 14" Ring Light



- 14" Diameter ring light
- Bi-color 3200K-5600K adjustable
- CRI 96 TLCI 97
- includes carrying case, remote control, and phone mount

RLB40-M\$99.99

Oryon 18" Ring Light




- 18" Diameter ring light
- Bi-color 3200K-5600K adjustable
- CRI 96 TLCI 97
- **Full Kit** includes batteries, charger, stand, carrying bag, remote, & more
- **Phone Kit** includes carrying case, remote control, and phone mount

RLB48-M2-KIT (Full Kit)\$299.99

RLB48-M2 (Phone Mount Kit)\$119.99

CANVAS

Canvas Bi-Color 2800K-6500K Bendable LED Panel



- Lightweight bendable fabric LEDs
- 95 CRI 96 TLCI
- Bi-color adjustable from 2800K-6500K
- Beam angle of 120° without soft box
- X-Holder mount with 5/8" receiver
- Baby pin mount with 90° receiver hole
- Controller with 6' extension cable for adjusting color, brightness
- Can be powered by V-mount batteries or DV batteries
- Includes soft box and egg crate
- Equivalent to 300W incandescent soft light
- Maximum power draw 24W at 120V

CB8 (Bi-Color)\$349.99

CB8-2PT-KIT (CB8 2 Point Kit)\$899.99

CB8-3PT-KIT (CB8 3 Point Kit)\$1099.99

Canvas Full Color Bendable LED Panel w/ Tuneable RGBWA Color Control



- Lightweight bendable fabric LEDs
- 95 CRI 96 TLCI
- Full RGB color control
- Bi-Color adjustable from 27500K-6500K
- Beam angle of 120° without soft box
- Green/Magenta control
- Pre-loaded special FX: Candle, Police Car, Lightning, Watching TV
- X-Holder mount with 5/8" receiver
- Baby pin mount with 90° receiver hole
- Controller with 6' extension cable for adjusting color, brightness
- Can be powered by V-mount batteries
- Includes soft box and egg crate
- Equivalent to 300W incandescent soft light


CC8 (RGBWA)\$449.99

CC8-2PT-KIT (CC8 2 Point Kit)\$1099.00

CC8-3PT-KIT (CC8 3 Point Kit)\$1499.00

STRYDER


Stryder 100W IP54 Water Resistant Daylight Field LED Fresnel Light



- 5" Fresnel lens
- Daylight 5600K
- Fanless passive cooling design
- Silent operation
- 95 CRI 98 TLCI
- Beam angle of 28-53°
- IP54 rain and dust-proof
- Rugged aluminum construction
- V-Mount battery adapter included
- Includes barn doors and gel frame

SW-IP100 (Daylight Fresnel)\$999.99

Stryder Fanless Bi-Color 150W LED Fresnel Light w/ DMX



- 4" Fresnel lens
- Bi-Color light adjustable from 2800K-6500K
- Fanless cooling system
- Silent operation
- Accurate colors, high CRI and TLCI
- Beam angle of 15-65°
- V-mount & Gold mount Pro battery light options
- DMX512 in and out
- Includes barn doors
- 2-point & 3-point kits include SKB hard case

SFB150 (Bi-Color Fresnel; V-mount)\$599.99

SFB150-2PT-KIT (SFB150 2 Point Kit; V-mount)\$1899.99

SFB150-3PT-KIT (SFB150 3 Point Kit; V-mount)\$2499.99


SFB150-G (Bi-Color Fresnel; Gold mount)\$599.99

SFB150-G-2PT-KIT (SFB150 2 Point Kit; Gold mount)\$1899.99

SFB150-G-3PT-KIT (SFB150 3 Point Kit; Gold mount)\$2499.99

HELIA LED

Helia 4" Fresnel LED Studio Light w/ DMX



- 97 CRI LEDs
- 4" Fresnel lens
- Bi-Color Light adjustable from 3200K-5600K
- High CRI and TLCI
- 500W equivalency
- Beam angle of 20-70°
- DMX512 in and out
- Includes barn doors
- 2-point & 3-point kits include SKB hard case

HF70W (Daylight Fresnel)\$499.99


HF150 (Bi-Color Fresnel)\$599.99

HF150-2PT-KIT (HF150 2 Point Kit)\$1899.00

HF150-3PT-KIT (HF150 3 Point Kit)\$2499.00

WHITE STARS

White Star 6" Fresnel LED Studio Light w/ DMX



- 97 CRI LEDs
- 6" Fresnel Lens
- Quiet Active Cooling System
- DMX512 In and Out, Channel Selectors With Digital Readout
- Solid Aluminum Construction
- Includes Barn Doors
- Local Dimming Knob

WS-F150 (Daylight)\$TBA

WS-F300B (Bi-Color)\$TBA

LIGHTING CHARTS



* Tungsten Wattage Measurement

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
LB5/ LBX5	Panel	3200K- 5600K	110°	97	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	350W	Gold & V-Mount/ None
LBX8	Panel	3200K- 5600K	110°	97	20 x 4"	24.5 x 7 x 1.9"	4.9 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	500W	None
LWX8	Panel	5600K	110°	97	20 x 4"	24.5 x 7 x 1.9"	4.9 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	500W	None
LB10/ LBX10	Panel	3200K- 5600K	110°	97	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	850W	Gold & V-Mount/ None
LW5/ LWX5	Panel	5600K	110°	97	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	350W	Gold & V-Mount/ None
LW10/ LWX10	Panel	5600K	110°	97	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	850W	Gold & V-Mount/ None
LCX15	Panel	2800K-10,000K	110°	97	18.7 x 10"	24 x 26 x 5"	19 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	700W	V-Mount
LCX21	Panel	2800K-10,000K	120°	97	21.5 x 12"	25 x 17 x 7"	32 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1.2KW	V-Mount
LBX20	Panel	3200K- 5600K	110°	97	21.5 x 12"	29 x 20 x 5"	18 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1000W	None
LWX20	Panel	5600K	110°	97	21.5 x 12"	29 x 20 x 5"	18 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1000W	None
LBX30	Panel	3200K- 5600K	110°	97	38.5 x 10"	45 x 18 x 5"	20 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	2000W	None
LBX40	Panel	3200K- 5600K	110°	97	43 x 12"	49 x 20 x 5"	30 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	2000W	None

RAYDEN LED LIGHTS

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
RB5/ RBX5	Panel	3200K- 5600K	50°	97	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	400W	Gold & V-Mount/ None
RB10/ RBX10	Panel	3200K- 5600K	50°	97	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	800W	Gold & V-Mount/ None
RW5/ RWX5	Panel	5600K	50°	97	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	500W	Gold & V-Mount/ None

ONYX

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
OYC15-V2	Panel	2800K-10,000K	120°	95	21.5 x 10.2"	27 x 18 x 7"	11 lbs	5/8" Receiver	No	700W	None
OYB5	Panel	3200K- 5600K	60°	96+	10 x 6.5"	15 x 11 x 2"	4 lbs	5/8" Baby Pin Receiver	Yes	500W	Pro Battery V-Mount
OYB10	Panel	3200K- 5600K	60°	96+	10 x 10"	16 x 16 x 2"	5 lbs	5/8" Baby Pin Receiver	Yes	650W	Pro Battery V-Mount
OYB15	Panel	3200K- 5600K	60°	96+	16.5 x 10"	22 x 16 x 2"	8 lbs	5/8" Baby Pin Receiver	Yes	800W	Pro Battery V-Mount
OYB120	On-Camera	3200K- 5600K	110°	92	5.2 x 3.5"	6 x 4 x 1"	0.5 lb	Shoe Mount	No	100W	DV Battery L Series
OYB240	On-Camera	3200K- 5600K	110°	93	9.2 x 3.5"	11 x 4 x 1"	1 lb	Shoe Mount	No	250W	DV Battery L Series

LIGHTING CHARTS



* Tungsten Wattage Measurement

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
MSB8	Panel	3200K- 5600K	110°	97	12 x 6"	19 x 13 x 3"	8 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No	300W	DV Battery L Series
MB8	Panel	3200K- 5600K	50°	97	12 x 6"	14 x 7 x 2"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No	650W	Pro Battery Gold & V-Mount
MB4-TK	Panel	3200K- 5600K	50°	97	6.5 x 3.8"	8 x 5 x 2"	1 lb	Shoe Mount	No	300W	DV Battery L Series

OIRYON

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
RLB40	Ring	3200K- 5600K	110°	95+	14 x 2"	2 lbs	5/8" Receiver	No	100W	DV Battery L Series
RLB48-M2	Ring	3200K- 5600K	110°	95+	18 x 2"	3 lbs	5/8" Receiver	No	100W	DV Battery L Series

CANVAS

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
CB8	Flexible Panel	3200K- 5600K	120°	96	20 x 0.5 x 10"	1 lbs	5/8" Receiver	No	300W	DV Battery / Pro Batt V-Mount
CC8	Flexible Panel	2750K- 6500K	120°	95	20 x 0.5 x 10"	1 lbs	5/8" Receiver	No	300W	Pro Batt V-Mount

STRYDER

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
SW-IP100	Fresnel	5600K	28-53°	95	10 x 7 x 4"	6 lbs	5/8" Baby Pin Receiver	No	28°: 300W 53°: 800W	Pro Battery V-Mount
SFB150	Fresnel	2800K- 6500K	30-65°	97	16 x 10 x 7"	10.5 lbs	5/8" Baby Pin Receiver	Yes	30°: 300W 65°: 650W	Pro Battery V-Mount
SFB150-G	Fresnel	2800K- 6500K	30-65°	97	16 x 10 x 7"	10.5 lbs	5/8" Baby Pin Receiver	Yes	30°: 300W 65°: 650W	Pro Battery Gold Mount

HELIA LED

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
HF150	Fresnel	3200K- 5600K	30-60°	97	13 x 10 x 10.2"	8.5 lbs	5/8" Baby Pin Receiver	Yes	650W	None
HF70W	Fresnel	5600K	30-60°	97	TBA	TBA	5/8" Baby Pin Receiver	Yes	550W	None

WHITE STAR

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
WS-F150	Fresnel	5600K	25-60°	97	TBA	TBA	5/8" Baby Pin Receiver	Yes	1000W	None
WS-F300B	Fresnel	2800K- 6500K	25-60°	97	TBA	TBA	5/8" Baby Pin Receiver	Yes	1000W	None



TURNKEY SOLUTIONS

These teleprompter pedestal & tripod bundles feature equipment that will help you broadcast in both indoor and outdoor applications. If you need studio equipment with SDI or HDMI capabilities, you can find a model that will serve your applications with our turnkey broadcast solutions.

19" TELEPROMPTER & PTZ PEDESTAL TURNKEY BROADCAST SOLUTIONS

19" TELEPROMPTER
WITH PTZ PEDESTAL



19" TELEPROMPTER
WITH PTZ PEDESTAL &
OTTICA PTZ CAMERA



19" TELEPROMPTER
WITH PTZ PEDESTAL
& TALENT MONITOR



19" TELEPROMPTER
WITH PTZ PEDESTAL,
TALENT MONITOR &
OTTICA PTZ CAMERA



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Teleprompter Software	Includes OTTICA PTZ Camera	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT4900-PTZ-PEDESTAL	\$5,399	19"	HDMI VGA AV Composite	Yes	-	-	Pedestal	20.8
PT4900-PTZ-TM-PEDESTAL	\$6,299	19"	HDMI VGA AV Composite	Yes	-	Yes	Pedestal	14.8
PT4900-PTZ-PEDESTAL-OTTICA	\$6,799	19"	HDMI VGA AV Composite	Yes	Yes	-	Pedestal	20.8
PT4900-PTZ-TM-PEDESTAL-OTTICA	\$7,699	19"	HDMI VGA AV Composite	Yes	Yes	Yes	Pedestal	14.8
PT4900S-PTZ-PEDESTAL	\$5,499	19"	SDI HDMI VGA	Yes	-	-	Pedestal	20.8
PT4900S-PTZ-TM-PEDESTAL	\$6,399	19"	SDI HDMI VGA	Yes	-	Yes	Pedestal	14.8
PT4900S-PTZ-PEDESTAL-OTTICA	\$6,899	19"	SDI HDMI VGA	Yes	Yes	-	Pedestal	20.8
PT4900S-PTZ-TM-PEDESTAL-OTTICA	\$7,799	19"	SDI HDMI VGA	Yes	Yes	Yes	Pedestal	14.8

19" TELEPROMPTER & PEDESTAL TURNKEY BROADCAST SOLUTIONS

19" TELEPROMPTER
WITH PEDESTAL



19" TELEPROMPTER
WITH PEDESTAL
& HARD CASES



19" TELEPROMPTER
WITH PEDESTAL
& WIDESCREEN
TALENT MONITOR



19" TELEPROMPTER
WITH PEDESTAL,
WIDESCREEN
TALENT MONITOR
& HARD CASES



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Teleprompter Software	Includes Teleprompter Hard Case	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT4900-PEDESTAL	\$11,699	19"	HDMI VGA AV Composite	Yes	-	-	PTZ Pedestal	38.8 lbs
PT4900-PEDESTAL-TK	\$11,899	19"	HDMI VGA AV Composite	Yes	Yes	-	PTZ Pedestal	38.8 lbs
PT4900S-PEDESTAL	\$11,799	19"	SDI HDMI VGA	Yes	-	-	PTZ Pedestal	38.8 lbs
PT4900S-PEDESTAL-TK	\$11,999	19"	SDI HDMI VGA	Yes	Yes	-	PTZ Pedestal	38.8 lbs
PT4900S-TMW-PEDESTAL	\$12,799	19"	SDI HDMI VGA	Yes	-	Yes	PTZ Pedestal	32 lbs
PT4900S-TMW-PEDESTAL-TK	\$12,999	19"	SDI HDMI VGA	Yes	Yes	Yes	PTZ Pedestal	32 lbs

17" TELEPROMPTER & PEDESTAL TURNKEY BROADCAST SOLUTIONS

17" TELEPROMPTER
WITH PEDESTAL



17" TELEPROMPTER
WITH PEDESTAL
& HARD CASES



SKU	MSRP	Monitor Size	Includes SDI Monitor	Includes Teleprompter Software	Includes Teleprompter Hard Case	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT4700-PEDESTAL	\$11,399	17"	HDMI VGA AV Composite	Yes	-	-	Pedestal	31.3 lbs
PT4700-PEDESTAL-TK	\$11,599	17"	HDMI VGA AV Composite	Yes	Yes	-	Pedestal	31.3 lbs
PT4700S-PEDESTAL	\$11,499	17"	SDI HDMI VGA	Yes	-	-	Pedestal	31.3 lbs
PT4700S-PEDESTAL-TK	\$11,699	17"	SDI HDMI VGA	Yes	Yes	-	Pedestal	31.3 lbs



15" TELEPROMPTER & PEDESTAL TURNKEY BROADCAST SOLUTIONS

15" TELEPROMPTER
WITH PEDESTAL



15" TELEPROMPTER
WITH PEDESTAL
& HARD CASES



15" TELEPROMPTER
WITH PEDESTAL
& TALENT MONITOR



15" TELEPROMPTER
WITH PEDESTAL,
TALENT MONITOR
& HARD CASES



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Teleprompter Software	Includes Teleprompter Hard Case	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT4500-PEDESTAL	\$6,299	15"	HDMI VGA AV Composite	Yes	-	-	Pedestal	19 lbs
PT4500-PEDESTAL-TK	\$6,499	15"	HDMI VGA AV Composite	Yes	Yes	-	Pedestal	19 lbs
PT4500-TM-PEDESTAL	\$6,999	15"	HDMI VGA AV Composite	Yes	-	Yes	Pedestal	14.3 lbs
PT4500-TM-PEDESTAL-TK	\$7,599	15"	HDMI VGA AV Composite	Yes	Yes	Yes	Pedestal	14.3 lbs
PT4500S-PEDESTAL	\$6,399	15"	SDI HDMI VGA	Yes	-	-	Pedestal	19 lbs
PT4500S-PEDESTAL-TK	\$6,599	15"	SDI HDMI VGA	Yes	Yes	-	Pedestal	19 lbs
PT4500S-TM-PEDESTAL	\$7,099	15"	SDI HDMI VGA	Yes	-	Yes	Pedestal	14.3 lbs
PT4500S-TM-PEDESTAL-TK	\$7,699	15"	SDI HDMI VGA	Yes	Yes	Yes	Pedestal	14.3 lbs

15" TELEPROMPTER & TRIPOD TURNKEY BROADCAST SOLUTIONS

15" TELEPROMPTER
WITH TRIPOD



15" TELEPROMPTER
WITH TRIPOD
& HARD CASES



15" TELEPROMPTER
WITH TRIPOD
& TALENT MONITOR



15" TELEPROMPTER
WITH TRIPOD,
TALENT MONITOR
& HARD CASES



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Teleprompter Software	Includes Teleprompter Hard Case	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT4500-TRIPOD	\$3,599	15"	HDMI VGA AV Composite	Yes	-	-	Pedestal	19 lbs
PT4500-TRIPOD-TK	\$3,699	15"	HDMI VGA AV Composite	Yes	Yes	-	Pedestal	19 lbs
PT4500-TM-TRIPOD	\$4,299	15"	HDMI VGA AV Composite	Yes	-	Yes	Pedestal	14.3 lbs
PT4500-TM-TRIPOD-TK	\$4,899	15"	HDMI VGA AV Composite	Yes	Yes	Yes	Pedestal	14.3 lbs
PT4500S-TRIPOD	\$3,699	15"	SDI HDMI VGA	Yes	-	-	Pedestal	19 lbs
PT4500S-TRIPOD-TK	\$3,799	15"	SDI HDMI VGA	Yes	Yes	-	Pedestal	19 lbs
PT4500S-TM-TRIPOD	\$4,399	15"	SDI HDMI VGA	Yes	-	Yes	Pedestal	14.3 lbs
PT4500S-TM-TRIPOD-TK	\$4,999	15"	SDI HDMI VGA	Yes	Yes	Yes	Pedestal	14.3 lbs

12" TELEPROMPTER & PEDESTAL TURNKEY BROADCAST SOLUTIONS

12" TELEPROMPTER
WITH PEDESTAL



12" TELEPROMPTER
WITH PEDESTAL
& HARD CASES



SKU	MSRP	Monitor Size	Includes SDI Monitor	Includes Teleprompter Software	Includes Teleprompter Hard Case	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT4200-PEDESTAL	\$1,999	12"	HDMI VGA AV Composite	Yes	-	-	Pedestal	9.7 lbs
PT4200-PEDESTAL-TK	\$2,199	12"	HDMI VGA AV Composite	Yes	Yes	-	Pedestal	9.7 lbs





TELEPROMPTERS

Ikan delivers innovative teleprompter designs based on years of experience. Emphasizing portability, ease of use, and lightweight designs, our teleprompters stand above the competition. We have small and portable models such as our Elite line of tablet teleprompters as well as larger 15", 17", and 19" monitors.

TRADITIONAL TELEPROMPTERS

PT4900 Professional 19" High-Bright PTZ-Compatible Teleprompter w/ Talent Monitor, & OTTICA PTZ Camera



- Includes Teleprompter With 19" 4:3 Scripting Monitor, 19" 16:9 Talent Monitor w/ Tally Light & PTZ Camera
- Hood Completely Encloses PTZ Camera Allowing Full Range of Motion
- Compatible With Most PTZ Cameras
- 1000-Nit High-Bright Monitors
- Monitors & Teleprompter Base Made of Heavy-Duty Aluminum
- Screen Readable From up to 25'
- Easy Balancing With Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- High-Quality American-made 70/30 Beam Splitter Glass
- PrompterPro Software for MAC & PC is FREE With This Teleprompter

PT4900 Professional 19" High-Bright PTZ-Compatible Teleprompter w/ OTTICA PTZ Camera




- Includes Teleprompter With 19" 4:3 Scripting Monitor & PTZ Camera
- Hood Completely Encloses PTZ Camera Allowing Full Range of Motion
- Compatible With Most PTZ Cameras
- 1000-Nit High-Bright Monitor
- Monitor & Teleprompter Base Made of Heavy-Duty Aluminum
- Screen Readable From up to 25'
- Easy Balancing With Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- High-Quality American-made 70/30 Beam Splitter Glass
- PrompterPro Software for MAC & PC is FREE With This Teleprompter

PT4900-PTZ-TM-OTTICA (Composite, HDMI, VGA)\$4799.00

PT4900-PTZ-OTTICA (Composite, HDMI, VGA)\$3799.00

PT4900 Professional 19" High-Bright PTZ-Compatible Teleprompter w/ Talent Monitor



- Includes Teleprompter With 19" 4:3 Scripting Monitor & 19" 16:9 Talent Monitor w/ Tally Light
- Hood Completely Encloses PTZ Camera Allowing Full Range of Motion
- Compatible With Most PTZ Cameras
- 1000-Nit High-Bright Monitors
- Monitors & Teleprompter Base Made of Heavy-Duty Aluminum
- Screen Readable From up to 25'
- Easy Balancing With Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- High-Quality American-made 70/30 Beam Splitter Glass
- PrompterPro Software for MAC & PC is FREE With This Teleprompter

PT4900 Professional 19" High-Bright PTZ-Compatible Teleprompter



- Includes Teleprompter With 19" 4:3 Scripting Monitor
- Hood Completely Encloses PTZ Camera Allowing Full Range of Motion
- Compatible With Most PTZ Cameras
- 1000-Nit High-Bright Monitor
- Monitor & Teleprompter Base Made of Heavy-Duty Aluminum
- Screen Readable From up to 25'
- Easy Balancing With Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- High-Quality American-made 70/30 Beam Splitter Glass
- PrompterPro Software for MAC & PC is FREE With This Teleprompter

PT4900-PTZ-TM (Composite, HDMI, VGA)\$3499.00


PT4900-PTZ (Composite, HDMI, VGA)\$2499.00

PT4900 19" High Bright Teleprompter w/ 19" Widescreen Talent Monitor Kit (3G-SDI)



- Includes Teleprompter With 19" 4:3 Scripting Monitor & 19" 16:9 Talent Monitor w/ Tally Light
- 1000-Nit High-Bright Monitors
- Monitors & Teleprompter Base Made of Heavy-Duty Aluminum
- High-Quality American-Made 70/30 Beam Splitter Glass
- Screen Readable from up to 25'
- Easy to Install 19" Widescreen Talent Monitor
- Multiple Camera Mounting Options
- Easy Balancing With Adjustable Base
- Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- PrompterPro Software for MAC & PC is FREE With This Teleprompter
- SDI, HDMI, and VGA

PT4900 Professional 19" High Bright Beamsplitter Teleprompter



- Includes Teleprompter With 19" 4:3 Scripting Monitor
- 1000-Nit High-Bright Monitor
- Monitors & Teleprompter Base Made of Heavy-Duty Aluminum
- High-quality 70/30 beamsplitter glass (Made in the USA)
- Screen readable from up to 25'
- Multiple Camera Mounting Options
- Easy Balancing With Adjustable Base
- Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- PrompterPro Software for MAC & PC is FREE With This Teleprompter

PT4900S-TMW (SDI, HDMI, VGA)\$3399.00

PT4900 (Composite, HDMI, VGA)\$2299.00

PT4900-TK (Travel Kit)\$2499.00

PT4900-SDI (SDI, HDMI, VGA)\$2399.00

PT4900-SDI-TK (Travel Kit)\$2599.00

High Bright Teleprompter LED Widescreen

Monitor 3G-SDI w/ Tally



- Widescreen Teleprompter Monitor
- 1080p Resolution
- 1000-Nit High-Bright
- Built-In Tally Light
- Features Dedicated Horizontal & Vertical Image Flip Button
- Sturdy Aluminum Chassis
- 3G-SDI, VGA, and HDMI inputs

M19W (19").....	\$999.99
M19W-TALENT (19" w/ Talent Monitor Mount).....	\$1099.00
M15W (15").....	\$TBA
M15W-TALENT (15" w/ Talent Monitor Mount).....	\$TBA

M19W-NDI 19" POE++ Talent Monitor w/ Full NDI Encoding/

Decoding & NDI Tally Light



- 19-inch Widescreen Teleprompter Monitor
- NDI®/HBB (High Bandwidth) Encoding/Decoding
- Power via POE++
- Single Ethernet Cable Powers Monitor (POE++), Decodes NDI Video, & Sends NDI Tally
- Monitor Features Built-in NDI-Compatible Tally Light
- 9 NDI Preset Buttons
- 1080p Resolution
- Features Dedicated Horizontal & Vertical Image Flip Button
- 1000-Nit High-Bright Monitor
- Sturdy Aluminum Chassis
- RJ45, 3G-SDI, HDMI, and VGA inputs
- NDI® License INCLUDED With Purchase

M19W-NDI (19" NDI, 3G-SDI, HDMI, VGA).....	\$TBA
---	-------

PT4900W-PTZ Professional 19" High-Bright PTZ Compatible

Widescreen Teleprompter With 3G-SDI



- Includes Teleprompter With 19" 16:9 Monitor
- 19-Inch SDI Teleprompter Designed for PTZ Cameras
- Wide Glass Frame Allows for Wider Field-of-View
- Hood Completely Encloses PTZ Camera Allowing Full Range of Motion
- Compatible With Most PTZ Cameras
- Includes 1000-Nit High-Bright Monitor(s) With Built-In Tally Light
- Monitor(s) & Teleprompter Base Made of Heavy-Duty Aluminum
- SDI, HDMI, and VGA (RJ45 for NDI Version)
- Screen Readable From up to 25'
- Easy Balancing With Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- High-Quality American-Made 70/30 Beam Splitter Glass

PT4900W-PTZ (Standalone Teleprompter).....	\$TBA
PT4900W-PTZ-TMW (Widescreen Talent Monitor Kit).....	\$TBA
PT4900W-PTZ-TMW-NDI (Widescreen Full NDI Talent Monitor Kit).....	\$TBA

PT4900W Professional 19" High-Bright Widescreen

Beam Splitter Teleprompter w/ 3G-SDI



- Includes Teleprompter With 19" 16:9 Monitor
- Wide Glass Frame Allows for Wider Field-Of-View
- 1000-Nit High-Bright Monitor(s) With Built-In Tally Light
- Monitor(s) & Teleprompter Base Made Of Heavy-Duty Aluminum
- High-Quality American-Made 70/30 Beam Splitter Glass
- Screen Readable From up to 25'
- Easy Balancing With Adjustable Base
- Features Dedicated Horizontal & Vertical Image Flip Button
- SDI, HDMI, and VGA (RJ45 for NDI Variation)

PT4900W (Standalone Teleprompter).....	\$TBA
PT4900W-TMW (Widescreen Talent Monitor Kit).....	\$TBA
PT4900W-TMW-NDI (Widescreen Full NDI Talent Monitor Kit).....	\$TBA

PT5900W-PTZ Professional Trapezoidal 19" High-Bright

PTZ-Compatible Teleprompter w/ 3G SDI



- 19" PTZ-Compatible Teleprompter With 16:9 Monitor
- Trapezoidal Glass Frame Allows for Wider Field-of-View
- Hood Completely Encloses PTZ Camera Allowing Full Range of Motion
- Compatible With Most PTZ Cameras
- Includes 1000-Nit High-Bright Monitor(s) With Built-in Tally Light
- Monitor(s) & Teleprompter Base Made of Heavy-Duty Aluminum
- Multiple People Can Read Script Simultaneously
- SDI, HDMI, and VGA (RJ45 for NDI Version)
- Screen Readable From up to 25'
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- High-Quality American-Made 70/30 Beam Splitter Glass

PT5900W-PTZ (Standalone Trapezoidal Teleprompter).....	\$TBA
PT5900W-PTZ-TMW (Widescreen Talent Monitor Kit).....	\$TBA
PT5900W-PTZ-TMW-NDI (Widescreen Full NDI Talent Monitor Kit).....	\$TBA

PT5900W Professional Trapezoidal 19" High-Bright


Beam Splitter Teleprompter w/ 3G-SDI



- 19" SDI Teleprompter With 16:9 Monitor
- Trapezoidal Glass Frame Allows for Wider Field-of-View
- Includes 1000-Nit High-Bright Monitor(s) With Built-in Tally Light
- Monitor(s) & Teleprompter Base Made of Heavy-Duty Aluminum
- SDI, HDMI, and VGA (RJ45 for NDI Version)
- Screen Readable From up to 25'
- Easy Balancing With Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- High-Quality American-Made 70/30 Beam Splitter Glass

PT5900W (Standalone Trapezoidal Teleprompter).....	\$TBA
PT5900W-TMW (Widescreen Talent Monitor Kit).....	\$TBA
PT5900W-TMW-NDI (Widescreen Full NDI Talent Monitor Kit).....	\$TBA

PT4700 Professional 17" High Bright Beamsplitter Teleprompter




- 1000-Nit High Bright Monitor
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Screen Readable From up to 20'
- Multiple Camera Mounting Option
- Easy Balancing With Adjustable Base
- Lightweight And Compact Design
- Ships In Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- Includes MAC and PC Software
- Travel Kit Packed in SKB Rolling Hard Cases



PT4700 (Composite, HDMI, VGA).....	\$1999.00
PT4700-TK (Travel Kit).....	\$2249.00
PT4700-SDI (SDI, HDMI, VGA).....	\$2099.00
PT4700-SDI-TK (Travel Kit).....	\$2349.00

PT4500 Professional 15" High Bright Beamsplitter Teleprompter



- 1000-Nit High Bright Monitor
- High-Quality 70/30 Beamsplitter Glass (Made In The USA)
- Screen Readable From Up To 17'
- Multiple Camera Mounting Option
- Easy Balancing With Adjustable Base
- Lightweight And Compact Design
- Ships In Reusable Foam For Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- Includes MAC and PC Software
- Travel Kit Packed in SKB Rolling Hard Cases



PT4500 (Composite, HDMI, VGA).....	\$1799.00
PT4500-TK (Travel Kit).....	\$2049.00
PT4500-SDI (SDI, HDMI, VGA).....	\$1899.00
PT4500-SDI-TK (Travel Kit).....	\$2149.00

PT4900-P2P Interview System With 2 x 19" Systems



- Includes Two Teleprompters
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Screen Readable From up to 25'
- Works With Many Different Sized Cameras
- Easy Balancing With Adjustable Base
- Perfect Size For Portability And Viewability
- Ships In Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- PrompterPro Software for MAC & PC is FREE With This Teleprompter
- Travel Kit Packed in SKB Rolling Hard Cases

PT4900-P2P (Composite, HDMI, VGA).....	\$4499.00
PT4900-P2P-TK (Travel Kit).....	\$4899.00
PT4900-SDI-P2P (SDI, HDMI, VGA).....	\$4699.00
PT4900-SDI-P2P-TK (Travel Kit).....	\$4999.00

PT4700-P2P Interview System With 2 x 17" Systems



- Includes Two Teleprompters
- Monitor That Supports Image Flip (Vertical and Horizontal)
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Screen Readable From up to 20'
- Works With Many Different Sized Cameras
- Easy Balancing With Adjustable Base
- Ships In Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- PrompterPro Software for MAC & PC is FREE With This Teleprompter
- Travel Kit Includes SKB Rolling Hard Cases

PT4700-P2P (Composite, HDMI, VGA).....	\$3999.00
PT4700-P2P-TK (Travel Kit).....	\$4499.00
PT4700-SDI-P2P (SDI, HDMI, VGA).....	\$4199.00
PT4700-SDI-P2P-TK (Travel Kit).....	\$4699.00


PT4500-P2P Interview System With 2 x 15" Systems



- Includes Two Teleprompters
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Screen Readable From up to 17'
- Works With Many Different Sized Cameras
- Easy Balancing With Adjustable Base
- Ships In Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- PrompterPro Software for MAC & PC is FREE With This Teleprompter
- Travel Kit Packed in SKB Rolling Hard Cases

PT4500-P2P (Composite, HDMI, VGA).....	\$3599.00
PT4500-P2P-TK (Travel Kit).....	\$4099.00
PT4500-SDI-P2P (SDI, HDMI, VGA).....	\$3799.00
PT4500-SDI-P2P-TK (Travel Kit).....	\$4299.00


PT4200-P2P Interview System With 2 x 12" Systems



- Includes Two Teleprompters
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Screen Readable From up to 13'
- Works With Many Different Sized Cameras
- Easy Balancing With Adjustable Base
- Ships In Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- PrompterPro Software for MAC & PC is FREE With This Teleprompter
- Travel Kit Packed in SKB Rolling Hard Cases

PT4200-P2P (Composite, HDMI, VGA).....	\$2199.00
PT4200-P2P-TK (Travel Kit).....	\$2599.00

PT4200 Professional 12" Portable Teleprompter




- Includes 12" Scripting Monitor
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Screen Readable From up to 13'
- Works With Many Different Sized Cameras
- Easy Balancing With Adjustable Base
- Perfect Size for Portability And View-Ability

- Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- PrompterPro Software For MAC & PC is FREE With This Teleprompter
- Travel Kit Packed in SKB Rolling Hard Cases

PT4200 (Composite, HDMI, VGA)	\$1099.00
PT4200-TK (Travel Kit)	\$1299.00

PT3700 17" & PT3500 15" Rod-Based Location / Studio Teleprompter



- Adjustable Glass Frame
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Based on 15mm Rod System
- Lightweight & Compact Design
- Ships in Reusable Foam for Easy Transport

- High-Quality Monitor With Metal Construction
- Features Dedicated Horizontal & Vertical Image Flip Button
- Includes MAC and PC Software
- Travel Kit Packed in SKB Rolling Hard Cases

PT3700 (17" Composite, HDMI, VGA)	\$1699.00
PT3700-TK (17" Travel Kit)	\$1899.00
PT3500 (15" Composite, HDMI, VGA)	\$1499.00
PT3500-TK (15" Travel Kit)	\$1699.00

PT3700-HB 17" & PT3500-HB 15" High Bright Rod-Based Location / Studio Teleprompter



- 1000-Nit High Bright 4:3 Scripting Monitor
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Custom Cut Foam to Protect Your Teleprompter


- Based On 15mm Rod System for Ease of Use
- Composite, HDMI, and VGA
- Travel Kit Packed in SKB Rolling Hard Cases

PT3700-HB (17" 1000nit High Bright Monitor)	\$1899.00
PT3700-HB-TK (17" Travel Kit)	\$2099.00
PT3500-HB (15" 1000nit High Bright Monitor)	\$1699.00
PT3500-HB-TK (15" Travel Kit)	\$1899.00

PT1200 12" Portable Teleprompter Kit



PT1200-LS 12" Portable Teleprompter for Light Stand




- Includes 12" 4:3 Scripting Monitor
- Adjustable Glass Frame
- 15mm Rod Based for Versatility and Ease of Use

- Ships in Reusable Foam for Easy Transport
- Includes MAC and PC Software
- Travel Kit Packed in SKB Rolling Hard Cases

PT1200 (Composite, HDMI, VGA)	\$999.99
PT1200-TK (Travel Kit)	\$1199.00
PT1200-LS (Teleprompter for Lightstand)	\$799.99

TABLET TELEPROMPTERS

PT-ELITE-LS Tablet Teleprompter for Light Stand



- Designed to be Mounted on Light Stands
- Supports iPad, Android, and Windows Tablets
- Foldable Glass Frame
- Quick Release Baseplate
- Solid Aluminum Construction


PT-ELITE-LS Tablet Teleprompter for Light Stand Travel Kit



- Designed to be Mounted on Light Stands
- Supports iPad, Android, and Windows Tablets
- Foldable Glass Frame
- Quick Release Baseplate
- Solid Aluminum Construction
- Travel Kit Packed in SKB Rolling Hard Cases

PT-ELITE-LS	\$399.99	PT-ELITE-LS-TK (Travel Kit)	\$599.99
PT-ELITE-LS-RC (Includes ELITE-REMOTE)	\$449.99		

PT-ELITE-PRO2 Universal Large Tablet Teleprompter (Version 2)




- Minimum Tablet Size: 6 x 9"
- Maximum Tablet Size: 9 x 13"
- Supports iPad, iPad Pro, Android tablets
- Fits Many Different Sized Cameras
- Easy Balancing With Adjustable Base
- High-Quality 70/30 Beam Splitter Glass (Made in the USA)
- 15mm Rod Based for Versatility and Ease of Use
- Solid CNC Machined Aluminum Construction
- Ships in Custom Foam for Hard Case
- Travel Kit Packed in SKB Rolling Hard Cases



PT-ELITE-PRO2\$749.99
PT-ELITE-PRO2-RC (Includes ELITE-REMOTE)\$799.99
PT-ELITE-PRO2-TK (Travel Kit)\$949.00

PT-ELITE-V2 Universal Tablet & iPad Teleprompter



- Minimum Tablet Size: 7.5 x 5"
- Maximum Tablet Size: 10.5 x 8"
- Supports iPad, Android, and Windows tablets
- Foldable Glass Frame
- Quick Release Baseplate
- High-Quality 70/30 Beam Splitter Glass (Made in the USA)
- 15mm Rod Based for Versatility & Ease of Use
- Solid CNC Machined Aluminum Construction
- Ships in Custom Foam for Hard Case
- Travel Kit Packed in SKB Rolling Hard Cases



PT-ELITE-V2\$649.00
PT-ELITE-V2-RC (Includes ELITE-REMOTE)\$699.00
PT-ELITE-V2-TK (Travel Kit)\$849.99

TELEPROMPTER ACCESSORIES


PT-CASE SKB Rolling Case for Teleprompters



- High Quality Rolling Hard Case
- Waterproof And Dust-Tight Design (MIL-C-4150J / IP67)
- Ambient Pressure Equalization Valve (MIL-STD-648C)
- Resistant to UV, Solvents, Corrosion, Fungus (MIL-STD-810F)
- Resistant to Impact Damage (MIL-STD-810F)
- PT-CASE-ELITE Fits Within Airline Carry-On Size Limits

PT-CASE (Designed for PT3700, PT3500)\$299.99
PT-CASE-V2 (Designed for PT4900, PT4700, PT4500)\$299.99
PT-CASE-ELITE\$249.99
 (Designed for PT-ELITE-V2, PT-ELITE-PRO2, PT4200, PT1200)

Threaded Teleprompter Monitor Power Cable w/ D-Tap Connector & V-Mount Clamp



- Power Ikan Teleprompter Monitor From D-Tap Source
- 28" Length
- Threaded 2.5mm DC Connector
- V-Mount Clamp Supports up to 3 lbs Batteries
- Attach V-Mount Battery to Tripod Legs or Arms With V-Mount Clamp

PT-PWR-DTAP (Cable Only)\$69.99
PT-PWR-DTAP-V (Includes V-Mount Clamp)\$119.99


PT-PEDAL Teleprompter Foot Control Pedal



- Control Script by Foot
- Plug-&-Play With Prompter Pro 4
- Windows & MacOS Compatible
- Three Control Pedals
- For Studio Use, Conferences, and Meetings
- Compatible With Prompter Pro 4 Teleprompter Software
- Includes Pedal Sound Dampeners

PT-PEDAL\$109.99

Riser Plate 50mm for PT4500, PT4700, PT4900



- Anodized Aluminum
- Allows Usage of Larger Cameras
- Works With PT4500, PT4700, and PT4900

PT-RISER-50\$99.99


PROMPTER PRO 4 Software for PC & Mac



- Compatible With Windows XP, Vista, 7, 8, or 10
- Compatible With Mac OSX
- Full Featured Text Editor
- Smooth Scrolling
- Supports International Languages
- Second Talent Window
- One Click Mirrored Text

PROMPTER PRO 4\$89.95

ELITE-REMOTE Bluetooth iPad Teleprompter Remote



- Compatible With Prompter Pro 4
- 9 Soundless, Rubberized Buttons for Complete Control of Your Script
- Control Range up to 20'
- Bluetooth 3.0, Laser Pointer, 4 Speed Control Buttons, 2 Cue Point Buttons, Pause/Play Button, Mirror Flip Button
- Virtual Keyboard Show/Hide
- Connects With all iPad Versions

ELITE-REMOTE\$89.95

CAMERA SUPPORT

Ikan offers support for your camera from the ground up. A variety of tripods and pedestals from E-Image are available for a wide range of sizes and payloads.



E-IMAGE PTZ TRIPODS



E-Image Tripod Kits	GA102-PTZ	GA102D-PTZ	GA752S-PTZ	GA752SD-PTZ	GA230-PTZ	GA230D-PTZ
Description	PTZ Teleprompter Tripod w/ Quick Release Plate	PTZ Teleprompter Tripod w/ Quick Release Plate & Dolly	PTZ Tripod w/ Quick Release Plate	PTZ Tripod w/ Quick Release Plate & Dolly	PTZ Tripod w/ Quick Release Plate	PTZ Tripod w/ Quick Release Plate & Dolly
Max Height	63" / 160cm	68.1" / 180cm	61.4" / 156cm	67.1" / 170cm	92" / 233cm	98.3" / 250cm
Min Height	18" / 45cm	23.7" / 60cm	25.2" / 64cm	25.2" / 64cm	33.25" / 84cm	38.9" / 99cm
Bowl Size	100mm	100mm	75mm	75mm	Flat	Flat
Max Payload	133 lbs. / 60kg	133 lbs. / 60kg	66 lbs. / 29kg	66 lbs. / 29kg	26.5 lbs. / 12kg	26.5 lbs. / 12kg
Mid-Level Spreader	Yes	No	Yes	Yes	Yes	Yes
Carrying Bag	Yes	No	Yes	Yes	Yes	Yes
Rubber Feet	Yes	No	Yes	Yes	Yes	Yes
Dolly	No	Yes	No	Yes	No	Yes
Price	\$649.99	\$859.99	\$329.99	\$429.99	\$349.99	\$469.99

E-IMAGE TRIPOD KITS



E-Image Tripod Kits	MOTUS32	MOTUS22	EG15C2	EG15A2	EG10C2L
Description	3-Section Carbon Fiber Tripod With MH32 Fluid Head	3-Section Carbon Fiber Tripod With MH22 Fluid Head	2-Stage Carbon Fiber Tripod With GH15 Head	2-Stage Aluminum Tripod With GH15 Head	2-Stage Carbon Fiber Tripods With GH10L Head
Max Height	59.6 in / 151cm	59.6 in / 151cm	68.5 in / 173.9cm	68.5 in / 173.9cm	66.75 in / 169.5cm
Min Height	21.9 in / 55.5cm	21.9 in / 55.5cm	32.5 in / 82.5cm	32.5 in / 82.5cm	31 in / 78.7cm
Bowl Size	100mm	100mm	100mm	100mm	100mm
Max Payload	70.5 lbs / 32kg	48.5 lbs / 22kg	39.6 lbs / 18kg	39.6 lbs / 18kg	22 lbs / 10kg
Counterbalance	Continuous Variable	Continuous Variable	0-9	0-9	1-7
Pan Drag	1-8	1-4	0-5	0-5	0-3
Tilt Drag	1-8	1-4	0-5	0-5	0-3
Price	\$4,999.00	\$4,299.00	\$2,199.00	\$1,999.00	\$1,799.00



E-Image Tripod Kits	EI-7080-AA	EI-7080-AAD	EI-7100-AA	EI-7100-AAD
Description	2-Stage Aluminum Tripod w/ EI-7080H Head	2-Stage Aluminum Tripod w/ EI-7080H Head & Dolly	2-Stage Aluminum Tripod w/ EI-7100H Head	2-Stage Aluminum Tripod w/ EI-7100H Head & Dolly
Max Height	65" / 165cm	72" / 183cm	65.5" / 166cm	72.5" / 184cm
Min Height	30.5" / 77.4cm	35" / 89cm	31" / 78.7cm	35.5" / 90cm
Bowl Size	100mm	100mm	100mm	100mm
Max Payload	26.4 lbs / 12kg	26.4 lbs / 12kg	33 lbs / 15kg	33 lbs / 15kg
Counterbalance	0-5	0-5	0-5	0-5
Pan Drag	Fixed	Fixed	Fixed	Fixed
Tilt Drag	Fixed	Fixed	Fixed	Fixed
Price	\$999.99	\$1,199.00	\$1,399.99	\$1,599.00

E-IMAGE TRIPOD KITS



E-Image Tripod Kits	EG10A2	EG06C2	EG06A2	EG08A2
Description	2-Stage Aluminum Tripod With GH10 Head	2-Stage Carbon Fiber Tripod With GH06 Head	2-Stage Aluminum Tripod With GH06 Head	Aluminum Tripod Kit With GH08 Fluid Head
Max Height	67.75 in / 172cm	73 in / 185.4cm	72.5 in / 184.1cm	67" / 170.1cm
Min Height	32.5 in / 82.5cm	32.5 in / 82.5cm	32.5 in / 82.5cm	30" / 76.2cm
Bowl Size	75mm	75mm	75mm	75mm
Max Payload	22 lbs / 10kg	13.2 lbs / 6kg	13.2 lbs / 6kg	17.6 lbs / 8kg
Counterbalance	1-7	0-5	0-5	1-7
Pan Drag	0-3	0-3	0-3	Fixed
Tilt Drag	0-3	0-3	0-3	Fixed
Price	\$999.00	\$1,099.00	\$799.99	\$769.99



E-Image Tripod Kits	EG05C2	EG05A2D	EG05A2	EG780A2	EG780A2D
Description	2-Stage Carbon Fiber Tripod w/ GH05 Head	2-Stage Aluminum Tripod w/ GH05 Head & Dolly	2-Stage Aluminum Tripod With GH05 Head	2-Stage Aluminum Tripod w/ 780 Head	2-Stage Aluminum Tripod w/ 780 Head & Dolly
Max Height	66.7" / 169.4cm	73.7" / 187cm	67" / 170.1cm	65.2" / 165.6cm	35" / 89cm
Min Height	29.9" / 76cm	34.4" / 87.3cm	32.25" / 81.9cm	30.5" / 77.4cm	72.2" / 183.3cm
Bowl Size	75mm	75mm	75mm	75mm	75mm
Max Payload	15.4 lbs / 7kg	15.4 lbs / 7kg	15.4 lbs / 7kg	22 lbs / 10kg	22 lbs / 10kg
Counterbalance	0-2	0-2	0-2	Fixed (13.2 lbs)	Fixed (13.2 lbs)
Pan Drag	Fixed	Fixed	Fixed	Variable	Variable
Tilt Drag	Fixed	Fixed	Fixed	Variable	Variable
Price	\$629.99	\$449.99	\$359.99	\$599.99	\$699.99



E-Image Tripod Kits	EG04AS	EG03TT	EG03A2	EG03FA3	EG01A2
Description	Lightweight Tripod Kit With Ball/Flat GH04 Head	Telescoping Video Tripod Quick Kit With GH03 Head	2-Stage Aluminum Tripod With GH03 Head	Rising Column Tripod Kit With GA230 & GH03F	2-Stage Aluminum Tripod With Fluid Pan/Tilt Head
Max Height	65.4" / 166.1cm	55.5" / 140.9cm	66.5" / 168.9cm	97.25" / 247cm	63.25" / 160.6cm
Min Height	30.75" / 78.1cm	12.5" / 31.7cm	29.5" / 74.9cm	37.75" / 95.8cm	31.5" / 80cm
Bowl Size	75mm	75mm	75mm	Flat	65mm
Max Payload	13.2 lbs / 5.98kg	13 lbs / 5.89kg	11 lbs / 5kg	11 lbs / 5kg	11 lbs / 5kg
Counterbalance	Fixed	Fixed	Fixed	Fixed	Fixed
Pan Drag	Fixed	Fixed	Fixed	Fixed	Fixed
Tilt Drag	Fixed	Variable	Variable	Variable	Variable
Price	\$299.99	\$299.99	\$299.99	\$399.99	\$199.99

E-IMAGE TRIPOD KITS



E-Image Tripod Kits	EG20A2D	EG25A2D	EK50AAM	EK60AAM
Description	2-Stage Aluminum Tripod with GH20 Head, Dolly	2-Stage Aluminum Tripod with GH25 Head, Dolly	2-Stage Aluminum Tripod Kit with EH50 Head	2-Stage Aluminum Tripod Kit with EH60 Head
Max Height	70.2" / 178.3cm	75.5" / 191.77cm	64" / 160cm	63" / 160cm
Min Height	25.7" / 65.2cm	37" / 94cm	31" / 79cm	32" / 79cm
Bowl Size	100mm	100mm	65mm	75mm
Max Payload	44 lbs / 20kg	61.7 lbs / 28kg	13.2 lbs / 6kg	17.6 lbs / 8 g
Counterbalance	0-8	1-15	Fixed	Fixed
Pan Drag	Fixed	0-7	Fixed	Fixed
Tilt Drag	Fixed	0-7	Variable	Fixed
Price	\$1,799.00	\$4,599.00	\$199.99	\$319.99



E-Image Tripod Kits	EK650	EK630	EK610
Description	2-Stage Aluminum Tripod Kit with EH650 Head	2-Stage Aluminum Tripod Kit with EH630 Head	2-Stage Aluminum Tripod Kit with EH610 Head
Max Height	66.3" / 168.5cm	65.7" / 167cm	63.3" / 161cm
Min Height	30.5" / 77.5cm	29.9" / 76cm	27.9" / 71cm
Bowl Size	75mm	75mm	65mm
Max Payload	11 lbs / 5kg	8.8 lbs / 3.9kg	6.6 lbs / 3kg
Counterbalance	Fixed	Fixed	Fixed
Pan Drag	Fixed	Fixed	Fixed
Tilt Drag	Variable	Variable	Fixed
Price	\$209.99	\$199.99	\$179.99



E-IMAGE XR VIRTUAL PRODUCTION TRIPOD



EG25XR

The EG25XR is high-performance head & lens tracking system that serves as a crucial component of XR systems. This virtual system consists of a video tripod, encoded head, XR data processing device, zoom/focus lens encoders, and DC power cable, and is specifically designed to collect precise data on the pan and tilt angles of the head, as well as the zoom and focus of the lens. Real-time virtual data is transmitted to the XR data processing device and can output tracking data via the FREE-D Protocol using either an RS422 or RJ45 interface.

- Fully Encoded Tripod Head For Xr Production
- Includes Tripod, Encoded Head, Focus And Zoom Lens Encoders, and Data Box
- Sends Tracking Data Via Free-D Protocol
- Supports up to 67.1 Lbs. Payload
- Height Range - 38.6" - 68.5"
- Comes With a Padded Carrying Bag for Easy Transportation and Storage
- Includes Adjustable Mid-Level Spreader and Rubber Feet
- Tracks Pan, Tilt, Zoom and Focus

EG25XR (Head, Tripod, Data Box)\$TBA
GH25XR (Head, Data Box)\$TBA



Specifications

Voltage	DC 9-24V
Max. Current Consumption	1A
Pan / Tilt Resolution	16-Bit Absolute (65,536 Count/Revolution)
Zoom / Focus Resolution	Up to 16-bit Absolute
Communication Bus	RS422 Baud rate: 38400bps Data: 8 bits Stop: 1 bit Parity: Odd
Communication Protocol	FREE-D1
Data Output Frequency	Depending on Genlock, Max Data Frequency 60Hz
LAN Connection	RJ45
Power	<10W
Temperature Range	32°F - 1.4°F
Dimensions	6.1 x 6 x 2 in. 156 x 152 x 50 mm
Net Weight	1.2 lbs. / 550g



Focus Encoder

Zoom Encoder




Pan/Tilt

Focus

Zoom

Power

12V DC



RS-422 TX

RS-422 RX

Sync Input

RJ45

Micro SD Card



Zoom/Focus Encoders



Gear Module 0.5 x2



Gear Module 0.6 x2



Pan/Tilt Data Cable



Power Adapter


E-IMAGE PEDESTAL KITS



E-Image Pedestal Kits	EP880XK	EP880SK	EI-GH20-KIT	EI-7903-A	EI-7100H-KIT	EI-PTZ-PEDESTAL	EI-GA780-KIT
Description	Pedestal w/ GH40 Fluid Head	Pedestal w/ GH25 Fluid Head	Pneumatic Pedestal w/ GH20 Fluid Head	Pneumatic Pedestal w/ 7103H Fluid Head	Pneumatic Pedestal w/ EI-7100H Fluid Head	Pneumatic PTZ Pedestal w/ 100mm Flat Base	Geared Pedestal w/ 780FH Fluid Head
Max Height	64.6"	72"	78"	80"	78"	73"	106.9"
Min Height	49.1"	43.5"	46.2"	47"	46.2"	41"	43.9"
On-Shot Stroke	15"	15"	12.6"	12.6"	12.6"	12.6"	16.9"
Bowl Size	150mm	100mm	100mm	100mm	100mm	100mm	Flat
Max Payload	88 lbs	61.7 lbs	38.5 lbs	33 lbs	33 lbs	44 lbs	22 lbs
Counterbalance	54	1-15	0-8	0-8	0-5	No	Fixed
Pan Drag	0-11	0-7	Fixed	0-3	Fixed	No	Variable
Tilt Drag	0-11	0-7	Fixed	0-3	Fixed	No	Variable
Price	\$14,999.00	\$9,949.00	\$4,499.00	\$4,399.00	\$3,499.00	\$2,999.00	\$999.99

E-IMAGE MONOPODS & SLIDERS

3 Stage Hands-Free Carbon Fiber Monopod (E-Image)




- 3 Stage Carbon Fiber Construction
- Flip Lock Design
- Swivel Base/Mini Tripod
- Foam Grip, Wrist Strap
- Flat-Based Tripod Head

Monopod w/ 610FH Head

- Maximum Height: 73.6"
- Minimum Height: 32.5"
- Payload: 6.6 lbs
- Weight: 4.9 lbs

MFC700+610FH\$329.99
MFC700 (Monopod Only).....\$259.99

3 Stage Carbon Fiber Monopod (E-Image)



- 3 Stage Carbon Fiber Construction
- Flip Lock Design
- Swivel Base/Mini Tripod
- Foam Grip, Wrist Strap

Monopod w/ 630FH Head

- Maximum Height: 82.7"
- Minimum Height: 31.5"
- Payload: 8.8 lbs
- Weight: 6.2 lbs

MC800+630FH\$249.99
MC800 (Monopod Only).....\$179.99

Carbon Fiber Monopod w/ Hand Crank (E-Image)



- 2 Stage Carbon Fiber Construction
- Hand crank allows for easy vertical adjustment
- Feet can be used as a mini tripod
- Includes ball joint for tilting in any direction
- Strong-hold flip lock system
- Full Fluid Base

Monopod w/ GH04F Head

- Maximum Height: 81.9"
- Minimum Height: 37.4"
- Payload: 11 lbs
- Weight: 7 lbs

Monopod w/ GH03F Head

- Maximum Height: 81.5"
- Minimum Height: 37"
- Payload: 11 lbs
- Weight: 6.8 lbs

ML-900C+GH04F\$449.99
ML-900C+GH03F\$399.99
ML-900C (Monopod Only).....\$299.99

Portable Camera Dolly w/ Tracks (E-Image)



- Payload: 110.2 lbs
- Adjustable length of 1.2' to 16.4'
- High-density foam gaskets keep smooth shooting on uneven ground
- High-quality wheels
- Lightweight and long rail for unlimited connection
- Multipurpose dolly
- Includes carrying bag

ED330\$699.99

48" Carbon Fiber Slider (E-Image)



- Hand, motor, or crank operation (motor optional)
- Sturdy lightweight 10 layer carbon fiber
- Extremely smooth sealed-bearing 12 wheel guides
- Integrated 5/8" stand receivers

ES120\$579.99

17" Double Slider / Dual Track (E-Image)



- Camera mounting plate compatible with cameras requiring either 1/4"-20 and 3/8"-16 mounting
- Can be used on any flat surface or mounted to a tripod
- Perfect for those need maximum use with minimal size and weight

ES35\$199.99

PTZ & NDI SOLUTIONS

Browse Ikan's OTTICA line of high-performance PTZ cameras giving you great options when working on independent broadcasts of gatherings, events, ceremonies, lectures, and more.



OTTICA NDI® HX 2 PTZ Video Camera 25x Optical Zoom POE 4K 60fps Black

- NDI®HX 2 Compatibility With POE (Power Over Ethernet)
- 1/2.8" CMOS Sensor
- 1080/60P Resolution/Frame Rate
- Fast, Stable, & Accurate Auto-focus
- Silent PTZ Motor Mechanism
- 5.5-110mm Varifocal Lens With 20x Zoom
- HDMI, SDI, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction
- NDI®HX License INCLUDED With Purchase

OTTICA\$1299.00

OTTICA NDI® HX PTZ Video Camera 20x Optical Zoom POE 1080/60p White

- NDI®HX2 Compatibility With POE (Power Over Ethernet)
- 1/2.8" CMOS Sensor
- 1080/60P Resolution/Frame Rate
- Fast, Stable, & Accurate Auto-focus
- Silent PTZ Motor Mechanism
- 5.5-110mm Varifocal Lens With 20x Zoom
- HDMI, SDI, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction
- NDI®HX License INCLUDED With Purchase

OTTICA-WH\$1199.00

OTTICA Bundle w/ 2 NDI®HX PTZ Cameras (Black), 1 IP Controller

- NDI®HX2 Compatibility With POE (Power Over Ethernet)
- 1/2.8" CMOS Sensor/1080/60P Resolution/Frame Rate
- 5.5-110mm Varifocal Lens With 20x Zoom
- HDMI, SDI, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- NDI®HX License INCLUDED With Purchase
- Controller Supports ONVIF, VISCA, Serial Port VISCA, PELCO-D/P Protocols
- Control up to 255 Cameras With RJ45, RS422, RS232 Interfaces

OTTICA Bundle w/ 3 NDI®HX PTZ Cameras (Black), 1 IP Controller**OTTICA Bundle w/ 2 NDI®HX PTZ Cameras (White), 1 IP Controller**

- NDI®HX2 Compatibility With POE (Power Over Ethernet)
- 1/2.8" CMOS Sensor/1080/60P Resolution/Frame Rate
- 5.5-110mm Varifocal Lens With 20x Zoom
- HDMI, SDI, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- NDI®HX License INCLUDED With Purchase
- Controller Supports ONVIF, VISCA, Serial Port VISCA, PELCO-D/P Protocols
- Control up to 255 Cameras With RJ45, RS422, RS232 Interfaces

OTTICA Bundle w/ 2 NDI®HX PTZ Cameras (White), 1 IP Controller


OTTICA-2PTZ-1C (Includes 2 x OTTICA, 1 x OTT-CONTROLLER)\$2699.00
OTTICA-3PTZ-1C (Includes 3 x OTTICA, 1 x OTT-CONTROLLER)\$3599.00

OTTICA-WH-2PTZ-1C (Includes 2 x OTTICA-WH, 1 x OTT-CONTROLLER)\$2599.00
OTTICA-WH-3PTZ-1C (Includes 3 x OTTICA-WH, 1 x OTT-CONTROLLER)\$3499.00

OTTICA NDI® HX PTZ Video Camera 30x Optical Zoom POE 1080/60p (Black)


- NDI®HX 2 Compatibility With POE (Power Over Ethernet) 802.3af
- 3840x2160 Progressive @ 60fps
- 25x Optical Zoom 7.1mm - 175.11mm
- Horizontal FOV: 2.5° (zoom) to 59.2° (wide)
- 1/2.5" Sony CMOS Sensor
- 3G-SDI, HDMI, USB2.0, LAN, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction, ≥50dB
- NDI®HX License INCLUDED With Purchase

OTTICA-30X\$1399.00

OTTICA NDI® HX PTZ Video Camera 30x Optical Zoom POE 1080/60p (White)

- NDI®HX 2 Compatibility With POE (Power Over Ethernet) 802.3af
- 1080/60P Resolution/Frame Rate
- 20x Optical Zoom 5.2-110mm
- Horizontal FOV: 3.3° (zoom) to 54.7° (wide)
- 1/2.8" CMOS Sensor
- Silent PTZ Motor Mechanism
- HDMI, 3G-SDI, LAN, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction
- NDI®HX License INCLUDED With Purchase

OTTICA-30X-WH\$1399.00

OTTICA Bundle w/ 2 NDI® HX 30x PTZ Cameras (Black), 1 IP Controller**OTTICA Bundle w/ 2 NDI® HX 30x PTZ Cameras (Black), 1 IP Controller**

- NDI®HX Compatibility With POE (Power Over Ethernet)
- 1/2.8" CMOS Sensor; 1080/60P Resolution/Frame Rate
- 4.3-129mm Varifocal Lens With 30x Zoom
- HDMI, SDI, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- NDI®HX License INCLUDED With Purchase
- Controller Supports ONVIF, VISCA, Serial Port VISCA, PELCO-D/P Protocols
- Control up to 255 Cameras With RJ45, RS422, RS232 Interfaces

OTTICA Bundle w/ 2 NDI® HX 30x PTZ Cameras (White), 1 IP Controller**OTTICA Bundle w/ 2 NDI® HX 30x PTZ Cameras (White), 1 IP Controller**

- NDI®HX Compatibility With POE (Power Over Ethernet)
- 1/2.8" CMOS Sensor; 1080/60P Resolution/Frame Rate
- 4.3-129mm Varifocal Lens With 30x Zoom
- HDMI, SDI, Ethernet, RS-232, RS-485, & Audio-in Connectivity
- NDI®HX License INCLUDED With Purchase
- Controller Supports ONVIF, VISCA, Serial Port VISCA, PELCO-D/P Protocols
- Control up to 255 Cameras With RJ45, RS422, RS232 Interfaces

OTTICA30-2PTZ-1C (Includes 2 x OTTICA-30X, 1 x OTT-CONTROLLER)\$2999.00
OTTICA30-3PTZ-1C (Includes 3 x OTTICA-30X, 1 x OTT-CONTROLLER)\$3999.00

OTTICA30W-2PTZ-1C (Includes 2 x OTTICA-30X-WH, 1 x OTT-CONTROLLER)\$2999.00
OTTICA30W-3PTZ-1C (Includes 3 x OTTICA-30X-WH, 1 x OTT-CONTROLLER)\$3999.00

OTTICA IP PTZ Camera Controller; Supports ONVIF, IP VISCA, Serial Port VISCA, PELCO-D/P



- Supports ONVIF, IP VISCA, Serial port VISCA, PELCO-D/P Protocols
- RJ45, RS422, RS232 Control Interfaces
- Control up to 255 Cameras
- Control Various Camera Parameters
- LCD Display, Keypad Sound Prompt, Real-time Display Decoder, and Matrix Working Status
- Maximum Communication Distance: 1200M (0.5MM Twisted-Pair Cable)

OTT-CONTROLLER\$699.99

OTTICA IP PTZ Camera Controller; Supports IP VISCA, Serial Port VISCA, Pelco-D/P



- Remotely Control Up to Five PTZ Cameras from a Single Location
- Compatibility w/ Most PTZ Cameras
- Supports: VISCA, UDP, & PELCO P/D
- Easy Interfacing w/ RS-232, RS-422/RS-485, & IP(UDP)
- Seven-Level PTZ Speed Control for Precise Camera Movements
- Simplified Pan/Tilt Functions w/ Dedicated Zoom Keys
- Presets for White Balance and Knob Control over Gain and Iris

OTT-CONTROLLER-V2\$TBA

Aluminum Tripod With Rising Center Column and Quick Release Plate for PTZ Cameras



- Convenient Tripod for PTZ Camera Setups
- Extra-Tall Tripod Legs With Geared Rising Center Column
- Maximum Height of 92", Minimum Height of 33.25"
- Recommended Payload of 26.5 lbs
- Includes Mid-Level Spreader and Stone Bag
- Individual Locks for Each Leg Stage
- Retractable Foot Spikes for Soft Ground
- Plate Includes 1/4"-20 and 3/8"-16 Mounting Screws and Registration Pin
- Plate Includes Safety Locks and Safety Release

GA230-PTZ (Tripod Only).....\$349.99

GA230-PTZ-OTTICA (Includes Tripod & OTTICA PTZ Camera).....\$1599.00

IR Remote Controller for OTTICA Cameras



- Remotely Control up to 4 PTZ Cameras
- Compatible With OTTICA & OTTICA-4K Cameras
- Uses Wireless IR Communication
- Controls Pan, Tilt, Zoom, Menu Settings, Camera Presets
- 32' Range

OTT-IR-REMOTE\$19.99

OTTICA PTZ Camera Wall Mount



- Supports PTZ Cameras With 1/4"-20 Screw Thread
- Metal Frame
- Easy & Quick Assembly

OTT-WM\$49.99

OTTICA PTZ Camera Ceiling Mount



- Supports PTZ Cameras With 1/4"-20 Screw Thread
- Metal Frame
- Easy & Quick Assembly

OTT-CM (Black)\$49.99

OTT-CM-LG (Light Grey)\$49.99



OTTICA-30X

OTT-CONTROLLER-V2



OTTICA-WH

MONITORS

Ikan monitors provide the right balance of features and price while prioritizing durability. They offer a selection ranging from small on-camera monitors to broadcast monitors complete with tally lights and 3G-SDI connections.



Atlas 21.5" Field/Studio 4K HDMI & 3G-SDI Monitor



- 1920 x 1080 LCD display
- Three color tally indicator LED on the front (green, red, yellow)
- SD card slot for loading 3D LUTs
- Built-in hard case with a mount for light stands
- HDR mode supports PQ & HG modes
- Waveform, vectorscope, RGB histogram, brightness histogram, peaking, false color, clip guides, audiometer
- HDMI/3G-SDI input and output
- V-mount battery plate

AX20-FK-V2\$1699.00

VXF7-V2 7" On-Camera 4K HDMI/3G-SDI Monitor



- 1920 x 1200 LCD display
- SDI/HDMI signal conversion
- Front and rear tally
- 4K Ultra HD Support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- HDMI, 3G-SDI, component, composite input and output
- L series battery mount

VXF7-V2\$649.99

VXF7-V2-DK\$699.99


Atlas 21.5" NDI/3G-SDI/HDMI Field & Studio Monitor w/ Tally in Hard Case



- NDI® IHB (high bandwidth) Encoding/Decoding
- Single Ethernet Cable Powers Monitor (POE++), Decode NDI Video, and Sends NDI Tally
- 1920 x 1080 LCD display
- Three color tally indicator LED on the front (green, red, yellow)
- SD card slot for loading 3D LUTs
- Built-in hard case with a mount for light stands
- HDR mode supports PQ & HG modes
- Waveform, vectorscope, RGB histogram, brightness histogram, peaking, false color, clip guides, audiometer
- HDMI/3G-SDI input and output
- V-mount battery plate
- NDI® License INCLUDED With Purchase

AX20-FK-NDI\$TBA

Articulating Monitor Arm (E-Image)




- Heavy-duty mount for monitors and other accessories
- 1/4"-20 threads on both sides
- Center wing nut features locking teeth for increased holding capacity

EI-A49 (5" Length)\$29.95

EI-A51 (9" Length)\$49.95

EI-A52 (2.875" Length)\$14.95

Articulating Arm




- Mount monitor or camera accessories
- 1/4"-20 threaded ends
- Ball joints at each end
- Center wing nut lock
- Removable shoe mount

MA207 (7" Length)\$44.95

MA211 (11" Length)\$54.95

MA211-R (11" Arm w/ Single Rod Mount)\$59.95

Shoe Mount With Tool-less Mounting Screw & Mounting Plate



- Wide accessory mounting surface with a padded anti-slip surface
- Tool-less mounting with rotating thumb wheel
- Accepts any accessory with a 1/4"-20 mount
- Adaptable for cold shoe mounts and both 1/4"-20 & 3/8"-16 screws
- Can support up to 4.5 lb. horizontally, over 7 lb. vertically
- Includes 3/8"-16 to 1/4"-20 step-down adapter (pre-installed)

SM-202\$19.95

Heavy Duty 1/4"-20 Stand Mount With 5/8" Receiver



- Padded Anti-Slip Surface
- Accepts Any Accessory With A 1/4"-20 Mount
- Receives Any 5/8" Stand Or Adapter
- Can Support Up To 5 Lbs
- Solid Metal Construction

SM-501\$29.95

Slim HDMI Cable With 1.4 Ultra HD 4K Support



- Lengths Available: 1.5', 3'
- Slim & Flexible For Easy Routing
- Designed For Production Use
- Short Lengths For Camera Rigs
- HDMI v1.4 With Backwards Compatibility
- Supports 4K & Ultra HD

HDMI-AC1.4 (Mini to Standard)\$9.95

HDMI-AD1.4 (Micro to Standard)\$9.95

Ultra Slim SDI Cable With Right Angle Connector



- Only 2.5mm Thick
- Ultra Durable & Super Flexible
- Short Lengths For Camera Rigs & Gimbals
- Supports 4K & Ultra HD

SDI-SLM-36 (3' Length)\$11.95

SDI-SLM-18 (1.5' Length)\$9.95

Monitor Mount and Quick Release (Lanparte)



- Quick Release Monitor Mount
- Mounts To Monitor Arms Or Directly To A 1/4"-20 Threaded Recess
- Includes Pocket Key-Driver For Easy Installation
- Mounting Range: 3/16 To 5/8" From Center Of Mounting Point To Inside Lip Of Quick Release Plate

MQR-03\$35.00


RIGS & CAGES

Whether you're shooting a live event or a feature film, Ikan rigs have the flexibility to adapt to your camera rig needs. Ikan provides shoulder rigs, cages, & kit accessories to build a solid, working, customized rig around your camera.



STRATUS COMPLETE RIGS


Stratus Complete Shoulder Rig Kit for Canon C300 MK III & C500 MK II



- Complete Shoulder Mount Rig System for Canon C500 Mk II & C300 Mk III
- Includes 2 x Handgrips, 2 x Carbon fiber 15mm rods, Canon Hand Grip Relocator Cable, Rotatable Monitor/EVF mount
- Shoulder Pad Features Manfrotto 501 Mount
- Compatible w/ Monitors up to 7"
- Compatible w/ any Arri Rosette Mounted EVF

STR-CINE-C500-RIG\$599.99

Stratus Complete Shoulder Rig Kit for Canon C200



- Complete Shoulder Mount Rig System for Canon C200 & C200B
- Includes 2 x Handgrips, 2 x Carbon fiber 15mm rods, Canon Hand Grip Relocator Cable, Rotatable Monitor/EVF mount
- Shoulder Pad Features Manfrotto 501 Mount
- Compatible w/ Monitors up to 7"
- Compatible w/ any Arri Rosette Mounted EVF

STR-CINE-C200-RIG\$499.99

Stratus Shoulder Rig for Cinema Cameras




- Shoulder Mount System for Cinema Cameras
- Two Rosette Based Articulating Handgrips
- Shoulder Pad Features Manfrotto 501 Compatible Mount
- 16" Carbon Fiber 15mm Rods
- Fully Adjustable Monitor/EVF mount

STR-CINE-RIG\$349.99

STRATUS CAGES & ACCESSORIES


Stratus Complete Cage for BlackMagic Pocket Cinema Camera 6K & 4K



- Form-Fitted to the Blackmagic Pocket Cinema Camera 6K and 4K
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- Top Handle Mounts Directly to NATO Rail/Top Rod Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate With 1/4"-20 and 3/8"-16 Mounts
- Mounts to ARRI Standard 19mm Dovetails

STR-BMPCC6K\$199.99


Stratus STRATUS Complete Cage for Sony a7R IV & a7III Series Cameras



- Form-Fitted to the Sony a7R IV & III Series Cameras
- Fits Sony a7 III, a7S II, and a7R III
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- Top Handle Mounts Directly to Cage Front
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate With 1/4"-20 and 3/8"-16 Mounts
- 15mm Rods Vertically Positionable to support multiple lenses & accessories

STR-A7IV\$179.99


Stratus Complete Cage for Sony a7 III Series Cameras



- Form-Fitted to the Sony a7 III Series Cameras
- Fits Sony a7 III, and a7R III
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate With 1/4"-20 and 3/8"-16 Mounts
- 15mm Rods Vertically Positionable to support multiple lenses & accessories

STR-A7III\$149.99

Stratus Complete Cage for Sony a6500 Camera Body



- Form-Fitted to the Sony a6500 Camera Body
- Fits Sony a6000, a6300, and a6400
- Arca-Swiss Plate Mounts to Cage Base and Many Photo Tripods
- True NATO Top Handle Mount
- Top Handle can Accept 15mm Rod to Expand Accessorizing Options
- Cut-Outs for Battery, Memory Card, and A/V Output Access
- Mounts to Tripod Quick Release Plate With 1/4"-20 and 3/8"-16 Mounts

STR-A6\$129.99

Stratus 15mm Static Lens Support



- Quick and Easy Basic Lens Support
- 7/8" of Vertical Adjustment
- Slide-On or Slip-On Installation: One Open Rod Mount Gives More Placement Options
- Solid Aluminum Construction Cuts Weight and Increases Durability

STR-LS1\$24.99

STRATUS ACCESSORIES

Stratus Lens Control Y-Cable for Canon Cinema CN-E Servo Lenses



- Connects the Canon Servo Controllers to a Servo lens
- Simultaneously Control the Focus and Zoom of Your Canon Servo Lens
- Compatible With the FPD-400D and ZSD-300D Controllers

STR-CN-E-Y\$499.99

Stratus Grip Relocator Extension Cable for Canon C200, C300MKIII & C500MKII



- Coiled Design
- Works With Stratus Shoulder Rig System
- 3.5mm Connector Compatible With C200, C300 Mark III, & C500 Mark II

STR-CN-GR\$64.99

Stratus AC Power Supply System With NP-FZ100 Dummy Battery



- Provides Continuous AC Power to Any Compatible Sony Camera
- For Select Sony Cameras
- Short and Overload Circuit Protection

STR-PWR-AC-FZ100\$64.99

Stratus Stratus ARRI Standard 10" Dovetail w/ 15mm Baseplate and Carbon Fiber Rods



- Includes ARRI Standard Dovetail and Baseplate
- Includes a Pair of 12" Carbon Fiber 15mm Rods
- Has Multiple 1/4"-20 and 3/8"-16 Mounting Points

STR-DT10-SBP15\$299.99

Stratus ARRI Standard 12" Lightweight Dovetail



- Use With ARRI-Standard Bridge Plate
- 12" Lightweight Cutout Design
- Stopper Screw & Safety Button in Each End
- Multiple 1/4"-20 and 3/8"-16 Screw Threads

STR-DT12\$149.99

Stratus V-Mount Battery Plate w/ 15mm Rod Mount



- 4x D-Tap Output connections
- 1x 5V USB Output connection
- Use longer-lasting V-mount batteries with your DSLR or Cinema Camera
- Mounts onto a pair of industry-standard 15mm LWS rods
- Can be mounted to the back of the rig as a counterweight
- Plate combo includes D-Tap Power Cable

STR-PWR-PLATE-BMPCC6K (for Blackmagic BMPCC6K)\$199.99

STR-PWR-DTAP-BMPCC6K (Cable Only)\$24.99

STR-PWR-PLATE-LEMO (for Canon C200 & C300 Camera)\$199.99

STR-PWR-DTAP-LEMO (Cable Only)\$29.99

Stratus V-Mount Battery Plate w/ 15mm Rod Mount




- 4x D-Tap Output connections
- 1x 5V USB Output connection
- Use longer-lasting V-mount batteries with your DSLR or other devices
- Mounts onto a pair of industry-standard 15mm LWS rods
- Can be mounted to the back of the rig as a counterweight

STR-PWR-PLATE-V\$179.99



LIVE STREAMING EQUIPMENT

What used to require high-end and complex equipment can now be done with gear accessible to the everyday consumer. Ikan has developed a line of products aimed to give our customers the live streaming equipment they need to start their production.




HomeStream Kit #1 With 2 Desktop Lights, HDMI Capture Device, Variable Height Camera Stand & 2 HDMI Cables



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Adjustable Rotation & Swivel
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"

HS-KIT-1\$249.99


HomeStream 6" Diameter Accent Light w/ Variable Height Table Stop Stand



- Edge-lit LED Technology for a Professional Look
- Slim Lightweight Aluminum Design
- Adjustable Rotation & Swivel
- Detachable Light w/ Standard 1/4" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- 95 CRI
- Digital Readout for Brightness, Color Temperature, & Battery Life
- Brightness: 1050 Lux @ 0.5m
- Cooling System: Passive Cooling
- Variable Stand Height: 13.75" to 21.5"

HS-LR6\$129.99


HomeStream Kit #2 With 2 Desktop Lights, Podcast Microphone w/ Adjustable Arm



- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Adjustable Rotation & Swivel
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- Cardioid/Bi-directional Multiple Pattern Selection
- Gain Control, Muting, Real-time Monitor Functions
- 20Hz-20KHz Frequency Response
- USB-C Interface Design, Universal for Computer and Phone
- USB-A Cable for Use With PC or Mac
- Detachable Pop-Shield Design to Efficiently Filter Airflow
- Metal Housing for Excellent Shielding

HS-KIT-2\$299.99


HomeStream USB Condenser Cardioid Microphone w/ Gain Control



- For Podcasts, Chat, Conferencing & More
- Compatible With Windows, Mac, Android, and iOS Devices
- Cardioid Polar Pattern
- Includes Height-Adjustable Stand
- Broadcast-Quality 48 kHz/16-Bit Capture
- Plug-and-Play Operation
- Includes USB-A to USB-C Adapter
- Bus-Powered from Computer or Tablet

HS-USB-MIC\$29.99

HomeStream USB Condenser Cardioid Microphone w/ Gain Control, Adjustable Microphone Arm




- For Podcasts, Chat, Conferencing & More
- Mic Compatible With Windows, Mac, Android, and iOS Devices
- Cardioid Polar Pattern
- Broadcast-Quality 48 kHz/16-Bit Capture
- Plug-and-Play Operation
- Includes USB-A to USB-C Adapter
- Bus-Powered from Computer or Tablet
- Includes Articulating Boom Arm
- Includes Height-Adjustable Desktop Stand

HS-USB-MIC-MSTND (Includes Mic & Adjustable Arm)\$34.99

HS-MSTND (Includes Adjustable Arm)\$29.99

HomeStream Kit #3 With 2 Desktop Lights, HDMI Capture Device, Adjustable Camera Stand, 2 HDMI Cables, Podcast Microphone w/ Adjustable Arm



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- Gain Control, Muting, Real-time Monitor Functions
- 20Hz-20KHz Frequency Response

HS-KIT-3\$369.99


HomeStream 76" Tall Portable Pull Up Chroma Key Green Screen



- Portable Pro-Level Chroma Key Screen
- Aluminum Enclosure
- Fast Setup Time (3 to 7 Seconds)
- Wrinkle-Free Material
- Convenient Collapsible Design
- Screen Width: 57.5"
- Maximum Screen Height: 76"
- Use for Photography, SFX Compositing, Game Streaming, Blogging, Interviews, etc.

HS-GS76\$129.99


HomeStream Kit #4 With 2 Desktop Lights, Pull-Up Green Screen, HDMI Capture Device, Adjustable Camera Stand, Podcast Microphone w/ Adjustable Arm



- HDMI to USB 2.0 Capture Device Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Mount DSLRs, Pocket Cinema Cameras, Action Cams, Camcorder
- Detachable Edge-lit LED Light w/ Standard 1/4" Mounting Thread
- Battery Powered Using L-Style Battery (Not Included)
- Color Temperature Range: 3200K to 5600K
- Variable Stand Height: 13.75" to 21.5"
- 16mm Gold-Plating Condenser Mic, Professional Studio Quality
- Maximum Screen Height: 76" / Screen Width: 57.5"
- Fast Green Screen Setup Time (3 to 7 Seconds)
- Wrinkle-Free Green Screen Material

HS-KIT-4\$499.99

HomeStream 21" Variable Height Table Top Camera Stand



- Mount DSLRs, Pocket Cinema Cameras, Action Cams, or Camcorders
- 1/4"-20 Screw Mount
- Ball Head Included
- Aluminum Build
- Adjustable Height
- Maximum Height: 21.5"
- Minimum Height: 13.75"

HS-LSTND\$29.99

HOMESTREAM™

HomeStream Phone Teleprompter for DSLR, Mirrorless, Phone w/ Bluetooth Remote



- Lightweight Portable Smartphone Teleprompter
- Desktop Stand Allows Teleprompter & Camera to Easily Fit Desktops
- Supports iPhones and Android Devices as Teleprompter Display
- Minimum Phone Size: 4 x 2.3 in; Maximum Phone Size: 7 x 3.5 in
- Utilizes 70/30 Beam Splitter Teleprompter Glass
- Works With DSLR, Mirrorless, or Smartphones as Camera
- Attaches to Most Lens Sizes: 49, 52, 55, 58, 67, 72, 77, 82mm
- Option to Mount Smartphone to Record in Horizontal or Vertical Mode
- Bluetooth Remote Control Included
- Downloadable HomeStream Teleprompter App for iOS and Android
- Camera Stand Min Height: 13.75"; Max Height: 21.5"
- 1/4"-20 Screw Mount

HS-PROMPTER-DESKTOP (Includes Teleprompter & Desktop Stand) \$149.99

HS-PROMPTER (Includes Teleprompter) \$129.99

HomeStream HDMI to USB Video Capture Device 4K 30fps Input

Audio-in/out HDMI Loop-Out



- Max Input Resolution: 4K 30fps
- Max Output Resolution (USB): 1080P 30fps
- Max Output Resolution (Loop-out): 4K 30fps (Supports HDMI Loop-out)
- Supports 8/10/12bit Deep Color
- Supports 3.5mm Microphone Audio Input/ 3.5mm Stereo Output
- Supports Simultaneous HDMI Audio & Microphone Audio Capture
- Supports AWG26 HDMI Standard Cable; Input up to 15 Meters (1080P and below resolution)
- Supports OBS, Zoom, Skype, Facebook Live, YouTube Live, vMix, Twitch, Uberconference, VLC, etc.
- Supports Windows, Android, and MacOS
- Conforms to UVC Standard, USB 1.5 and USB 1.0
- Conforms to USB Audio UAC standard

HS-VCD-PRO \$29.99

HS-VCD-PRO-FZ100 (Includes STRATUS Dummy Battery) \$89.99

HomeStream HDMI to USB-C Video Capture Dongle 4K 30fps Input



- Works With DSLRs, Camcorders, Action Cameras, and Game Consoles
- Max Input Resolution 4K 30fps
- Max Output Resolution 1080P 30fps
- Compact & Portable
- No External Power Required
- Supports 8/10/12bit Deep Color
- Supports AWG26 HDMI Standard Cable
- Supports OBS, Zoom, Skype, etc.
- Supports Windows, Android, and MacOS
- Supports UVC Standard, USB-C/M
- Supports USB Audio UAC Standard
- Low Latency

HS-VCD-USBC \$19.99

HS-VCD-USBC-FZ100 (Includes STRATUS Dummy Battery) \$79.99

HomeStream HDMI to USB Video Capture Device 4K 30fps Input w/USB Cable



- Max Input Resolution 4K 30fps
- 1' USB Cable Included
- Max Output Resolution 1080p 30fps
- Supports 8/10/12bit Deep Color
- Supports AWG26 HDMI Standard Cable; Input up to 15 Meters (1080p And Below Resolution)
- Supports Most Acquisition Software Such As VLC, OBS, Amcap, Etc.
- Supports Windows, Android, And MacOS
- Conforms USB Video And UVC Standard
- Conforms To USB Video 1.5 and 1.0 Standard
- Conforms To USB Audio UAC Standard
- Without External Power Supply, Compact and Portable
- UVC 1.5 Compliant

HS-VCD-2 \$19.99

HS-VCD-2-FZ100 (Includes STRATUS Dummy Battery) \$79.99

VIDEO CAPTURE DEVICE CHART

SKU	Included USB Cable	HDMI Loop-Out	Extra Audio Inputs & Outputs	Max Input Resolution & Frame Rate	Max Output Resolution & Frame Rate (USB)	Max Output Resolution & Frame Rate (Loop-Out)
HS-VCD-PRO	Yes	Yes	Yes	4K 30 FPS	1080P 30 FPS	4K 30 FPS
HS-VCD-USBC	Yes	No	No	4K 30 FPS	1080P 30 FPS	No Loop-Out
HS-VCD-2	Yes	No	No	4K 30 FPS	1080P 30 FPS	No Loop-Out

HOMESTREAM™

While every live video stream setup is different, there are several basic components. Video capture devices, teleprompters, LED lights, and green screens all significantly help boost the production value of any live stream. If you're in the process of beginning your own live video broadcast, check out Ikan's catalog of live streaming equipment today and build the perfect setup.






AUDIO EQUIPMENT

Browse a wide variety of accessories from lavalier microphones to boom poles and sand bags to stands. See the latest addition of audio solutions from CoMica and E-Image.

Wireless Intercom System 1000ft (1 Base Station 4 Beltpacks)



- Up to 1000ft full-duplex wireless communication
- Rechargeable beltpacks run up to 8 hours on a full charge
- 1 base station connects to 4 beltpacks
- Built-in noise reduction headsets
- Base station can be powered either by L series style batteries or AC wall plug (Single fully charged NP-F970 battery last up to 20 hours)
- Expandable to an additional base station to total 8 beltpacks (additional unit sold separately)
- Uses 1.9GHz frequency band
- Please contact us if you plan to use the Livecom1000 in other regions besides United States, Canada or Latin America

LIVECOM1000\$2299.00


Wireless Intercom System Single Beltpack Replacement



- Replacement beltpack for Livecom1000
- Built-in lithium battery
- Livecom1000 supports max 4 beltpacks

LIVECOM1000-BP\$399.99

Wireless Intercom System Single Ear Headset Replacement



- Replacement single ear headset for LIVECOM1000
- 3.5mm TRRS audio plug
- Noise reduction

LIVECOM1000-SH\$134.99

Dual-Transmitter Lavalier Microphone Kit (AA) (Comica)



- 400' (120m) maximum range
- Receiver handles 2 transmitter groups simultaneously
- Single-switch control alternates transmitter between A and B groups
- Each transmitter & receiver operates on 2 AA batteries (not included)
- Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

CVM-WM200A (AA-battery Powered)\$389.00

Dual-Transmitter Lavalier Microphone Kit (Li-Ion) (Comica)



- 400' (120m) maximum range
- Receiver handles 2 transmitter groups simultaneously
- Single-switch control alternates transmitter between A and B groups
- Each transmitter & receiver operates on built-in rechargeable lithium-ion batteries
- Live signal level monitoring on transmitters and receiver
- 96 channels to choose from between A and B groups
- IR channel syncing
- RF signal has adjustable power settings for close/long range

CVM-WM300A (Built-in Rechargeable Lithium-ion Batteries)\$469.00


Wireless Lavalier Microphone Kit (Comica)



- 330' (100m) maximum transmission distance
- 48 channels to choose from between 520-534.1MHz
- Less than .5% audio distortion
- Receiver and transmitter run on 2 AA batteries (not included)
- 3.5mm input/output ports with 3-pin XLR adapter included
- Mounts with included belt clips or via 1/4"-20 mounting points on TX/RX bodies
- LCD screen includes signal strength and battery life indicators

CVM-WM100\$139.00

Wireless Lavalier Microphone Kit for Smartphones (Comica)



- Handle, phone holder, and wireless receiver in one unit
- Phone clamp integrated into wireless receiver
- Holds devices between 2.25-3.5" wide
- Maximum working distance of 60m, optimal distance of 30m
- LCD screens on TX and RX monitor audio, battery, and mute status
- Stepless volume adjustment on receiver
- 1/4"-20 mount for a wide variety of mounting options
- Built-in rechargeable lithium-ion batteries
- Includes simple handle w/ 1/4"-20 mount

CVM-WS50B\$169.00


Wireless UHF Handheld Microphone for WS50 Wireless System - 6-CH/160 ft. (Comica)



- Battery-powered wireless handheld microphone
- Maximum working distance of 197'
- Selectable low-cut filter,
- Power/channel button
- Compatible with the WS50 Wireless Receiver
- Ideal for vloggers, interviewers, mobile journalists, and YouTubers
- LCD screens show audio level, battery status, and mute on/off state

CVM-WS50HTX\$109.00


On-Camera Directional Mic w/ Phone Holder (Comica)



- Includes Mini Tripod
- Cardioid Pattern
- Includes Shock Absorber
- Extendable Smartphone Clamp
- Bottom 1/4"-20 Screw Mount for Accessories

CVM-VM10-K2\$52.99

Universal Wireless Mic for DSLR & Smartphones (Comica)



- 1-Trigger, Universal for Smartphones and DSLR cameras
- Includes Smartphone Holder
- Lightweight and Compact
- Working Distance of Up To 60m
- 12 Channels For Each Group
- Mono/Stereo Switch
- 10 Levels of Gain Adjustment
- Dynamic Volume Monitor
- High-Resolution Lattice LCD Display

CVM-WS60-COMBO\$239.00

UHF Metal XLR Wireless Transmitter (Comica)



- Works With WM200/WM300 Receivers
- Working Distance up to 200' (100' With no direct line of sight)
- Supports 48V Phantom Power
- LCF Low Cut Filtering Mode
- Auto-Scanning for Quick Channel Selection
- Manual or Auto IR Sync
- Adjustable RF Signal Strength
- Audio Dynamic Display Bar
- Full Metal Manufacturing

CVM-WM200300XLR

\$149.00

Dual-Channel XLR Audio Mixer w/ Preamp (Comica)




- Supports Both 9V & 48V Phantom Power
- Includes Dual XLR/6.35mm/3.5mm Microphone Inputs
- Dual Gain Control Knobs
- Mono/Stereo Output Switch
- Supports Real-time Monitoring
- Three Cold Shoe Connectors Ideal For Mounting Accessories
- Made of Aluminum-Alloy

CVM-AX3

\$98.99

Directional Shotgun Microphone for Smartphones (Comica)




- Compact Shotgun Mic for Mobile Devices
- For Interviews, Podcast Videos
- Design Reduces Unwanted Sounds
- Plugs into Headphone Jack of Device
- Built-In Headphone Jack for Monitoring
- Includes Mount Adapter
- No Batteries Required
- Includes Foam Windscreen and Synthetic Fur Windmuff

CVM-VS08

\$39.99

Directional On-Camera Shotgun Microphone (Red) (Comica)




- Works with both DSLRs and Smartphones
- Extremely Lightweight (Only 1.8oz)
- Comica Suspension System
- Requires 2.5V Camera Plug-in Power
- Integrated Shoe Mount With 3/8" Thread
- 3.5mm Mini-Jack Output
- Includes Foam Windshield
- Includes 3.5mm Coiled Output Cable

CVM-V30-LITE-R

\$39.99

Multi-Functional Lavalier Microphone With Lightning Interface (Comica)




- Designed To Be Used With iPhone, iPad, and iPod With Lightning Interface
- Stepless Gain Control
- Real-Time Monitoring
- Includes Wind Muff
- LED Working Indicator

SIG.LAV V05 MI

\$59.98

Mini On-Camera Directional Shotgun Mic (Comica)




- Compact size and lightweight
- All-metal microphone body
- No battery required (powered by camera plug-in power – min 3V)
- Comica shock mount included
- Deluxe furry windscreen and windmuff included

CVM-VM10II-B (Black) **\$39.99**

CVM-VM10II-R (Red) **\$39.99**

Hyper-Cardioid Shotgun Microphone (E-Image)




- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Metal Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen
- Built-in low-frequency cutoff switch

PM-500

\$99.95

Hyper-Cardioid Shotgun Microphone (E-Image)



- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Metal Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen
- Built-in low-frequency cutoff switch

PM-846

\$199.99

Hyper-Cardioid Shotgun Microphone (E-Image)



- For Film, Radio, Television
- Hyper-Cardioid Pattern
- All-Brass Body, Black Finish
- 40Hz—16kHz Frequency Response
- Includes Foam Windscreen

PM-527

\$299.99

Telescoping Aluminum Boom Pole (E-Image)



- 4 Independent friction locked sections
- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded bag with shoulder strap
- Build material: Aluminum

BA12 (Aluminum) (11')

\$109.99


BA09 (Aluminum) (5.5')

\$79.99

BA06 (Aluminum) (3.5')

\$69.99

Telescoping Carbon-Fiber Boom Pole (E-Image)



- 4 Independent friction locked sections
- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded bag with shoulder strap
- Build material: Carbon-Fiber

BC12 (Carbon Fiber) (11')

\$199.99

BC06 (Carbon Fiber) (3.5')

\$109.99

IKANCORP.COM



ikan

2023 CATALOG