

2026 CATALOG













ABOUT US

At Ikan, we believe every story deserves to shine.

Since 2005, we've been empowering broadcasters and creators with tools that break barriers and unleash creativity. From our first on-camera monitor to today's cutting-edge PoE lighting and AV-over-IP solutions, we've redefined what's possible in professional broadcasting.

Our mission is simple yet powerful:

To make professional-grade broadcasting accessible for everyone.

Whether you're a system integrator building state-of-the-art studios, or a content creator shaping narratives that inspire change, lkan is your partner in innovation.

Together, let's bring your vision to life—one frame at a time.

Ikan International

10207 S. Sam Houston Pkwy W. Suite 140 Houston, TX 77071

www.ikancorp.com

CONTACT

713.272.8822 sales@ikancorp.com

2026 Catalog

Copyright © 2026 Ikan International www.ikancorp.com



TABLE OF CONTENTS


POE LIGHTING	3
LIGHTING	7
TURNKEY SOLUTIONS	16
TELEPROMPTERS	23
CAMERA SUPPORT	33
MONOPODS & SLIDERS	39
PTZ SOLUTIONS	40
MONITORS	Чì
AUDIO EQUIPMENT	42

POWER OVER ETHERNET

WORLD'S FIRST

AWARD WINNING

BROADCAST LIGHTING



LYRA POE LIGHTS

Lighting Made Smarter

Imagine a studio free from cluttered cables—where setup is seamless, efficiency soars, and every shot is illuminated flawlessly. That's the promise of Ikan's Lyra PoE series.

Powered by Power-Over-Ethernet (PoE++) technology, these bi-color LED lights redefine simplicity while delivering stunningly consistent light quality.

Designed for modern studios with tight spaces or low ceilings, Lyra PoE offers effortless control via DMX compatibility while reducing installation costs. Illuminate your vision without limits—because great stories deserve great lighting.



LBX8-P0E



LBX20-POE LCX10-POE





POE LIGHTING

TECHNOLOGY



Lyra PoE Low Profile Bi-Color Soft LED Light



- 50W PoE++ Light
- Art-Net & sACN DMX-Over-IP
- Q-SYS[™] Control Compatible
- Low Profile for Low Clearance Areas
- Bi-Color Adjustable 3200K-5600K
- 97 CRI COB LEDs with 1/2 Stop Soft Diffusion Panel
- Consistent Light Across All Co lor Temperatures
- Beam Angle 110 Degrees
- Built-in Barndoors with Integrated Clips

LBX8-P0E INSTALLATION ONLY





Lyra PoE Low Profile Bi-Color Soft LED Light (White)



- Art-Net & sACN DMX-Over-IP
- Q-SYS[™] Control Compatible
- Low Profile for Low Clearance Areas
- 97 CRI COB LEDs with 1/2 Stop Soft Diffusion Panel
- Silent Fanless Fixture
- Bi-Color Adjustable 3200K-5600K
- Consistent Light Across All Color Temperatures
- Beam Angle 110 Degrees
- Built-in Barndoors with Integrated Clips

INSTALLATION ONLY LBX8-POE-WH (White Version)...





Lyra PoE 1 x 1 Bi-Color Soft LED Light



- 85W PoE++ Light Art-Net & sACN (RJ45) or DMX512 (5-Pin XLR)
- Q-SYS™ Control Compatible
- 97 CRI COB LEDs with 1/2 Stop Soft Diffusion Panel
- Silent Fanless Fixture
- Bi-Color Adjustable 3200K-5600K
- Consistent Light Across All Color Temperatures
- Beam Across 110 Degrees
- Built-in Barndoors with Integrated Clips

LBX10-P0E ..INSTALLATION ONLY







Easily integrate Ikan Lyra PoE Lights into your Q-SYS™ ecosystem with the Q-SYS plugin, av ailable in the Q-SYS Designer® Asset Manager. This plugin allows users to control light intensity and color temperature for up to 256 lights per universe directly within Q-SYS Designer. Designed for streamlined workflows in spaces like conference rooms, the plugin eliminates the need for specialized lighting knowledge. With the press of a button, all lights can be set to optimal, pre-configured settings, ensuring a seamless and user-friendly experience for any environment.





Lyra PoE 1 x 2 Bi-Color Studio Light w/ DMX Control



- 170W Dual PoE++ Light
- Q-SYS™ Control Compatible
- ArtNet, sACN (RJ45), or DMX512 (5 pin)
- 97 CRI COB LEDs with 1/2 Stop Soft Diffusion Panel
- Bi-Color Adjustable 3200K-5600K
- Fan Switch for Active or Passive Cooling (silent)
- Beam angle 110 degrees





LBX20-POE ..INSTALLATION ONLY

Lyra PoE Bi-Color Studio Fresnel LED Light



- 60W PoE++ Light
- Art-Net & sACN DMX-Over-IP
- Q-SYS[™] Control Compatible
- 30 or 60 Degree Angle
- 97 CRI
- Bi-Color Adjustable 2700K-6500K
- Consistent Light Across All Color Temperatures

LBF60-POE (30 or 60 Degree Fixed Fresnel)	INSTALLATION ONLY
LBF60Z-POE (30 to 60 Degree Zoom Fresnel)	INSTALLATION ONLY
I RF607-POF-WH (White Version - In Development)	INSTALLATION ONLY



LBF60Z-POE Zoom Fresnel

LYRA POE SWITCH BUNDLES

Lyra PoE Low Profile Bi-Color Soft LED 5x Light w/ Netgear

PoE++ Switch Bundle

Bundle includes:

- 5x 50W PoE++ Lights
- Netgear Ultra90 PoE++ 802.3bt 720W Switch
- Power supplies
- Stand bag
- Light stands
- · Yoke mounts



LBX8-P0E-5L-1S (720W Managed Switch)..... \$6799.00 LBX8-P0E-WH-5L-1S (White Version - 720W Managed Switch)......\$6799.00 LBX8-P0E-5L-1SU (380W Unmanaged Switch)..... LBX8-P0E-WH-5L-1SU (White Version - 380W Unmanaged Switch).......\$5499.00

Lyra PoE 1 x 1 Bi-Color Soft LED 5x Light w/ Netgear PoE++ Switch Bundle



Bundle includes:

- 5x 85W PoE++ Lights
- Netgear Ultra90 PoE++ 802.3bt 720W Switch
- Power supplies
- Stand bag
- Light stands
- Yoke mounts

LBX10-P0E-5L-1S (720W Managed Switch)..... \$8499 00

Lyra PoE Bi-Color Studio Fresnel LED 3x Light w/ Netgear

PoE++ Switch Bundle

Bundle includes:

- 3x 60W PoE++ Lights
- Netgear Ultra90 PoE++ 802.3bt 380W Switch
- Power supplies
- Stand bag
- Light stands
- Yoke mounts
- LBF60-P0E-3L-1SU (380W Unmanaged Switch)...... \$3499.00 LBF60Z-P0E-3L-1SU (380W Unmanaged Switch).....

Lyra PoE 1 x 2 Bi-Color Soft LED 5x Light w/ Netgear PoE++ Switch & Light Deck Bundle



Bundle includes:

- 3x LBX20-P0E LED Lights
- Netgear Ultra90 PoE++ 802.3bt 720W
- Power supplies
- Stand bag
- Light stands
- Yoke mounts

LBX20-P0E-3L-1S (720W Managed Switch).....

...\$7869.00


TECHNOLOG

LIGHT DECK CONTROL SOFTWARE



The Ikan Light Deck is a professional DMX lighting control application designed for broadcast, studio, and live event environments. This comprehensive software solution supports both ArtNet and sACN (E1.31) protocols, providing seamless integration with a wide range of DMX-compatible lighting fixtures and networks. Light Deck combines intuitive fader-based control with advanced features like fixture patching, preset management, and hardware integration, making it the ideal solution for lighting professionals who demand precision, reliability, and flexibility in their workflow.





Light Deck User Interface

PRODUCTS IN DEVELOPMENT

Lyra PoE Bi-Color Ellipsoidal Fresnel LED Light



- 60W PoE++ Light
- Lens Options 19 or 36 Degree
- Art-Net & sACN DMX-Over-IP
- Q-SYS[™] Control
- Compatible
- 97 CRI
- Bi-Color Adjustable

LBE60-POE

Lyra PoE Bi-Color Studio Fresnel LED Light w/ Bowens Mount

60W PoE++ Light Art-Net & sACN DMX-Over-IP

- Q-SYS™ Control Compatible
- 30 or 60 Degree Angle
- 97 CRI
- Bowens Mount Included

LBF60B-P0E

Lyra PoE RGBW Digital Color Studio Soft Light



- 85W PoE++ Light Art-Net & sACN (RJ45) or
- DMX512 (5-Pin XLR) Q-SYS™ Control
- Compatible Full RGB Color, Saturation,
- and HSI Control



LCX10-POE. STBD

Lyra PoE Extended Low Profile Bi-Color Studio Light

w/ DMX Control

- 85W PoE++ Light
- Bi-Color 2800-6500K
- Art-Net & sACN DMX-Over-IP
- Q-SYS™ Control Compatible
- 97 CRI

LBX16-P0E \$TBD

Aura[™] 12" Desktop Teleprompter



- 12" PoE++ Widescreen Teleprompter Monitor
- 100mm VESA Desktop Mount
- SDI, HDMI, & Composite Inputs

PT412-DESKTOP. PT412..

Aura[™] 21" High Bright Teleprompter



- 21" Widescreen Teleprompter Monitor
- 1080p Resolution
- 1000 nit Brightness Built-in Tally Lights
- 3G-SDI, HDMI & VGA

Innuts

PT421 PT421-TM



LIGHTING



Lyra Bi-Color Low Ceiling Light w/ DMX Control



- Low profile to fit low clearance areas
- Bi-color 3200K 5600K
- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Silent fanless fixture
- · Beam angle 110 degrees
- DMX512 in and out
- Combo pin with right angle receiver hole
- Single knob control for adjusting brightness or DMX

LBX8 \$749.99

Lyra Daylight Low Ceiling Light w/ DMX Control



- Low profile to fit low clearance areas
- Daylight 5600K color temp.
- 97 CRI COB LEDs paired with
- 1/2 stop soft diffusion panelSilent fanless fixture
- Beam angle 110 degrees
- DMX512 in and out
- Combo pin with right angle receiver hole
- Single knob control for adjusting brightness or DMX

Lyra Half x 1 Bi-Color Soft Light



- 97 CRI COB LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- · Equivalent to 350W incandescent soft light
- Includes barn doors with intensifiers

LB5 (Gold mount & V-mount battery plates)	\$569.00
LBX5 (DMX512)	\$569.99

Lyra 1 x 1 Bi-Color Soft Light



- 97 CRI COB LEDs with 1/2 stop soft diffusion panel
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 850W incandescent soft light
- · Includes barn doors with intensifiers

LB10	(Gold mount & V-mount battery plates)
LBX1) (DMX512)	§949.99

Lyra Half x 1 Daylight Soft Light



- 97 CRI COB LEDs with 1/2 stop soft diffusion panel
- Daylight 5600K color temperature
- Beam angle of 110°
- DMX In And Out
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Equivalent to 350W incandescent soft light
- Includes barn doors with intensifiers

LWX5 (DMX512)_______\$479.99

Lyra 1 x 1 Daylight Soft Light



- 97 CRI COB LEDs with 1/2 stop soft diffusion panel
- Daylight 5600K color temperature
- Beam angle of 110°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- · Equivalent to 850W incandescent soft light
- · Includes barn doors with intensifiers

 LW10 (Gold mount & V-mount battery plates)
 \$699.00

 LWX10 (DMX512)
 \$829.99

Lyra Half x 1 Bi-Color Soft Light Kits



Fixtures With Pro Battery Plates

Kits include:

- Light fixtures
- Light bagPower supplies
- Light stands
- Stand bag
- Yoke mounts

LB5-2PT-KIT (LB5 2 Point Kit)	\$1399.00
LB5-3PT-KIT (LB5 3 Point Kit)	
LB5-5PT-KIT (LB5 5 Point Kit)	\$3449.00

Fixtures With Pro Battery Plates LB10-2PT-KIT (LB10 2 Point Kit) \$2099.00 LB10-3PT-KIT (LB10 3 Point Kit) \$2899.00 LB10-5PT-KIT (LB10 5 Point Kit) \$5099.00

Lyra 1 x 1 Bi-Color Soft Light Kits

Kits include:

Light fixtures

Light stands

Yoke mounts

Stand bag

Power supplies

Light bag

Lyra 1 x 1 Daylight Soft Light Kits



Kits include:

- Light fixturesLight bag
- Light bagPower supplies
- Light standsStand bag
- Yoke mounts

Fixtures With Pro Battery Plates

LW10-2PT-KIT (LW10 2 Point Kit)	\$1499.00
LW10-3PT-KIT (LW10 3 Point Kit)	\$1999.00
LW10-5PT-KIT (LW10 5 Point Kit)	\$3699.00

Lyra Bi-Color Soft Mixed Light Kits



Kits include:

- Lyra light fixtures (LB10 & LB5)
- Light stands
- Light bagsStand bags

	LB-3F2H (3 x LB10 & 2 x LB5)	\$4479.00
00	LB-2F3H (2 x LB10 & 3 x LB5)	\$3499.00
00	LB-2F1H (2 x LB10 & 1 x LB5)	\$2589.00
00	LB-1F2H (1 x LB10 & 2 x LB5)	\$2299.00



Lyra RGBW Digital Color Studio Soft Light w/ DMX



- Full RGB color, Saturation, and HSI control
- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Variable CCT: 2800K-10,000K
- Hue Shift: +green / -magenta 0-100%
- Built-in special FX & color correction filter gels
- 8-bit & 16-bit DMX
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Multiple DMX Modes

LCX21 (1 x 2 Panel with DMX512).....

Lyra 1 x 2 Studio Soft Light w/ DMX



- 97 CRI COB LEDs paired With 1/2 stop soft diffusion panel
- Beam Angle of 110°
- DMX512 In and Out
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

LBX20 (Bi-Color;1 x 2 Panel with DMX512)......

Lyra 1 x 3 Studio Soft Light w/ DMX



- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Beam Angle of 110°
- DMX512 In and Out
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control to adjust color, brightness, DMX
- Fan switch to enable active cooling

LBX30 (Bi-Color; 1 x 3 Panel with DMX512).....

Lyra 1 x 4 Studio Soft Light w/ DMX



- 97 CRI COB LEDs paired with 1/2 stop soft diffusion panel
- Beam Angle of 110°
- DMX512 In and Out
- Baby 5/8" /Junior 1-1/8 Combo Pin adapter w/ right angle receiver hole
- Single knob control for color, brightness, DMX
- Fan switch to enable active cooling

...\$1799.00

.s2399.00 **LBX40** (Bi-Color; 1 x 4 Panel with DMX512).....

MYLO

Mylo Soft Bi-Color Field LED Light



MSB8 (Half x 1 Bi-Color).

- 97 CRI COB I FDs
- Bi-Color adjustable 3200K-5600K
- 1/2 stop soft diffusion panel
- Beam angle of 110°
- Includes two L series batteries, dual battery charger, & barn

Mylo Half x 1 Field LED Light



MB8 (Half x 1 Bi-Color).

- 97 CRLLFDs
 - Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Equivalent to 750W of incandescent light
- Includes two L series batteries, dual battery charger, & barn

Mylo Mini Bi-Color Field LED Light



- 97 CRLLEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Equivalent to 300W of incandescent light
 - Includes two L series batteries, dual battery charger, & barn doors

MB4-TK (Travel Kit). \$249.99

Mylo Soft Bi-Color Field LED Light Kits



Kits include:

- Mylo Soft light fixtures (MSB8)
- Light stands Light bag
- Stand bag

MSB8-2PT-KIT (MSB8 2 Point Kit)	\$1429.00
MSB8-3PT-KIT (MSB8 3 Point Kit)	\$1869.00
MSB8-5PT-KIT (MSB8 5 Point Kit)	\$2969.00

Mylo Half x 1 Field LED Light Kits



\$599.99

Kits include:

- Mylo half x 1 light fixtures (MB8)
- Light stands
- Light bag
- Stand bag

MB8-2PT-KIT	(MB8 2 Point Kit)	\$1429.99
MB8-3PT-KIT	(MB8 3 Point Kit)	\$1759.00
MB8-5PT-KIT	(MB8 5 Point Kit)	\$2749.00

Mylo Mini Bi-Color Field LED Light Kits

\$599.99



Kits include:

- Mylo Mini light fixtures (MB4)
- Light stands
- Light bag
- Stand bag

MB4-2PT-KIT (MB4 2 Point Kit)	\$769.99
MB4-3PT-KIT (MB4 3 Point Kit)	\$1099.99
MB4-4PT-KIT (MB4 4 Point Kit)	^{\$} 1369.00

Mylo Bi-Color LED Mixed Light Kits



Kits include:

- Mylo light fixtures (MB8 & MB4)
- Light stands
- Light bag
- Stand bag

MB-1H2Q (7	x MB8 & 2 x MB4)	°1299.99
MB-2H1Q (2	x MB8 & 1 x MB4)	\$1499.00



Rayden Half x 1 Daylight LED Light

Rayden Half x 1 Bi-Color LED Light



- 97 CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- Equivalent to 400W of incandescent light

Rayden 1 x 1 Bi-Color LED Light



- 97 CRI LEDs
- Bi-Color adjustable from 3200K-5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- · Equivalent to 900W of incandescent light

Jan de la company de la compan	

- 97 CRI LEDs
- Daylight 5600K
- Beam angle of 50°
- Baby 5/8" / junior 1-1/8" combo pin adapter with right angle receiver hole
- Yoke with 30° offset
- Single knob control for adjustments
- Includes barn doors with intensifiers
- · Equivalent to 400W of incandescent light

RB5 (Gold mount & V-mount battery plates)\$548	9.00	RI
RBX5 (DMX512)\$54	9.99	RI

RB10 (Gold mount & V-mount battery plates)	.°999.00
RBX10 (DMX512)	\$999.99

RW5 (Gold mount & V-mount battery plates)	489.00
RWX5 (DMX512)	489.99

Rayden Half x 1 Bi-Color LED Light Kits



Kits include:

- Rayden light fixtures
- · Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures With Pro Battery Plates

RB5-2PT-KIT	(RB5 2 Point Kit)	\$1369.00
RB5-3PT-KIT	(RB5 3 Point Kit)	\$1869.00
RB5-5PT-KIT	(RB5 5 Point Kit)	\$2899.00

Rayden 1 x 1 Bi-Color LED Light Kits



Kits include:

- Rayden light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures With Pro Battery Plates

RB10-2PT-KIT (RB10 2 Point Kit)	\$1979.00
RB10-3PT-KIT (RB10 3 Point Kit)	\$2749.00
RB10-5PT-KIT (RB10 5 Point Kit)	\$4399.00

Rayden Daylight LED Light Kits



Kits include:

- Rayden light fixtures
- Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures With Pro Battery Plates

RW5-2PT-KIT (RW5 2 Point Kit)	^{\$} 1319.00
RW5-3PT-KIT (RW5 3 Point Kit)	\$1759.00
RW5-5PT-KIT (RW5 5 Point Kit)	\$2799.00

Rayden Bi-Color LED Mixed Light Kits



Kits include:

- Rayden light fixtures (RB10 & RB5)
- Light bag
- Power supplies
- Light stands
- Stand bag

Fixtures With Pro Battery Plates

3799.00	B-3F2H (3 X RB I U & 2 X RB3).
\$3499.00	B-2F3H (2 x RB10 & 3 x RB5)
\$2579.00	B-2F1H (2 x RB10 & 1 x RB5)
\$2199.00	B-1F2H (1 x RB10 & 2 x RB5).

ONYX

Onyx Half x 1 Bi-Color Aluminum LED Light



- · Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- · Powered by two L series batteries (both required)
- Includes 2 x batteries, dual battery charger, & barn doors

Onyx 1 x 1 Bi-Color Aluminum LED Light



- 96+ CRI LEDs
- Durable lightweight aluminum frame
- Bi-Color adjustable from 3200-5600K
- DMX ethernet and wireless remote control
- V-mount battery plate allows for battery options

OYB5 (Half x 1 Bi-Color)	\$439.99
0YB5-2PT-KIT (2 Point Kit)	\$989.99
OYB5-3PT-KIT (3 Point Kit)	\$1429.00

OYB10 (1 x 1 Bi-Color)	\$549.99
OYB10-2PT-KIT (2 Point Kit)	\$1099.00
OYB10-3PT-KIT (3 Point Kit)	\$1649.00

Onyx Bi-Color Aluminum On-Camera LED Light



- Durable lightweight aluminum frame
- Panel size: 11.1 x 3.7"
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- Equivalent to 250W incandescent light
- Includes 2 x batteries and dual battery charger

0YB240 \$149.99 OYB240-2PT-KIT (2 Point Kit w/ Stands and Carrying Case).......\$489.99 OYB240-3PT-KIT (3 Point Kit w/ Stands and Carrying Case)...........\$659.99

Onyx Bi-Color Aluminum On-Camera LED Light



- Durable lightweight aluminum frame
- Panel size: 5.6 x 3.7"
- Bi-Color adjustable from 3200K-5600K
- Dimmable from 10-99%
- Equivalent to 100W incandescent light
- · Includes battery and charger

OYB120. .\$89.99

STRYDER

Stryder Fanless Bi-Color 150W LED Fresnel Light w/ DMX



- 4" Fresnel lens
- Bi-Color light adjustable from 2800K-6500K
- Fanless cooling system
- Silent operation
- Accurate colors, high CRI and TLCI
- Beam angle of 15-65°
- V-mount & Gold mount Pro battery light options
- DMX512 in and out
- Includes barn doors
- 2-point & 3-point kits include SKB hard case

SFB150 (Bi-Color Fresnel; V-mount)	\$689.99
SFB150-2PT-KIT (SFB150 2 Point Kit; V-mount)	\$2179.00
SFB150-3PT-KIT (SFB150 3 Point Kit; V-mount)	\$2869.00
SFB150-G (Bi-Color Fresnel; Gold mount)	\$689.99
SFB150-G-2PT-KIT (SFB150 2 Point Kit; Gold mount)	\$2179.00
SFB150-G-3PT-KIT (SFB150 3 Point Kit; Gold mount)	\$2869.00

Stryder Miniature Zoom 65W Ellipsoidal LED Light (Cool White)



- Compact 65W Ellipsoidal
- Adjustable Beam Angle 19 36 Degree
- 5600K Daylight
- Four Flag Shutter System
- Dimming & Electronic Strobe via DMX
- Flicker-Free Operation
- Gel Frame and Gobo Holder Included

\$699.99 SE65Z-CW (Cool White - 5600K)...

Stryder Bi-Color 65W LED Fresnel Light w/ DMX



SFB65 (Bi-Color)

- 3" Fresnel lens
- Bi-Color light adjustable from 2800K-6500K
- Accurate Colors, High CRI and TLCI
- Spot to flood 30-65 degree beam angle Powered by AC or D-Tap Power
- DMX512 In and Out (RJ45)
- 8-Leaf Barn Door

\$549.99 SFB65-2PT-KIT (SFB65 2 Point Kit; Stands & Bag).....

Stryder Bi-Color 65W LED Fresnel Light w/ DMX



- 3" Fresnel lens
- **RGBW Color**
- Bi-Color light adjustable from 2800K-6500K
- Accurate Colors, High CRI and TLCI
- Spot to flood 15-45 degree beam angle
- Powered by AC or D-Tap Power DMX512 In and Out (RJ45)
- 8-Leaf Barn Door

SFC65 (RGBW)		\$649.99
SFC65-2PT-KIT	(SFC65 2 Point Kit; Stands & Bag)	\$1549.00
SFC65-3PT-KIT	(SFC65 3 Point Kit; Stands & Bag)	\$2299.00

HELIA LED

SFB65-3PT-KIT (SFB65 3 Point Kit; Stands & Bag).....

Helia 4" Fresnel Daylight LED Studio Light w/ DMX



- 4" Fresnel lens
- Daylight 5600K
- High CRI and TLCI
- 600W equivalency
- 28-70° Beam Angle DMX512 In and Out (5 Pin)
- Barn Doors Included
- Gel Frame Holder Included

HF70 .\$569.99

Helia 4" Fresnel LED Studio Light w/ DMX



- 97 CRI LEDs
- 4" Fresnel lens
- Bi-Color Light adjustable from 3200K-5600K
- High CRI and TLCI
- 500W equivalency
- Beam angle of 20-70°
- DMX512 in and out
 - Barn Doors Included
- 2-point & 3-point kits include SKB hard case

HF150B (Bi-Color Fresnel)	\$899.99
HF150B-2PT-KIT (HF150B 2 Point Kit)	\$2599.00
HF150B-3PT-KIT (HF150B 3 Point Kit)	\$3499.00

WHITE STARS

White Star 6" Fresnel LED Studio Light w/ DMX



- 6" Fresnel Lens
- 97 CRI
- 5600K Daylight
- 25-65 Degree Beam Angle
- Active Cooling System
- 512 DMX In and Out, Channel Selectors with Digital Readout
- Solid Aluminum Construction
- Power Cable Lock
- 8 Way Barn Doors Included (8 Leaf)

WS-F150. ...\$1029.00

White Star 6" Bi-Color Fresnel LED Studio Light



- 97 CRI LEDs
- 6" Fresnel Lens
- Quiet Active Cooling System
- DMX512 In and Out, Channel Selectors With Digital Readout
- Solid Aluminum Construction
- Includes Barn Doors
- Local Dimming Knob

WS-F300B \$1649.00

LIGHTING ACCESSORIES

Space Light Softbox for HF150, HF70, and SFB150



- Lightweight
- Easy Setup
- Storage Pouch Included
- Compatible HF150B, HF70, SFB150

24" x 24" Sqaure Softbox for WS-F150 & WS-F300B



- Quick Setup w/ Easy Open Locking Rods
- Push Buttons to Close Softbox
- Inner & Outer Diffusers Removable
- Silver Reflective Interior
- Fabric Grid for Limiting Light Spill
- Storage Pouch Included
- Compatible WS-F150 & WS-F300B

SB-SQ24 SB-SL \$139.99

...\$139.99

Lyra 90° Honeycomb for Lyra Low-Profile LED Light



- 90° Honey Comb Pattern
- Controls Light Spill

\$69.99

- Lightweight and Easy to Attach Compatible with the LBX8,
 - LWX8, LBX8-POE Studio Soft Lights

Lyra 60° Honeycomb for Lyra 1 x 1 LED Lights



- 60° Honey Comb Pattern
- Controls Light Spill
- Lightweight and Easy to Attach
- Compatible with the LBX10, LWX10, LBX10-POE, LB10, 1W10

Lyra 90° Honeycomb for Lyra 1 x 1 LED Lights



- 90° Honey Comb Pattern
- Controls Light Spill
- Lightweight and Easy to Attach
- Compatible with the LBX10, LWX10, LBX10-POE, LB10, IW10

LEC8-90. ...\$79.99 LEC10-90. .\$79.99 .\$79.99 LEC10-60

.\$59.99

Presto Soft Box for 1 x 1 Panel



- Lightweight foldable soft box
- No speed ring required 1/4 stop front diffusion
- Reflective interior
- Easy mounting straps

Presto Soft Box for Half x 1 Panel



- Lightweight foldable soft box
- No speed ring required
- 1/4 stop front diffusion Reflective interior
- Easy mounting straps

SnapGrid 40° Grid for Lyra and Rayden Half x 1 Lights



- 40° Fabric Grid
- Controls Light Spill
- Includes Carrying Bag Compatible With RW5, RB5, RWX5, RBX5, LW5, LB5, LWX5, LBX5

SGILRH-40... .\$249.99

SnapGrid 40° Grid for Lyra and Rayden 1 x 1 Lights



- 40° Fabric Grid
- Controls Light Spill
- Includes Carrying Bag
- Compatible With RW10, RB10, RWX10, RBX10, LW10, LB10, LWX10, LBX10





* Tungsten Wattage Measurement

										0	o mododromoni
SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
LB5 / LBX5	Panel	3200K- 5600K	110°	97	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	350W	Gold & V-Mount/ None
LBX8 / LBX8-P0E	Panel	3200K- 5600K	110°	97	20 x 4"	24.5 x 7 x 1.9"	4.9 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes/ Art-Net & sACN	500W	None
LWX8	Panel	5600K	110°	97	20 x 4"	24.5 x 7 x 1.9"	4.9 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	500W	None
LB10 / LBX10 / LBX10-P0E	Panel	3200K- 5600K	110°	97	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes/ Art-Net & sACN	850W	Gold & V-Mount/ None
LCX10-POE	Panel	3200K- 5600K	110°	97	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Art-Net & sACN	850W	None
LW5 / LWX5	Panel	5600K	110°	97	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	350W	Gold & V-Mount/ None
LW10 / LWX10	Panel	5600K	110°	97	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/ Yes	850W	Gold & V-Mount/ None
LBF60-P0E / LBF60Z-P0E	Fresnel	2800K- 6500K	30° or 60° 30° to 60°	97	3.25" Diameter	11.3 x 4.16 x 5.8"	2.7 lbs / 3.6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Art-NET & sACN	600W	None
LBE60-POE	Ellipsoidal	2800K- 6500K	30° or 60°	97	3.25" Diameter	11.3 x 4.16 x 5.8"	2.7 lbs / 3.6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Art-NET & sACN	600W	None
LBF60B-P0E	Fresnel	2800K- 6500K	Softbox	97	Softbox	11.3 x 4.16 x 5.8"	2.9 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Art-NET & sACN	600W	None
LCX21	Panel	2800K- 10,000K	120°	97	21.5 x 12"	25 x 17 x 7"	32 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1.2KW	V-Mount
LBX20 / LBX20-P0E	Panel	3200K- 5600K	110°	97	21.5 x 12"	29 x 20 x 5"	18 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes/ Art-Net & sACN	1000W	None
LWX20	Panel	5600K	110°	97	21.5 x 12"	29 x 20 x 5"	18 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	1000W	None
LBX30	Panel	3200K- 5600K	110°	97	38.5 x 10"	45 x 18 x 5"	20 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	2000W	None
LBX40	Panel	3200K- 5600K	110°	97	43 x 12"	49 x 20 x 5"	30 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	2000W	None

HELIA LED

SKU	Fixture Type	ССТ	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
HF150	Fresnel	3200K- 5600K	30-60°	97	13 x 10 x 10.2"	8.5 lbs	5/8" Baby Pin Receiver	Yes	650W	None
HF70	Fresnel	5600K	30-60°	97	TBA	TBA	5/8" Baby Pin Receiver	Yes	550W	None

WHITE STAR

SKU	Fixture Type	ССТ	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
WS-F150	Fresnel	5600K	25-60°	97	TBA	TBA	5/8" Baby Pin Receiver	Yes	1000W	None
WS-F300B	Fresnel	2800K- 6500K	25-60°	97	TBA	TBA	5/8" Baby Pin Receiver	Yes	1000W	None

MYLO

* Tungsten Wattage Measurement

SKU	Fixture Type	ССТ	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
MSB8	Panel	3200K- 5600K	110°	97	12 x 6"	19 x 13 x 3"	8 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No	300W	DV Battery L Series
MB8	Panel	3200K- 5600K	50°	97	12 x 6"	14 x 7 x 2"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No	650W	Pro Battery Gold & V-Mount
МВ4-ТК	Panel	3200K- 5600K	50°	97	6.5 x 3.8"	8 x 5 x 2"	1 lb	Shoe Mount	No	300W	DV Battery L Series

STRYDER

SKU	Fixture Type	CCT	Beam Angle	CRI	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
SFB65	Fresnel	2800K- 6500K	30-65°	97	10 x 3.5 x3.5"	3.2 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	30°: 300W 65°: 650W	Pro Battery V-Mount
SFC65	Fresnel	2800K- 6500K / RGBW	30-65°	97	10 x 3.5 x3.5"	3.2 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	Yes	30°: 300W 65°: 650W	Pro Battery V-Mount
SFB150	Fresnel	2800K- 6500K	30-65°	97	16 x 10 x 7"	10.5 lbs	5/8" Baby Pin Receiver	Yes	30°: 300W 65°: 650W	Pro Battery V-Mount
SFB150-G	Fresnel	2800K- 6500K	30-65°	97	16 x 10 x 7"	10.5 lbs	5/8" Baby Pin Receiver	Yes	30°: 300W 65°: 650W	Pro Battery Gold Mount
SE65Z-CW	Ellipsoidal	5600K	19-36°	95	15 x 7.7 x 7.7"	4 lbs	5/8" Baby Pin Receiver	Yes	19°: 300W 36°: 650W	None



SKU	Fixture Type	ССТ	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
RB5/ RBX5	Panel	3200K- 5600K	50°	97	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	400W	Gold & V-Mount/ None
RB10/ RBX10	Panel	3200K- 5600K	50°	97	12 x 12"	14 x 14 x 3"	6 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	800W	Gold & V-Mount/ None
RW5/ RWX5	Panel	5600K	50°	97	12 x 7"	14 x 8 x 3"	4 lbs	Baby 5/8" Junior 1-1/8" Combo Pin	No/Yes	500W	Gold & V-Mount/ None

ONYX

SKU	Fixture Type	CCT	Beam Angle	CRI	Panel Dimensions	Fixture Dimensions	Fixture Weight	Mounting Options	DMX	Watts Equivalent*	Battery Options
OYB5	Panel	3200K- 5600K	60°	96+	10 x 6.5"	15 x 11 x 2"	4 lbs	5/8" Baby Pin Receiver	Yes	500W	Pro Battery V-Mount
OYB10	Panel	3200K- 5600K	60°	96+	10 x 10"	16 x 16 x 2"	5 lbs	5/8" Baby Pin Receiver	Yes	650W	Pro Battery V-Mount
0YB120	On-Camera	3200K- 5600K	110°	92	5.2 x 3.5"	6 x 4 x 1"	0.5 lb	Shoe Mount	No	100W	DV Battery L Series
0YB240	On-Camera	3200K- 5600K	110°	93	9.2 x 3.5"	11 x 4 x 1"	1 lb	Shoe Mount	No	250W	DV Battery L Series



ROVER

Automate Content Creation. Anywhere.

Broadcast-quality mobile studio - on wheels; fully IP-controlled, anywhere you need it.

Turnkey Studio in Motion

Delivered pre-assembled, tested, and ready to deploy.

Includes integrated PTZ camera, teleprompter, Q-SYS-ready lighting, confidence monitor, and motorized lift—engineered to work seamlessly as a single unit.

One-button operation: Instantly adapt camera angles, monitor feeds, lighting, and teleprompter via personalized user profiles.

Seamless IP Integration

All components managed remotely via user-friendly IP protocols (NDI, Visca, Art-Net, sACN).

Native integration with Q-SYS and corporate AV platforms for zero-learning-curve adoption.

Next Generation Studio Design

Empowers non-expert teams to launch broadcast-grade productions—no engineering degree required.

Relocates smoothly between rooms and environments for total flexibility.

Delivers repeatable results, dramatically reducing risk and install times for integrators and AV managers.

Award-Winning Reliability, Future-Ready

Recognized for technical excellence and simplicity by AV Technology's Best of Show at InfoComm 2025.

Supported by Ikan's expert team—training, documentation, and integration support included.



Studio Rover at NAB 2025



Best of Show Award at InfoComm 2025

Learn More: ikancorp.com/studiorover



19" Teleprompter & PTZ Pedestal TURNKEY BROADCAST SOLUTIONS

PT419-PTZ-PEDESTAL

19" PTZ HDMI & SDI TELEPROMPTER, PEDESTAL & DOLLY



PT419W-PTZ-PEDESTAL

19" WIDESCREEN PTZ HDMI & SDI TELEPROMPTER, PEDESTAL & DOLLY



PT419-PTZ-TM-PEDESTAL

19" PTZ HDMI & SDI TELEPROMPTER w/ WIDESCREEN TALENT MONITOR, PEDESTAL & DOLLY



PT419W-PTZ-TM-MPEDESTAL

19" WIDESCREEN PTZ HDMI & SDI TELEPROMPTER, w/ WIDESCREEN TALENT MONITOR, PEDESTAL & DOLLY



SKU	MSRP	Monitor Size	Monitor Inputs	includes Tally	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT419-PTZ- PEDESTAL	\$6,149	19"	3G-SDI HDMI VGA Composite (BNC)	Yes	-	Pedestal	20.3 lbs
PT419-PTZ- TM-PEDESTAL	\$7,299	19"	3G-SDI HDMI VGA Composite (BNC)	Yes	Yes	Pedestal	14 lbs
PT419W-PTZ- PEDESTAL	\$6,349	19" Widescreen	3G-SDI HDMI VGA	Yes	-	Pedestal	20.6 lbs
PT419W-PTZ- TM-PEDESTAL	\$7,499	19" Widescreen	3G-SDI HDMI VGA	Yes	Yes	Pedestal	12.3 lbs
PT419W-PTZ- MPEDESTAL	\$6,549	19" Widescreen	3G-SDI HDMI VGA	Yes	-	Motorized Pedestal	42.4 lbs
PT419W-PTZ- TM-MPEDESTAL	\$7,699	19" Widescreen	3G-SDI HDMI VGA	Yes	Yes	Motorized Pedestal	36.3 lbs

19" Teleprompter & PTZ Tripod TURNKEY BROADCAST SOLUTIONS

PT419-PTZ-TRIPOD

19" PTZ HDMI & SDI TELEPROMPTER, TRIPOD & DOLLY



PT419W-PTZ-TRIPOD

19" WIDESCREEN PTZ HDMI & SDI TELEPROMPTER, TRIPOD & DOLLY



PT419-PTZ-TM-TRIPOD

19" PTZ HDMI & SDI TELEPROMPTER W/ WIDESCREEN TALENT MONITOR, TRIPOD & DOLLY



PT419W-PTZ-TM-TK-TRIPOD

19" WIDESCREEN PTZ
HDMI & SDI TELEPROMPTER,
w/ WIDESCREEN TALENT
MONITOR, TRIPOD & DOLLY,
TRAVEL KIT



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Tally	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT419-PTZ-TRIPOD	\$3,849	19"	3G-SDI HDMI VGA Composite (BNC)	Yes	-	Tripod	96.3 lbs
PT419-PTZ- TM-TRIPOD	\$4,999	19"	3G-SDI HDMI VGA Composite (BNC)	Yes	Yes	Tripod	90 lbs
PT419W-PTZ- TRIPOD	\$4,049	19"	3G-SDI HDMI VGA	Yes	-	Tripod	96.6 lbs
PT419W-PTZ- TM-TRIPOD	\$5,199	19"	3G-SDI HDMI VGA	Yes	Yes	Tripod	88.2 lbs
PT419W-PTZ- TK-TRIPOD	\$4,349	19"	3G-SDI HDMI VGA	Yes		Tripod	96.6 lbs
PT419W-PTZ- TM-TK-TRIPOD	\$5,599	19"	3G-SDI HDMI VGA	Yes	Yes	Tripod	88.2 lbs

19" Teleprompter & Pedestal TURNKEY BROADCAST SOLUTIONS

PT419-PEDESTAL

19" HDMI & SDI TELEPROMPTER, PEDESTAL & DOLLY



PT419W-PEDESTAL

19" WIDESCREEN HDMI & SDI TELEPROMPTER, PEDESTAL & DOLLY



PT419-TM-PEDESTAL

19" HDMI & SDI TELEPROMPTER w/ TALENT MONITOR, PEDESTAL & DOLLY



PT419W-TM-PEDESTAL

19" WIDESCREEN
HDMI & SDI TELEPROMPTER
W/ TALENT MONITOR,
MOTORIZED PEDESTAL
& DOLLY



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Tally	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT419-PEDESTAL	\$13,749	19"	3G-SDI HDMI VGA Composite (BNC)	Yes	-	Pedestal	31.2 lbs
PT419-TM-PEDESTAL	\$14,899	19"	3G-SDI HDMI VGA Composite (BNC)	Yes	Yes	Pedestal	25.5 lbs
PT419W-PEDESTAL	\$13,949	19" Widescreen	3G-SDI HDMI VGA	Yes	-	Pedestal	26 lbs
PT419W-TM-PEDESTAL	\$15,149	19" Widescreen	3G-SDI HDMI VGA	Yes	Yes	Pedestal	20.3 lbs
PT419W-MPEDESTAL	\$11,349	19" Widescreen	3G-SDI HDMI VGA	Yes	-	Motorized Pedestal	39.3 lbs
PT419W-TM-PEDESTAL	\$15,149	19" Widescreen	3G-SDI HDMI VGA	Yes	Yes	Motorized Pedestal	33.6 lbs

19" Teleprompter & Tripod TURNKEY BROADCAST SOLUTIONS

PT419-TRIPOD

19" HDMI & SDI TELEPROMPTER, TRIPOD & DOLLY



PT419W-TRIPOD

19" WIDESCREEN HDMI & SDI TELEPROMPTER, TRIPOD & DOLLY



PT419-TM-TRIPOD

19" HDMI &SDI TELEPROMPTER, w/ TALENT MONITOR, TRIPOD & DOLLY



PT419W-TM-TK-TRIPOD

19" WIDESCREEN HDMI & SDI TELEPROMPTER w/ TALENT MONITOR, TRIPOD & DOLLY, TRAVEL KIT



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Tally	Includes Teleprompter Travel Kit	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT419-TRIPOD	\$7,749	19"	3G-SDI HDMI VGA Composite (BNC)	Yes	-	-	Tripod	31.7 lbs
PT419-TM- TRIPOD	\$8,899	19"	3G-SDI HDMI VGA Composite (BNC)	Yes	-	Yes	Tripod	26 lbs
PT419W- TRIPOD	\$7,949	19" Widescreen	3G-SDI HDMI VGA	Yes	-	-	Tripod	26 lbs
PT419W-TM- TRIPOD	\$9,149	19" Widescreen	3G-SDI HDMI VGA	Yes	-	Yes	Tripod	20.3 lbs
PT419W-TK- TRIPOD	\$8,249	19" Widescreen	3G-SDI HDMI VGA	Yes	Yes	-	Tripod	26 lbs
PT419W-TM- TK-TRIPOD	\$9,499	19" Widescreen	3G-SDI HDMI VGA	Yes	Yes	Yes	Tripod	20.3 lbs

17" Teleprompter & Pedestal TURNKEY BROADCAST SOLUTIONS

PT417-PEDESTAL 17" HDMI & SDI TELEPROMPTER

WITH PEDESTAL



PT417-PEDESTAL-TK

17" HDMI & SDI TELEPROMPTER WITH PEDESTAL & TRAVEL CASE



SKU	MSRP	Monitor Size	Includes SDI Monitor	Includes Tally	Includes Travel Kit	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT417- PEDESTAL	\$13,349	17"	HDMI 3G-SDI VGA AV Composite	Yes	-	-	Pedestal	31.3 lbs
PT417- PEDESTAL-TK	\$13,599	17"	HDMI 3G-SDI VGA AV Composite	Yes	Yes	-	Pedestal	31.3 lbs

15" Teleprompter & Pedestal TURNKEY BROADCAST SOLUTIONS

PT415-PEDESTAL

15" HDMI & SDI TELEPROMPTER, PEDESTAL & DOLLY



PT415-TM-PEDESTAL

15" HDMI & SDI TELEPROMPTER, w/ TALENT MONITOR, PEDESTAL & DOLLY



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Tally	Includes Teleprompter Hard Case	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT415- PEDESTAL	\$6,899	15"	HDMI 3G-SDI VGA Composite (BNC)	Yes	-	-	Pedestal	14.7 lbs
PT415-TM- PEDESTAL	\$8,049	15"	HDMI 3G-SDI VGA Composite (BNC)	Yes	-	Yes	Pedestal	11 lbs

15" Teleprompter & Tripod TURNKEY BROADCAST SOLUTIONS

PT415-TRIPOD

15" HDMI & SDI TELEPROMPTER, TRIPOD & DOLLY



PT415-TM-TK-TRIPOD

15" HDMI & SDI TELEPROMPTER WITH TRIPOD, TALENT MONITOR & HARD CASES



SKU	MSRP	Monitor Size	Monitor Inputs	Includes Tally	Includes Travel Kit	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT415-TRIPOD	\$3,949	15"	HDMI 3G-SDI VGA Composite BNC	Yes	-	-	Tripod	22.9 lbs
PT415-TK-TRIPOD	\$4,249	15"	HDMI 3G-SDI VGA Composite BNC	Yes	Yes	-	Tripod	22.9 lbs
PT415-TM- TRIPOD	\$5,099	15"	HDMI 3G-SDI VGA Composite BNC	Yes	-	Yes	Tripod	19.2 lbs
PT415-TM- TK-TRIPOD	\$5,699	15"	HDMI 3G-SDI VGA Composite BNC	Yes	Yes	Yes	Tripod	19.2 lbs

12" Teleprompter & Pedestal TURNKEY BROADCAST SOLUTIONS



12"TELEPROMPTER, PEDESTAL & DOLLY



PT4200-PEDESTAL-TK

12"TELEPROMPTER, PEDESTAL, DOLLY & TRAVEL CASE



SKU	MSRP	Monitor Size	Includes SDI Monitor	Includes Tally	Includes Travel Kit	Includes Talent Monitor	Camera Support Type	Available Camera Payload
PT4200- PEDESTAL	\$1,999	12"	HDMI VGA AV Composite	Yes	-	-	Pedestal	9.7 lbs
PT4200- PEDESTAL-TK	\$2,199	12"	HDMI VGA AV Composite	Yes	Yes	-	Pedestal	9.7 lbs



PTZ TELEPROMPTERS

PT419-PTZ Professional 19" High-Bright HDMI & SDI PTZ Teleprompter



- PTZ Hood Fully Encloses Camera Allowing it to Move Freely
- Compatible with Most PTZ Cameras
- Teleprompter Script Monitor features SDI, HDMI, Component & VGA Inputs
- 1000-Nit High-Bright Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable From up to 25'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE With This Teleprompter

PT419-PTZ-TM Professional 19" High-Bright HDMI & SDI PTZ Teleprompter



PTZ Hood Fully Encloses Camera Allowing it to Move Freely

w/ Widescreen Talent Monitor

- Includes 19" SDI Widescreen Talent Monitor w/ Tally Lights
- Compatible with Most PTZ Cameras
- Teleprompter Script Monitor features HDMI, Component, & VGA Inputs
- 1000-Nit High Bright Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT419-PTZ (SDI, HDMI, Composite & VGA)	49.00
PT419-PTZ-TK (with Travel Kit).	\$TBD

 PT419-PTZ-TM (SDI, HDMI, Composite & VGA)
 \$4099.00

 PT419-PTZ-TM-TK (with Travel Kit)
 \$TBD

PT419W Professional 19" High-Bright HDMI & SDI Widescreen

PTZ Teleprompter



- PTZ Hood Fully Encloses Camera Allowing it to Move Freely
- Compatible with Most PTZ Cameras
- Widescreen Teleprompter Monitor features SDI, HDMI, & VGA
 Inputs
- 1000-Nit High Bright Widescreen Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Widescreen Monitor Supports Image Flip
 Prompte Pro Software for MAC & DC is EDEE.
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT419W Professional 19" SDI High-Bright Widescreen PTZ Tally Teleprompter



w/ SDI Talent Monitor

- PTZ Hood Fully Encloses Camera Allowing it to Move Freely
- Includes 19" SDI Widescreen Talent Monitor w/ Tally Lights
- Compatible with Most PTZ Cameras
- Widescreen Teleprompter Monitor features SDI, HDMI, & VGA Inputs
- 1000-Nit High Bright Monitors
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Lightweight and Compact DesignShips in Reusable Foam for Easy Transport
- Snips in Reusable Foam for Easy
 Monitors Support Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT419W-PTZ (SDI, HDMI, VGA)	\$3149.00
PT419W-PT7-TK (with Travel Kit)	\$3449 00

PT417-PTZ Professional 17" High-Bright PTZ Teleprompter



- PTZ Hood Fully Encloses Camera Allowing it to Move Freely
- Compatible with Most PTZ Cameras
- Teleprompter Script Monitor features SDI, HDMI, Component, & VGA Inputs
- 1000-Nit High Bright Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 20'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT417-PTZ-TM Professional 17" High-Bright PTZ Teleprompter



PTZ Hood Fully Encloses Camera Allowing it to Move Freely

w/ Talent Monitor Kit

- Compatible with Most PTZ Cameras
- Teleprompter Script Monitor features SDI, HDMI, Component, & VGA Inputs
- 1000-Nit High Bright Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 20'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

ikancorp.com ightharpoonup

PTZ TELEPROMPTERS

PT415-PTZ Professional 15" High-Bright PTZ Teleprompter



- PTZ Hood Fully Encloses Camera Allowing it to Move Freely Compatible with Most PTZ Cameras
- Includes 15" Teleprompter Monitor w/ Tally
- Teleprompter Script Monitor features SDI, HDMI, Composite, &
- 1000-Nit High Bright Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 17'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT415-PTZ-TM Professional 15" High-Bright PTZ Teleprompter



w/ Talent Monitor Kit

- PTZ Hood Fully Encloses Camera Allowing it to Move Freely
- Includes 15" SDI & HDMI Widescreen Talent Monitor w/ Tally
- Both Monitors Feature Tally Lights
- Compatible with Most PTZ Cameras
- Teleprompter Script Monitor features SDI, HDMI, Composite, & VGA Inputs
- 1000-Nit High Bright Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 17'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT415-PTZ	(SDI, HDMI, Composite, VGA)	2599.00
PT415-PTZ-	-TK (w/ Travel Kit) \$	2999.00

T415-PTZ-TM (SDI, HDMI, Composite,VGA)	\$3649.00
T415-PTZ-TM-TK (w/ Travel Kit)	\$4049.00

PT415W Professional 15" High-Bright PTZ Teleprompter





- PTZ Hood Fully Encloses Camera Allowing it to Move Freely
- Compatible with Most PTZ Cameras
- Widescreen 15" Teleprompter Monitor features SDI, HDMI, & VGA Inputs
- 1000-Nit High Bright Widescreen Monitor
- High-Quality American Made 65/35 Beam Splitter Glass Screen Readable from up to 17'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base Ships in Reusable Foam for Easy Transport
- Widescreen Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT415W Professional 15" SDI High-Bright Widescreen PTZ Tally Teleprompter



w/ SDI Talent Monitor

- PTZ Hood Fully Encloses Camera Allowing it to Move Freely
- Includes 19" SDI Widescreen Talent Monitor w/ Tally Lights
- Compatible with Most PTZ Cameras
- . Widescreen Teleprompter Monitor features SDI, HDMI, & VGA Inputs
- 1000-Nit High Bright Monitors High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design Ships in Reusable Foam for Easy Transport
- Monitors Support Image Flip
- PrompterPro Software for MAC & PC is FREE with this

PT415W-PTZ (SDI, HDMI, VGA)	\$2749.00
PT415W-PTZ-TK (w/ Travel Kit)	\$3049.00







AURA NDI + POE TELEPROMPTERS







- Encoding/Decoding Includes 100mm VESA Desktop Mount and NDI Monitor
- Power Monitor, Decode NDI Video, and Control Tally Light through One RJ45 Cable
- Built-in IP Tally Light Compatible with NDI and Vmix
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, composite, and VGA inputs

M19W-NDI-DESK \$2499.00

Aura™ 19" PoE++ Teleprompter w/ Full NDI Encoding/Decoding & IP Tally Light



- 19-inch PoE++ Widescreen Teleprompter w/ NDI Monitor & Tally Lights
- Full NDI Encoding/Decoding
- Power Monitor, Decode NDI Video, and Control Tally Light through One **Ethernet Cable**
- Built-in IP Tally Light Compatible with NDI & vMIX
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, Composite, and VGA Video Inputs
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Option
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

Aura™ 19" PoE++ Teleprompter w/ Full NDI Encoding/Decoding





- 19-inch POE++ Widescreen Teleprompter w/ NDI Monitor & Tally Lights
 - Full NDI Encoding/Decoding
- Power Monitor, Decode NDI Video, and Control Tally Light through One Ethernet Cable
- Built-in IP Tally Light Compatible with NDI & vMIX switchers
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, Composite, and VGA Video Inputs
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter
- Includes Hard Travel Case

PT419W-NDI \$4199.00 PT419W-NDI-TK \$4599.00

AuraTM 19" PoE++ Teleprompter & NDI Talent Monitor w/ Full NDI




PT419W-NDI-TMN

Encoding/Decoding & IP Tally Light

- 19-inch PoE++ Widescreen Teleprompter w/ 2x NDI Monitors
- Full NDI Encoding/Decoding
- Includes 19" NDI Widescreen Prompter & Talent Monitor w/ Tally Lights
- Power Monitor, Decode NDI Video, and Control Tally Light through One **Ethernet Cable**
- Built-in IP Tally Light Compatible with NDI & vMIX switchers
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, Composite, and VGA Video Inputs
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

Aura™ 19" PoE++ Teleprompter & NDI Talent Monitor w/ Full NDI



- 19-inch PoE++ Widescreen Teleprompter w/ 2x NDI Monitors Full NDI Encoding/Decoding

 - Includes 19" NDI Widescreen Prompter & Talent Monitor w/ Tally Lights
 - Power Monitor, Decode NDI Video, and Control Tally Light through One Ethernet Cable
- Built-in IP Tally Light Compatible with NDI & vMIX switchers
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, Composite, and VGA Video Inputs
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter
- Includes Hard Travel Case

\$6599.00 PT419W-NDI-TMN-TK \$6999.00



Aura™ 19" PoE++ Rack Mount Monitor w/ Full NDI

Encoding/Decoding & IP Tally Light



- 19-inch POE++ Widescreen Teleprompter Monitor w/ Full NDI Encoding/Decoding
- Can be Mounted in a 19-inch Rack
- Power Monitor, Decode NDI Video, and Control Tally Light through One
- Built-in IP Tally Light Compatible with NDI and Vmix
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, Composite, and VGA inputs



Aura™ 19" PoE++ Talent Monitor w/ Full NDI Encoding/

Decoding & IP Tally Light

- 19-inch POE++ Widescreen Teleprompter Monitor w/ Full NDI Encoding/Decoding
- Can be Mounted in a 19-inch Back
- Power Monitor, Decode NDI Video, and Control Tally Light through One R.145 Cable
- Built-in IP Tally Light Compatible with NDI and Vmix
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, Composite, and VGA inputs

M19W-NDI M19W-NDI-TALENT \$2399.00 \$2599.00

AURA PTZ TELEPROMPTERS

AuraTM 19" PTZ PoE++ NDI Teleprompter w/ Full NDI Encoding/Decoding

& IP Tally Light



- 19-inch POE++ NDI Widescreen PTZ Teleprompter
- Full NDI Encoding/Decoding
- Includes 19" NDI Widescreen Prompter w/ Tally Lights
- Power Monitor, Decode NDI Video, and Control Tally Light through One **Ethernet Cable**
- Built-in IP Tally Light Compatible with NDI and Vmix switchers
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, composite, and VGA video inputs
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

Aura™ 19" PTZ PoE++ NDI Teleprompter & NDI Talent Monitor w/

Full NDI Encoding/Decoding & IP Tally Light



- Power Monitor, Decode NDI Video, and Control Tally Light through One **Ethernet Cable**
- Built-in IP Tally Light Compatible with NDI and Vmix switchers
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, composite, and VGA video inputs
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT419W-PTZ-NDI \$4499.00

PT419W-PTZ-NDI-TMN

\$6899.00

Aura™ 19" PTZ PoE++ NDI Teleprompter w/ Full NDI Encoding/Decoding & IP Tally Light + Travel Kit



19-inch POE++ NDI Widescreen PTZ Teleprompter

- Full NDI Encoding/Decoding
- Includes 19" NDI Widescreen Prompter w/ Tally Lights
- Power Monitor, Decode NDI Video, and Control Tally Light through One Ethernet Cable
- Built-in IP Tally Light Compatible with NDI and Vmix switchers
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, composite, and VGA video inputs
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- Includes Hard Travel Case
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

Aura™ 19" PTZ PoE++ NDI Teleprompter & NDI Talent Monitor w/



Full NDI Encoding/Decoding & IP Tally Light + Travel Kit

- 19-inch POE++ NDI Widescreen PTZ Teleprompter
- Full NDI Encoding/Decoding
- Includes 19" NDI Widescreen Prompter w/ Tally Lights
- Power Monitor, Decode NDI Video, and Control Tally Light through One **Ethernet Cable**
- Built-in IP Tally Light Compatible with NDI and Vmix switchers
- 10 NDI Preset Buttons
- 1080p Resolution
- RJ45, 3G-SDI, HDMI, composite, and VGA video inputs
- High-Quality American Made 65/35 Beam Splitter Glass
 - Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- Includes Hard Travel Case
- PrompterPro Software for MAC & PC is FREE with this Teleprompter


PT419W-PTZ-NDI-TK \$4899.00 PT419W-PTZ-NDI-TMN-TK. \$7299.00

TELEPROMPTERS

PT419 Professional 19" High-Bright Teleprompter



- SDI, HDMI, Composite, & VGA Inputs
- 1000-Nit High Bright Teleprompter Monitor High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro4 Software for MAC & PC is FREE with this Teleprompter





Talent Monitor Kit

- Includes 19" SDI Widescreen Talent Monitor w/ Tally Lights
- SDI, HDMI, Component & VGA Inputs
- 1000-Nit High Bright Teleprompter Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base Lightweight and Compact Design
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT419 (SDI, HDMI, VGA & Composite)	\$2699.00	P
PT419-TK (w/ Travel Kit)	\$2999.00	P



PT419-TM-TK (w/ Travel Kit) \$3949.00

PT419W Professional 19" High-Bright Teleprompter



w/ Widescreen SDI Tally Monitor

- 19" Professional Widescreen Teleprompter
- Ideal for Video Conferencing
- Features 19" 1080p Widescreen Monitor
- SDI, HDMI, & VGA Inputs
- 1000-Nit Widescreen High Bright Teleprompter Monitor
- Easy Balancing with Adjustable Base
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro4 Software for MAC & PC is FREE with this Teleprompter



PT419W Professional 19" Widescreen High-Bright Teleprompter

w/ Talent Monitor Kit & Tally

- Ideal for Video Conferencing Features 19" 1080p Widescreen Monitors
- Includes 19" SDI Widescreen Talent Monitor w/ Tally Lights
- SDI, HDMI, & VGA Inputs
- 1000-Nit High Bright Teleprompter Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 25'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT419W (SDI, HDMI, VGA)s	2899.00
PT419W-TK (w/ Travel Kit)	3199.00

PT419W-TM (SDI, HDMI, VGA) \$4099.00 PT419W-TM-TK (w/ Travel Kit) \$4449.00

PT417 Professional 17" High-Bright Teleprompter



- SDI, HDMI, Composite, & VGA Inputs
- 1000-Nit High Bright Teleprompter Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 20"
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro4 Software for MAC & PC is FREE with this Teleprompter

PT417 Professional 17" High-Bright Teleprompter w/

Talent Monitor Kit

- Includes 17" SDI Teleprompter & 19"Widescreen Talent
- Monitors include Tally Lights
- SDI, HDMI, Component, & VGA Inputs
- 1000-Nit High Bright Teleprompter Monitor High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 20'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter


PT417 (SDI, HDMI, Composite & VGA)\$2299.00	PT417-TM (SDI, HDMI, Composite & VGA)\$3299.00
PT417-TK (w/ Travel Kit)\$2549.00	PT417-TM-TK (w/ Travel Kit)



PT415 Professional 15" High-Bright Teleprompter



- SDI, HDMI, Composite & VGA Inputs
- 1000-Nit High Bright Teleprompter Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 17'
- Multiple Camera Mounting Options
- · Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro4 Software for MAC & PC is FREE with this Teleprompter





w/ Talent Monitor Kit

- Includes 15" SDI Widescreen Talent Monitor w/ Tally Lights
- SDI, HDMI, Component, & VGA Inputs
- 1000-Nit High Bright Teleprompter Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 17'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT415 (SDI, HDMI, Composite & VGA)	\$2049.00
PT415-TK (w/ Travel Kit)	\$2349.00



PT415W Professional 15" High-Bright Teleprompter

New Carlo Section of Ca

w/ Widescreen SDI Tally Monitor

- SDI, HDMI, & VGA Inputs
- 1000-Nit Widescreen High Bright Teleprompter Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 17'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro4 Software for MAC & PC is FREE with this Teleprompter

PT415W Professional 15" Widescreen High-Bright Teleprompter



w/ Talent Monitor Kit & Tally

- 15" Professional SDI Widescreen Teleprompter
- Ideal for Video Conferencing
- Features 15" 1080p Widescreen Monitors
- Includes 15" SDI Widescreen Talent Monitor w/ Tally Lights
- SDI, HDMI, & VGA Inputs
- 1000-Nit High Bright Teleprompter Monitor
- High-Quality American Made 65/35 Beam Splitter Glass
- Screen Readable from up to 17'
- Multiple Camera Mounting Options
- Easy Balancing with Adjustable Base
- Ships in Reusable Foam for Easy Transport
- Monitor Supports Image Flip
- PrompterPro Software for MAC & PC is FREE with this Teleprompter

PT415W (SDI, HDMI, VGA)	\$2499.00
PT415W-TK (w/ Travel Kit)	\$2799.00

PT415W-TM (SDI, HDMI, VGA)	549.00
PT415W-TM-TK (w/ Travel Kit)\$39	949.00

PT4200 Professional 12" High-Bright Teleprompter



- Includes 12" Scripting Monitor
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Screen Readable From up to 13'
- Works With Many Different Sized Cameras
- Easy Balancing With Adjustable Base
- Perfect Size for Portability And View-Ability
 Ships in Reusable Foam for Easy Transport
- Features Dedicated Horizontal & Vertical Image Flip Button
- PrompterPro Software For MAC & PC is FREE With This Teleprompter
- Travel Kit Packed in SKB Rolling Hard Cases

PT3700 17" & PT3500 15" Rod-Based Location / Studio Teleprompter



PT3700 (17" | Composite, HDMI, VGA) ..

- Adiustable Glass Frame
- High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Based on 15mm Rod System
- Lightweight & Compact Design
- Ships in Reusable Foam for Easy Transport
- High-Quality Monitor With Metal Construction
- Features Dedicated Horizontal & Vertical Image Flip Button

\$1699.00

- Includes MAC and PC Software
- Travel Kit Packed in SKB Rolling Hard Cases

	PT3700-TK (17" Travel Kit)\$1899.00
PT4200 (Composite, HDMI, VGA)\$1099.00	PT3500 (15" Composite, HDMI, VGA)\$1499.00
PT4200-TK (w/ Travel Kit)\$1299.00	PT3500-TK (15" Travel Kit)



PT3700-HB 17" & PT3500-HB 15" High Bright Rod-Based Location

/ Studio Teleprompter



- 1000-Nit High Bright 4:3 Scripting Monitor High-Quality 70/30 Beamsplitter Glass (Made in the USA)
- Custom Cut Foam to Protect Your Teleprompter
- Based On 15mm Rod System for Ease of Use
- Composite, HDMI, and VGA
- Travel Kit Packed in SKB Rolling Hard Cases



PT1200 12" Portable Teleprompter Kit

- Includes 12" 4:3 Scripting Monitor
- Adjustable Glass Frame
- 15mm Rod Based for Versatility and Ease of Use
- Ships in Reusable Foam for Easy Transport
- Includes MAC and PC Software
- Travel Kit Packed in SKB Rolling Hard Cases

PT3700-HB (17" 1000nit High Bright Monitor)	\$1899.00
PT3700-HB-TK (17" Travel Kit)	\$2099.00
PT3500-HB (15" 1000nit High Bright Monitor)	\$1699.00
PT3500-HB-TK (15" Travel Kit)	\$1899.00

PT1200 (Composite, HDMI, VGA)	\$999.99
PT1200-TK (w/ Travel Kit)	^{\$} 1199.00
PT1200-LS (Teleprompter for Lightstand)	\$799.99

TABLET TELEPROMPTERS

PT-ELITE-LS Tablet Teleprompter for Light Stand



- Designed to be Mounted on Light Stands
- Supports iPad, Android, and Windows Tablets
- Foldable Glass Frame
- Quick Release Baseplate
- Solid Aluminum Construction

- - Designed to be Mounted on Light Stands Supports iPad, Android, and Windows Tablets
 - Foldable Glass Frame
 - Quick Release Baseplate
 - Solid Aluminum Construction
 - Travel Kit Packed in SKB Rolling Hard Cases

PT-ELITE-LS	\$399.99
PT-ELITE-LS-RC (Includes ELITE-REMOTE)	\$449.99

PT-ELITE-LS-TK (Travel Kit)..... \$599.99

PT-ELITE-PR02 Universal Large Tablet Teleprompter (Version 2)



- Minimum Tablet Size: 6 x 9"
- Maximum Tablet Size: 9 x 13"
- Supports iPad, iPad Pro, Android tablets
- Fits Many Different Sized Cameras
- Easy Balancing With Adjustable Base
- High-Quality 70/30 Beam Splitter Glass (Made in the USA)
- 15mm Rod Based for Versatility and Ease of Use
- Solid CNC Machined Aluminum Construction
- Ships in Custom Foam for Hard Case
- Travel Kit Packed in SKB Rolling Hard Cases



PT-ELITE-PR02	.\$749.99
PT-ELITE-PR02-RC (Includes ELITE-REMOTE)	\$799.99
PT-ELITE-PR02-TK (Travel Kit)	.\$949.00

PT-ELITE-V2 Universal Tablet & iPad Teleprompter

PT-ELITE-LS Tablet Teleprompter for Light Stand Travel Kit



- Minimum Tablet Size: 7.5 x 5"
- Maximum Tablet Size: 10.5 x 8"
- Supports iPad, Android, and Windows tablets
- Foldable Glass Frame
- Quick Release Baseplate
- High-Quality 70/30 Beam Splitter Glass (Made in the USA)
- 15mm Rod Based for Versatility & Ease of Use
- Solid CNC Machined Aluminum Construction
- Ships in Custom Foam for Hard Case Travel Kit Packed in SKB Rolling Hard Cases



PT-ELITE-V2	\$649.00
PT-ELITE-V2-RC (Includes ELITE-REMOTE)	\$699.00
PT-ELITE-V2-TK (Travel Kit)	\$849.99

TELEPROMPTER & MISC ACCESSORIES


IP Tally Bridge Tally Control Software for vMIX



- Connect your vMix switcher to Ikan IP tally lights without complex wiring
- Lights change instantly to red for live, green for preview, or off for inactive cameras
- Make live cameras stand out with a blinking red light for quick operator
- Turn off green preview lights per tally for simplified workflows
- Adjustable latency: Fine-tune response time for smooth performance on anv network
- Visual camera status indicators
- Three Sensitivity Presets
- USB Connectivity
- Compatible with Mac and PC

IPTALLYBRIDGE-VMIX.

IP Tally Bridge for vMix is the simple solution for integrating Ikan IP tally lights with your vMix production setup. Just enter your vMix IP address, add your tally lights with their IP address and corresponding camera numbers, and connect—the app handles the rest. It pulls live status from vMix to light up tally lights in red when a camera is on air or green when it's in preview mode, helping your team stay coordinated during productions.



Tally Bridge Control Software Interface

PT-CONTROLLER Teleprompter Script Controller for Prompter Pro 4



- Controls Prompter Pro 4 Teleprompter Script
- Made of Durable Aluminum
- Adjustable Speed Settings Plug and Play
- Three Sensitivity Presets
- USB Connectivity
- Compatible with Mac and PC

TI-TC-DB15-4 Ikan Tally Interface for Tricaster



- Four output ports to connect to Ikan monitor tally system
- Compatible with standard ethernet cables
- Direct connection to TriCaster's DB15 Tally port Includes power adapter and TriCaster connection cable
- Plug-and-play setup

PT-CONTROLLER. \$139.99

TI-TC-DB15-4 \$329.99

M19W-TALENT 19" SDI Widescreen Talent Monitor Add-On Kit



- 19-inch Widescreen Teleprompter Monitor
- Features Monitor Flip Button
- 1920 x 1080 Native Resolution
- Built-in Tally Light
- 1000 nit high bright monitor
- Dual Bezel-Mounted Tally Lights
- 3G-SDI, VGA, and HDMI Inputs

M19W-TALENT

M15W-TM 15" SDI Widescreen Talent Monitor Add-On Kit



- 1920 x 1080 Native Resolution
- 1000 nit high bright monitor
- Dual Bezel-Mounted Tally Lights
- 15 in. Diagonal Screen Size
- 3G-SDI, VGA, and HDMI Inputs
- Monitor has a dedicated button that can be set to flip the image: Horizontal, Vertical, or Both

\$1249.00 M15W-TM \$1199.99 M15W-TM-TK (w/ Travel Kit)..... \$1449.99

PT-CASE SKB Rolling Case for Teleprompters



- High Quality Rolling Hard Case
- Waterproof And Dust-Tight Design (MIL-C-4150J / IP67)
- Ambient Pressure Equalization Valve (MIL-STD-648C)
- Resistant to UV, Solvents, Corrosion, Fungus (MIL-STD-810F)
- Resistant to Impact Damage (MIL-STD-810F)
- PT-CASE-ELITE Fits Within Airline Carry-On Size Limits

MS-010 Dual PTZ Camera Aluminum Mounting Pole



- Mount Two PTZ Cameras with Dual 1/4"-20 Mounting Screws
- Mounts Using Female 3/8"-16 Screw Thread
- Two Additional 1/4"-20 Screw Threads for Accessory Mounting
- Pole Lenath 23.6"

PT-CASE (Designed for PT3700, PT3500)	\$299.99
PT-CASE-ELITE (Designed for PT-ELITE-V2, PT-ELITE-PR02, PT4200, PT1200)	\$249.99
PT-CASE-4U (Designed for PT4900-V2, PT4700-V2, PT4500-V2, PT419)	\$399.99

MS-010 ...\$139.99

260AC-03 V-Mount Battery Clamp



- For Use w/ Motorized Pedestals
- Battery Plate Mounts onto Tripod Leg for Clean & Efficient Setup
- Clamping Range: 0.4" 1.5"
- Supports Batteries Weighing Up to 8.8lbs

2.4G Remote Controller for Motorized Pedestals



- Remotely Controls Motorized Pedestals
- 2.4G Bluetooth

TI-TC-DB15-4 \$329.99 260AC-01..... ..\$159.99

Extension Cable for Motorized Pedestals



- Perform Center Column Adjustments From Further Distances
- For Use w/ Motorized Pedestals
- Provides 8.2ft of Added Distance
- Cables Can Be Linked Up

70.5" Carrying Bag for 21ft PTZ Tripod Stands



GN6180

\$43.99

- Carrying Bag for 21ft PTZ Tripod Stands
- Two-way Zipper for Easy Access
- Quick Release Buckle Securely Holds Tripod Stand
- Includes Removable Shoulder Strap

...\$98.99

S-056WL

22lbs Saddle Water Bag/Weight Bag



- Rugged and Durable Assembly
- Helps Secure Stands
- 22 lbs Payload

260AC-C25 (8.2 feet).....

260AC-C40 (13 feet).....



/ PT-ELITE-PRO

- Compatible with: PT-ELITE-V2
- PT-ELITE-PRO
- High Quality 70/30 Teleprompter Glass

Threaded Teleprompter Monitor Power Cable w/ D-Tap Connector & V-Mount Clamp



- Power Ikan Teleprompter Monitor From D-Tap Source
- 28" Length
- Threaded 2.5mm DC Connector V-Mount Clamp Supports up to 3 lbs Batteries
- Attach V-Mount Battery to Tripod Legs or Arms With V-Mount Clamp

PT-PEDAL Teleprompter Foot Control Pedal



- Control Script by Foot
- Plug-&-Play With Prompter Pro 4
- Windows & MacOS Compatible

\$17.99

- Three Control Pedals
- For Studio Use, Conferences, and Meetings
- Compatible With Prompter Pro 4 Teleprompter Software
- Includes Pedal Sound Dampeners

PT-PEDAL. ...\$109.99

PT1200-G. ...\$69.95 PT-PWR-DTAP (Cable Only)... ...\$69.99 PT-PWR-DTAP-V (Includes V-Mount Clamp) ...\$119.99

Riser Plate 50mm for PT4500, PT4700, PT4900



- Anodized Aluminum
- Allows Usage of Larger Cameras
- Works With PT4500. PT4700, and PT4900

PROMPTER PRO 4 Software for PC & Mac



- Compatible With Windows XP,
- Vista, 7, 8, or 10 Compatible With Mac OSX
- Full Featured Text Editor
- Smooth Scrolling
- Supports International Languages
- Second Talent Window
- One Click Mirrored Text

ELITE-REMOTE Bluetooth iPad Teleprompter Remote



- Compatible With Prompter Pro 4
- 9 Soundless, Ruberized Buttons for Complete Control of Your Script
- Control Range up to 20'
- Bluetooth 3.0, Laser Pointer, 4 Speed Control Buttons, 2 Cue Point Buttons, Pause/Play Button, Mirror Flip Button
- Virtual Keyboard Show/Hide
- Connects With all iPad Versions

PT-RISER-50 ...\$99.99 PROMPTER PRO 4 ..\$89.95 ELITE-REMOTE \$89.95



E-IMAGE PTZ TRIPODS









E-Image Tripod Kits	PTZ-STND-21A	PTZ-STND-21C	GA102-PTZ	GA102D-PTZ
Description	21ft Aluminum PTZ Tripod Stand	21ft Carbon Fiber PTZ Tripod Stand	PTZ Teleprompter Tripod w/ Quick Release Plate	PTZ Teleprompter Tripod w/ Quick Release Plate & Dolly
Max Height	250" / 635cm	250" / 635cm	63" / 160cm	68.1" / 180cm
Min Height	70.5" / 179cm	70.5" / 179cm	18" / 45cm	23.7" / 60cm
Bowl Size	Flat	Flat	100mm	100mm
Max Payload	11lbs. / 5kg	11lbs. / 5kg	133lbs. / 60kg	133lbs. / 60kg
Mid-Level Spreader	No	No	Yes	No
Carrying Bag	No	No	Yes	No
Rubber Feet	No	No	Yes	No
Dolly	No	No	No	Yes
Price	\$599.99	\$809.99	\$719.99	\$999.00









E-Image Tripod Kits	GA752S-PTZ	GA752SD-PTZ	GA230-PTZ	GA230D-PTZ
Description	PTZ Tripod w/ Quick Release Plate	PTZ Tripod w/ Quick Release Plate & Dolly	PTZ Tripod w/ Quick Release Plate	PTZ Tripod w/ Quick Release Plate & Dolly
Max Height	61.4" / 156cm	67.1" / 170cm	92" / 233cm	98.3" / 250cm
Min Height	25.2" / 64cm	25.2" / 64cm	33.25" / 84cm	38.9" / 99cm
Bowl Size	75mm	75mm	Flat	Flat
Max Payload	66lbs. / 29kg	66lbs. / 29kg	26.5lbs. / 12kg	26.5lbs. / 12kg
Mid-Level Spreader	Yes	Yes	Yes	Yes
Carrying Bag	Yes	Yes	Yes	Yes
Rubber Feet	Yes	Yes	Yes	Yes
Dolly	No	Yes	No	Yes
Price	\$369.99	\$479.99	\$389.99	\$529.99

ikancorp.com $\qquad \qquad \exists \dashv$

E-IMAGE TRIPOD KITS











E-Image Tripod Kits	EG25XR-PRO	MOTUS32	MOTUS22	EG25A2D	EG20A2D
Description	XR Virtual Production Tripod Kit w/ GH25XR Head	3-Section Carbon Fiber Tripod With MH32 Fluid Head	3-Section Carbon Fiber Tripod With MH22 Fluid Head	2-Stage Aluminum Tripod with GH25 Head, Dolly	2-Stage Aluminum Tripod with GH20 Head, Dolly
Max Height	68.5" / 174cm	59.6" / 151cm	59.6" / 151cm	75.5" / 191.77cm	70.2" / 178.3cm
Min Height	38.6" / 98cm	21.9" / 55.5cm	21.9" / 55.5cm	37" / 94cm	25.7" / 65.2cm
Bowl Size	100mm	100mm	100mm	100mm	100mm
Max Payload	61.7lbs / 27.9 kg	70.5lbs / 32kg	48.5lbs / 22kg	61.7lbs / 28kg	44lbs / 20kg
Counterbalance	1-15	Continuous Variable	Continuous Variable	1-15	0-8
Pan Drag	0-7	1-8	1-4	0-7	Fixed
Tilt Drag	0-7	1-8	1-4	0-7	Fixed
Price	\$16,799.00	\$5,499.00	\$4,799.00	\$5,149.00	\$1,999.00











E-Image Tripod Kits	EG15C2	EG15A2	EG10C2L	EI-7080-AA	EI-7080-AAD
Description	2-Stage Carbon Fiber Tripod With GH15 Head	2-Stage Aluminum Tripod With GH15 Head	2-Stage Carbon Fiber Tripods With GH10L Head	2-Stage Aluminum Tripod w/ El-7080H Head	2-Stage Aluminum Tripod w/ El-7080H Head & Dolly
Max Height	68.5" / 173.9cm	68.5" / 173.9cm	66.75" / 169.5cm	65" / 165cm	72" / 183cm
Min Height	32.5" / 82.5cm	32.5" / 82.5cm	31" / 78.7cm	30.5" / 77.4cm	35" / 89cm
Bowl Size	100mm	100mm	100mm	100mm	100mm
Max Payload	39.6lbs / 18kg	39.6lbs / 18kg	22lbs / 10kg	26.4lbs / 12kg	26.4lbs / 12kg
Counterbalance	0-9	0-9	1-7	0-5	0-5
Pan Drag	0-5	0-5	0-3	Fixed	Fixed
Tilt Drag	0-5	0-5	0-3	Fixed	Fixed
Price	\$2,549.00	\$2,299.00	\$2,049.00	\$1099.00	\$1,279.00

35

E-IMAGE TRIPOD KITS











E-Image Tripod Kits	El-7100-AA	EI-7100-AAD	EG10A2	EG06C2	EG06A2
Description	2-Stage Aluminum Tripod w/ El-7100H Head	2-Stage Aluminum Tripod w/ El-7100H Head & Dolly	2-Stage Aluminum Tripod With GH10 Head	2-Stage Carbon Fiber Tripod With GH06 Head	2-Stage Aluminum Tripod With GH06 Head
Max Height	65.5" / 166cm	72.5" / 184cm	67.75" / 172cm	73" / 185.4cm	72.5" / 184.1cm
Min Height	31" / 78.7cm	35.5" / 90cm	32.5" / 82.5cm	32.5" / 82.5cm	32.5" / 82.5cm
Bowl Size	100mm	100mm	75mm	75mm	75mm
Max Payload	33lbs / 15kg	33lbs / 15kg	22lbs / 10kg	13.2lbs / 6kg	13.2lbs / 6kg
Counterbalance	0-5	0-5	1-7	0-5	0-5
Pan Drag	Fixed	Fixed	0-3	0-3	0-3
Tilt Drag	Fixed	Fixed	0-3	0-3	0-3
Price	\$1,549.00	\$1,799.00	\$1149.00	\$1,249.00	\$899.99











E-Image Tripod Kits	EG08A2	EG780A2	EG780A2D	EG05C2	EG05A2
Description	Aluminum Tripod Kit With GH08 Fluid Head	2-Stage Aluminum Tripod w/ 780 Head	2-Stage Aluminum Tripod w/ 780 Head & Dolly	2-Stage Carbon Fiber Tripod w/ GH05 Head	2-Stage Aluminum Tripod With GH05 Head
Max Height	67" / 170.1cm	65.2" / 165.6cm	35" / 89cm	66.7" / 169.4cm	67" / 170.1cm
Min Height	30" / 76.2cm	30.5" / 77.4cm	72.2" / 183.3cm	29.9" / 76cm	32.25" / 81.9cm
Bowl Size	75mm	75mm	75mm	75mm	75mm
Max Payload	17.6lbs / 8kg	22lbs / 10kg	22lbs / 10kg	15.4lbs / 7kg	15.4lbs / 7kg
Counterbalance	1-7	Fixed (13.2 lbs)	Fixed (13.2 lbs)	0-2	0-2
Pan Drag	Fixed	Variable	Variable	Fixed	Fixed
Tilt Drag	Fixed	Variable	Variable	Fixed	Fixed
Price	\$869.99	\$669.99	\$779.99	\$699.99	\$399.99

E-IMAGE TRIPOD KITS











E-Image Tripod Kits	EG05A2D	EK60AAM	EG04AS	EG03TT	EG03A2
Description	2-Stage Aluminum Tripod w/ GH05 Head & Dolly	2-Stage Aluminum Tripod Kit with EH60 Head	Lightweight Tripod Kit With Ball/Flat GHO4 Head	Telescoping Video Tripod Quick Kit With GH03 Head	2-Stage Aluminum Tripod With GH03 Head
Max Height	73.7" / 187cm	63" / 160cm	65.4" / 166.1cm	55.5" / 140.9cm	66.5" / 168.9cm
Min Height	34.4" / 87.3cm	32" / 79cm	30.75" / 78.1cm	12.5" / 31.7cm	29.5" / 74.9cm
Bowl Size	75mm	75mm	75mm	75mm	75mm
Max Payload	15.4lbs / 7kg	17.6lbs / 8kg	13.2lbs / 5.98kg	13lbs / 5.89kg	11lbs / 5kg
Counterbalance	0-2	Fixed	Fixed	Fixed	Fixed
Pan Drag	Fixed	Fixed	Fixed	Fixed	Fixed
Tilt Drag	Fixed	Fixed	Fixed	Variable	Variable
Price	\$499.99	\$319.99	\$299.99	\$339.99	\$329.99











E-Image Tripod Kits	EK50AAM	EG01A2	EK650	EK630	EK610
Description	2-Stage Aluminum Tripod Kit with EH50 Head	2-Stage Aluminum Tripod With Fluid Pan/Tilt Head	2-Stage Aluminum Tripod Kit with EH650 Head	2-Stage Aluminum Tripod Kit with EH630 Head	2-Stage Aluminum Tripod Kit with EH610 Head
Max Height	64" / 160cm	63.25" / 160.6cm	66.3" / 168.5cm	65.7" / 167cm	63.3" / 161cm
Min Height	31" / 79cm	31.5" / 80cm	30.5" / 77.5cm	29.9" / 76cm	27.9" / 71cm
Bowl Size	65mm	65mm	75mm	75mm	65mm
Max Payload	13.2lbs / 6kg	11lbs / 5kg	11lbs / 5kg	8.8lbs / 3.9kg	6.6lbs / 3kg
Counterbalance	Fixed	Fixed	Fixed	Fixed	Fixed
Pan Drag	Fixed	Fixed	Fixed	Fixed	Fixed
Tilt Drag	Variable	Variable	Variable	Variable	Fixed
Price	\$209.99	\$229.99	\$239.99	\$229.99	\$199.99







E-Image Tripod Kits	TA604-PLUS	TC604-PLUS	EG03FA3
Description	2-Stage Aluminum Tripod Kit with EH610 Head	2-Stage Aluminum Tripod Kit with EH610 Head	Rising Column Tripod Kit With GA230 & GH03F
Max Height	63.3" / 161cm	63.3" / 161cm	97.25" / 247cm
Min Height	27.9" / 71cm	27.9" / 71cm	37.75" / 95.8cm
Bowl Size	65mm	65mm	Flat
Max Payload	6.6lbs / 3kg	6.6lbs / 3kg	11lbs / 5kg
Counterbalance	Fixed	Fixed	Fixed
Pan Drag	Fixed	Fixed	Fixed
Tilt Drag	Fixed	Fixed	Variable
Price	\$239.99	\$349.99	\$449.99

∃7 ikancorp.com

E-IMAGE PEDESTAL KITS











E-Image Pedestal Kits	EP890XK	EP880XK	EP880SK	M-GH25-PEDESTAL	M-GH20-PEDESTAL
Description	Pedestal w/ GH65 Fluid Head	Pedestal w/ GH40 Fluid Head	Pedestal w/ GH25 Fluid Head	Motorized Pedestal w/ GH25 Fluid Head	Motorized Pedestal w/ GH20 Fluid Head
Max Height	68.3"	64.6"	72"	98.4"	97.6"
Min Height	38.4"	49.1"	43.5"	43.7"	42.9"
On-Shot Stroke	15"	15"	15"	25.6"	25.6"
Bowl Size	Flat	150mm	100mm	100mm	100mm
Max Payload	138.6lbs	88lbs	61.7lbs	61.6lbs	44lbs
Counterbalance	72	54	1-15	1-15	1-8
Pan Drag	0-11	0-11	0-7	0-7	Fixed
Tilt Drag	0-11	0-11	0-7	0-7	Fixed
Price	\$27,999.00	\$16,999.00	\$11,149.00	\$8,549.00	\$5,749.00













E-Image Pedestal Kits	EI-GH20-KIT	EI-7903-A	EI-7100H-KIT	M-PTZ-PEDESTAL	EI-PTZ-PEDESTAL	EI-GA780-KIT
Description	Pneumatic Pedestal w/ GH20 Fluid Head	Pneumatic Pedestal w/ 7103H Fluid Head	Pneumatic Pedestal w/ El-7100H Fluid Head	Motorized PTZ Pedestal w/ 100mm Flat Base	Pneumatic PTZ Pedestal w/ 100mm Flat Base	Geared Pedestal w/ 780FH Fluid Head
Max Height	78"	80"	78"	109.8"	73"	106.9"
Min Height	46.2"	47"	46.2"	39.2"	41"	43.9"
On-Shot Stroke	12.6"	12.6"	12.6"	25.6"	12.6"	16.9"
Bowl Size	100mm	100mm	100mm	Flat	100mm	Flat
Max Payload	38.5lbs	33lbs	33lbs	66lbs	44lbs	22lbs
Counterbalance	0-8	0-8	0-5	No	No	Fixed
Pan Drag	Fixed	0-3	Fixed	No	No	Variable
Tilt Drag	Fixed	0-3	Fixed	No	No	Variable
Price	\$4,949.00	\$4,849.00	\$3,899.00	\$3,499.00	\$3,299.00	\$1099.00

E-IMAGE MONOPODS & SLIDERS

3 Stage Hands-Free Carbon Fiber Monopod (E-Image)



- 3 Stage Carbon Fiber Construction Monopod w/ 610FH Head
- Flip Lock Design
- Swivel Base/Mini Tripod
- Foam Grip, Wrist Strap
- Flat-Based Tripod Head

- Maximum Height: 73.6"
- Minimum Height: 32.5"
- Payload: 6.6 lbs
- Weight: 4.9 lbs

MFC700+610FH	\$339.99
MFC700 (Monopod Only)	\$269.99

3 Stage Carbon Fiber Monopod (E-Image)



- 3 Stage Carbon Fiber Construction
- Flip Lock Design
- Swivel Base/Mini Tripod
- Foam Grip, Wrist Strap

Monopod w/ 630FH Head

- Maximum Height: 82.7"
- Minimum Height: 31.5"
- Payload: 8.8 lbs
- Weight: 6.2 lbs

//C800+630FH	\$289.99
NC800 (Monopod Only)	\$209.99

Carbon Fiber Monopod w/ Hand Crank (E-Image)



- 2 Stage Carbon Fiber Construction
- Hand crank allows for easy vertical adjustment
- Feet can be used as a mini tripod
- Includes ball joint for tilting in any direction
- Strong-hold flip lock system
- Full Fluid Base

Monopod w/ GH04F Head

- Maximum Height: 81.9"
- Minimum Height: 37.4" Payload: 11 lbs
- Weight: 7 lbs

Monopod w/ GH03F Head

- Maximum Height: 81.5"
- Minimum Height: 37"
- Payload: 11 lbs
- Weight: 6.8 lbs

ML-900C+GH04F	^{\$} 459.99
ML-900C+GH03F	\$409.99
ML-900C (Monopod Only)	\$309.99

Portable Camera Dolly w/ Tracks (E-Image)



- Payload: 110.2 lbs
- Adjustable length of 1.2' to 16.4'
- High-density foam gaskets keep smooth shooting on uneven ground
- High-quality wheels
- Lightweight and long rail for unlimited connection
- Multipurpose dolly
- Includes carrying bag

ED330 .\$789.99

48" Carbon Fiber Slider (E-Image)



- Hand, motor, or crank operation
- (motor optional)
- Sturdy lightweight 10 layer carbon fiber
- Extremely smooth sealed-bearing 12 wheel guides
- Integrated 5/8" stand receivers

ES120 \$649.99

17" Double Slider / Dual Track (E-Image)



- Camera mounting plate compatible with cameras requiring either 1/4"-20 and 3/8"-16 mounting
- Can be used on any flat surface or mounted to a tripod
- Perfect for those need maximum use with minimal size and weight

\$199.99 **ES35**

CAMERA SUPPORT DOLLIES

Lightweight Tripod Dolly (E-Image)



- Great for Studio Use
- Individually Braked Wheels
- Collapsible Design Folds for Transport
- Supports Most Dual Spiked Tripods
- 88 lbs Load Capacity
- No Assembly Required
- Universal Tripod Dolly with Mounts for Split-Spiked and Single Point Feet (EI-7003C)

EI-7003	\$139.99
EI-7003B (w/ Cable Guards)	\$159.99
EI-7003C (Universal Tripod Dolly)	\$159.99

Middleweight Tripod Dolly (E-Image)



- Fits E-Image Tripods with Dual Spikes
- 132 lb Load Capacity
- Non-Marring 4" Rubber Wheels
- Individual Wheel Brakes
- Folds for Transport
- Cable Guards available with EI-7004B

EI-7004	\$249.99
EI-7004B (w/ Cable Guards)	\$279.99

Heavy Duty Tripod Dolly (E-Image)



- Designed for use with Heavy Duty E-Image branded tripods
- Compatible with All E-Image Tripods with Double-Spiked Feet
- Hold up to 100Kg (220.46 lbs.)
- Footprint Diameter is 100cm(39.37")

EI-7005 \$399.99



PTZ SOLUTIONS

OTTICA™ NDI® HX3 PTZ Camera, 30x Zoom, Al-Tracking, PoE, 4K/60p



- · Includes Full License for NDI HX3
- 1080/60P Resolution/Frame Rate
- Al Camera Tracking | Auto Framing
- PoE (Power Over Ethernet)
- · Silent PTZ Motor Mechanism | Fast, Stable, & Accurate Auto-Focus
- 7.1-210mm Varifocal Lens with 30x Zoom



- HDMI, SDI, RJ45, RS-232, RS-485, & Audio-in Connectivity
- Blackout Mode for Convenient Teleprompter Use

The OTTICA-4K-30X delivers professional-grade performance with its 30x optical zoom and 4K resolution at 60fps, ensuring exceptional image clarity and detail. It features NDIIHX3 along with many other AVoIP modes for flexible, high-quality video transmission tailored to your workflow. With AI-powered tracking, the camera intelligently identifies and follows subjects, ensuring seamless focus during dynamic scenarios. The Blackout Mode allows users to turn off the indicator light, making it ideal for teleprompter use by reducing glare and distractions for the presenter. Additionally, the camera offers advanced control options, including an IP address selector via IR remote and compatibility with both analog and IP control protocols for seamless integration into almost any system. This 4K OTTICA camera also includes a Tally Light that can be configured to work with NDI or HTTP API. The camera also includes a 2-Year warranty.

OTTICA-4K-30X	\$2299.00
OTTICA-4K3-2PTZ (2 FHD PTZ Cameras, 1 PTZ Controller)	\$4999.00
OTTICA-4K3-3PT7 (3 FHD PT7 Cameras 1 PT7 Controller)	\$7199.00

OTTICA NDI® High Bandwidth & HX3 PTZ Camera, 20x Zoom, Al-Tracking, PoE, 1080/60p



- Includes Full License for NDI HB & NDI HX3
- 1080/60P Resolution/Frame Rate
- · Al Camera Tracking | Auto Framing
- POE (Power Over Ethernet)
- Silent PTZ Motor Mechanism I Fast, Stable, & Accurate Auto-Focus
- 5.5-110mm Varifocal Lens with 20x Zoom
- Supported Control Protocols: Visca, IP Visca, Pelco D/P, Onvif, NDI, IR Remote, UVC
- . HDMI, SDI, RJ45, RS-232, RS-485, & Audio-in Connectivity
- 2D/3D Noise Reduction



The OTTICA-FHD-20X delivers professional-grade performance with its 20x optical zoom and Full HD 1080p resolution at 60fps, ensuring exceptional image clarity and detail. It features selectable NDI High-Bandwidth and NDIIHX3 modes for flexible, high-quality video transmission tailored to your workflow. With AI-powered tracking, the camera intelligently identifies and follows subjects, ensuring seamless focus during dynamic scenarios. The Blackout Mode allows users to turn off the indicator light, making it ideal for teleprompter use by reducing glare and distractions for the presenter. Additionally, the camera offers advanced control options, including an IP address selector via IR remote and compatibility with both analog and IP control protocols for seamless integration into almost any system.

OTTICA-FHD-20X	\$1149.00
OTTICAF2-2PTZ (2 FHD PTZ Cameras, 1 PTZ Controller)	\$2749.00
OTTICAF2-3PTZ (3 FHD PTZ Cameras, 1 PTZ Controller)	\$3849.00


OTTICA IP PTZ Camera Controller



- Supports IP VISCA, Serial Port VISCA, PELCO-D/P Protocols Simultaneously
- RJ45, RS422, RS232, RS485 Control Interfaces
- · Control up to 10 Cameras
- 3 Knobs Control Camera Parameters Displayed on Designated LED Screens
- Streamlined Camera Preset Configuration

OTT-CONTROLLER-V2 \$549.99





MONITORS & ACCESSORIES

Atlas 21.5" Field/Studio 4K HDMI & 3G-SDI Monitor



- 1920 x 1080 LCD display
- Three color tally indicator LED on the front (green, red, yellow)
- SD card slot for loading 3D LUTs
- Built-in hard case with a mount for light stands
- HDR mode supports PQ & HG modes
- Waveform, vectorscope, RGB histogram, brightness histrogram, peaking, false color, clip guides, audiometer
- HDMI/3G-SDI input and output
- · V-mount battery plate

VXF7-V2 7" On-Camera 4K HDMI/3G-SDI Monitor



- 1920 x 1200 LCD display
- SDI/HDMI signal conversion
- Front and rear tally
- 4K Ultra HD Support via HDMI
- Histogram, peaking, false color, pixel-to-pixel, clip guides, image flip, audio meter
- · HDMI,3G-SDI, component, composite input and output
- · L series battery mount

AX20-FK-V2 \$1899.00 VXF7-V2 \$749.99 VXF7-V2-DK \$799.99

VXF7-HB 7" High Bright 4K HDMI/3G-SDI On-Camera Tally Field Monitor



- 2000 nits 1920 x 1200 IPS panel
- 4K@60 support via HDMI
- Three color tally indicator LED on the front and rear of the Chassis (green, red, yellow)
- Waveform, false color, peaking, zebra, pixel-to-pixel, zooming, clip guides, audiometer
- Rugged aluminum enclosure for durability
- Supports Anamorphic de-squeeze in real-time with a squeeze of 1.33x
- · 3G-SDI Input with loop through
- HDMI Input with loop through
- Supports L Series type battery

VXF7-HB	\$849.99
VXF7-HB-DK	\$899.99

Shoe Mount With Tool-less Mounting Screw & Mounting Plate



- Wide accessory mounting surface with a padded anti-slip surface
- Tool-less mounting with rotating thumb wheel
- Accepts any accessory with a 1/4"-20 mount
- Adaptable for cold shoe mounts and both 1/4"-20 & 3/8"-16 screws
- Can support up to 4.5 lb. horizontally, over 7 lb. vertically
- Includes 3/8"-16 to 1/4"-20 step-down adapter (preinstalled)

\$M-202 ______\$21.99

11" Articulating Arm w/ Removable Shoe Mount



- · Mount monitor or camera accessories
- 1/4"- 20 threaded ends
- Ball joints at each end
- Center wing nut lock
- Removable shoe mount

1A211-V2 (11" Length)	54.95
NA211-R (11" Arm w/ Single Rod Mount)	59.95

Articulating Monitor Arm (E-Image)



- Heavy-duty mount for monitors and other accessories
- 1/4"-20 threads on both sides
- Center wing nut features locking teeth for increased holding capacity

EI-A49 (5" Length)	.99
EI-A51 (9" Length)	.99
EI-A52 (2.875" Length)	.99

Heavy Duty 1/4"-20 Stand Mount With 5/8" Receiver



- Padded Anti-Slip Surface
 Asserts any Assessment Assessment
- Accepts any Accessory with a 1/4-20 Mount
- Receives any 5/8" Stand or Adaptor
- Can Support Up To 5 lb.
- Solid Metal Construction
- Can Support Up To 5 Lbs
- Solid Metal Construction

SM-501As34.99

Slim HDMI Cable With 1.4 Ultra HD 4K Support



- Lengths Available: 1.5', 3'
- Slim & Flexible For Easy Routing
- Designed For Production Use
- Short Lengths For Camera Rigs
 HDMI v1.4 With Backwards Compatibility
- Supports 4K & Ultra HD

HDMI-AC1.4	(Mini to Standard)	\$9.95
HDMI-AD1.4	(Micro to Standard)	\$9.95

Ultra Slim SDI Cable With Right Angle Connector



- Only 2.5mm Thick
- Ultra Durable & Super Flexible
- Short Lengths For Camera Rigs & Gimbals

Чì

AUDIO EQUIPMENT

Telescoping Aluminum Boom Pole w/ Internal Cable and XLR Base (E-Image)

- Includes an Internal Coiled XLR Cable
- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded case with shoulder pad

BA09P	(3-Section) (8.5')	\$199.99
BA12P	(5-Section) (12')	\$239.99

Telescoping Carbon Fiber Boom Pole w/ Internal Cable and XLR Base (E-Image)



- Includes an Internal Coiled XLR Cable
- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded case with shoulder pad

BC06P	(3-Section) (6.3')	\$239.99
BC09P	(4-Section) (8.5')	\$279.99
BC12P	(5-Section) (12')	\$339.99
BC16P	(5-Section) (16')	\$399.99

Telescoping Aluminum Boom Pole (E-Image)



- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded case with shoulder pad

BA06 (3-Section) (6')	\$78.99
BA09 (4-Section) (8')	\$89.99
BA12 (5-Section) (11.4')	\$129.99

Telescoping Carbon Fiber Boom Pole (E-Image)



- 3/8"-16 or 1/4"-20 mount
- Cable raceway for convenient cable management
- Includes padded case with shoulder pad

BC09 (4-Section) (8')	\$159.99
BC12 (5-Section) (11.4')	\$229.99
BC12P (5-Section w/ Internal Cable and XLR Base) (12')	\$339.99

Small Blimp Windscreen and Suspension System Complete Kit (E-Image)



- · Protection from Wind Noise
- Isolates From Shock & Vibration
- Fits PM-500, ECM-673, NTG3, MKH-8060 and NTG4+
- Synthetic Fur Windshield Included

Medium Blimp Windscreen and Suspension System Complete Kit (E-Image)



- Protection from Wind Noise
- Isolates From Shock and Vibration
- Fits PM-876/976, ECM-674, NTG3, MKH-416 and AT-897
- Synthetic Fur Windshield Included

Large Blimp Windscreen and Suspension System Complete Kit (E-Image)



- Protection from Wind Noise
- Isolates From Shock and Vibration
- Fits PM-PM-846, MKH-416 and AT-8035
- Synthetic Fur Windshield Included

BS-M20V \$249.99 BS-P60 \$309.99 BS-P70 \$399.99

IKANCORP.COM





2025 CATALOG